according to Regulation (EC) No. 453/2010
Dental Use



Date Issued: 09/10/2007 SDS No: 181-001.3

**Date Revised:** 05/19/2015

**Revision No:** 3

# **DermaDam®**

# SECTION 1: Identification of the substance/preparation and of the company/undertaking

#### 1.1. Product identifier

**Product code** : 298, 311, 314, S313

Product name : DermaDam®

Product description : Latex Rubber Dam

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**: Professional Dental Latex Barrier

# 1.3. Details of the supplier of the safety data sheet

### Manufacturer Distributor

Ultradent Products, Inc.

505 W. 10200 S.

Ultradent Products GmbH
Am Westhover Berg 30

South Jordan, UT 84095 51149 Cologne Germany Email: infoDE@ultradent.com

**Emergency Phone:** +49(0)2203-35-92-0

#### 1.4. Emergency telephone number

**CHEMTREC (NORTH AMERICA) :**(800) 424 - 9300

(INTERNATIONAL) :+1(703) 527 - 3887

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Directive 1999/45/EC

: The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies. This material is not considered hazardous to health.

# Classification according to Regulation (EC) No 1272/2008 [CLP]

**Health** : Skin Sensitization, Category 1

# 2.2. Label elements

Classification according to Directive 1999/45/EC: This material is not considered to be hazardous for the health.

# Classification according to Regulation (EC) No 1272/2008 [CLP]

**Hazard statement(s)** : H317: May cause an allergic skin reaction.

**Precautionary statement(s)** 

**Prevention**: P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

**Response**: P302+P352: IF ON SKIN: Wash with plenty of soap and water

P333+P313: If skin irritation or rash occurs: Get medical

advice/attention.

**Storage** : P273: Avoid release to the environment.

according to Regulation (EC) No. 453/2010

Dental Use



**Date Issued :** 09/10/2007 **SDS No :** 181-001.3

**Date Revised :** 05/19/2015

**Revision No:** 3

# **DermaDam®**

**Disposal**: P501: Dispose of in compliance with governmental

regulation.(EC1975L0442-20/11/2003

2.3. Other hazards

**Immediate concerns**: May cause sensitization.

# SECTION 3: Composition / information on ingredients

### 3.1. Substances

Not Applicable

### 3.2. Mixtures

Chemical Name	CAS	EINECS No.	Wt.%	Classification according to Regulation (EC) No 1272/2008 [CLP]
Latex	9006-04-6	232-689-0	~ 100	Skin Sens.,Cat. 1; H317

**Additional information**: Latex is not considered hazardous.

For full text of H-statements and R-phrases: see SECTION 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

**Following eyes**: No special measures required.

**Following skin**: Wash with soap and water. Get medical attention if irritation develops

or persists.

**Following ingestion** : No special measures required. **Following inhalation** : No special measures required.

# 4.2. Most important symptoms and effects, both acute and delayed

Eyes : None expected for this product.
Skin : May cause sensitization to skin.
Ingestion : None expected for this product.
Inhalation : None expected for this product.

# 4.3. Indication of any immediate medical attention and special treatment needed

**Additional information**: May irritate persons with latex allergies

# **SECTION 5: Fire fighting measures**

### 5.1. Extinguishing media

**Extinguishing media** : Please see Fire Fighting Equipment under Section 5.3.

according to Regulation (EC) No. 453/2010
Dental Use



**Date Issued :** 09/10/2007 **SDS No :** 181-001.3

**Date Revised:** 05/19/2015

**Revision No:** 3

# **DermaDam®**

### 5.2. Special hazards arising from the substance or mixture

Explosion hazards : Not Determined
Fire explosion : Not Determined
Sensitive to static discharge : Not Determined
Sensitivity to impact : Not Determined

### 5.3. Advice for firefighters

**Fire fighting procedures** : General: Evacuate all personnel; use protective equipment for fire-

fighting. Use self-contained breathing apparatus when the product is

involved in fire.

**Fire fighting equipment**: Water, foam, dry chemical, CO2

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

**General procedures**: None Expected.

# **6.2. Environmental precautions**

**Water spill** : Not Applicable

# 6.3. Methods and material for containment and cleaning up

**Large spill** : Shovel or vacuum spill and place in a container for disposal.

# **6.4.** Reference to other sections

**Reference to other sections** : Not Applicable

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

**Handling** : Keep away from high tempature

**Storage** : See product labeling.

### 7.2. Conditions for safe storage, including any incompatibilities

**Shelf life** : See product labeling

7.3. Specific end use(s)

**Specific end use(s)**: Professional Dental Latex Barrier

# **SECTION 8: Exposure controls / personal protection**

#### 8.1. Control parameters

**Control parameters** : Not Determined

### 8.2. Exposure controls

**Eye/face protection**: Not needed for normal use.

**Skin protection**: Wear suitable protective clothing and gloves.

**Respiratory protection**: Good general ventilation should be sufficient to control airborne levels.

according to Regulation (EC) No. 453/2010
Dental Use



Date Issued: 09/10/2007 SDS No: 181-001.3

**Date Revised:** 05/19/2015

**Revision No:** 3

# **DermaDam®**

**Other precautions**: Use caution when using around latex sensitive persons.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Rubber sheeting
Odour : Light latex odor

9.2. Other information

Percent volatile : Not Determined

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

**Reactivity**: Stable

10.2. Chemical stability

**Chemical stability** : Exposure to light triggers decomposition

10.3. Possibility of hazardous reactions

**Hazardous polymerization**: None

10.4. Conditions to avoid

**Conditions to avoid** : Not Determined

10.5. Incompatible materials

**Incompatible materials**: Not Determined

10.6. Hazardous decomposition products

**Hazardous decomposition**: Carbon Monoxide

products

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute

Notes : Medical grade latex has a known toxicological profile and a long history

of safe use in persons who are not latex-sensitive.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

# **Aquatic toxicity (acute)**

96-hour LC50: Not Determined48-hour EC50: Not Determined96-hour EC50: Not Determined

# 12.2. Persistence and degradability

Persistence and degradability: Not Determined

according to Regulation (EC) No. 453/2010
Dental Use



Date Issued: 09/10/2007 SDS No: 181-001.3

**Date Revised:** 05/19/2015

**Revision No:** 3

# **DermaDam®**

12.3. Bioaccumulative potential

Bioaccumulative potential : Not Determined

12.4. Mobility in soil

**Mobility in soil** : Not Determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

: Not Determined

12.6. Other adverse effects

**Environmental data** : Not defined

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Disposal method**: Dispose of in compliance with governmental regulation.(EC

1975L0442-20/11/2003)

### **SECTION 14: Transport information**

**14.1. UN** number

UN number : N/A

14.2. UN proper shipping name

**UN proper shipping name** : Not Dangerous Goods

14.3. Transport hazard class(es)

Primary hazard class/division : N/A

14.4. Packing group

Packing group : N/A

14.5. Environmental hazards

Marine pollutant #1 : N/A

14.6. Special precautions for user

ADR - road : Not Dangerous Goods
RID - rail : Not Dangerous Goods
IMDG - sea : Not Dangerous Goods
IATA - air : Not Dangerous Goods

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

**Transport in bulk**: Not Dangerous Goods

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**RoHS**: Please refer to Medical Devices Directive 93/42/EEC

15.2. Chemical safety assessment

according to Regulation (EC) No. 453/2010
Dental Use



**Date Issued:** 09/10/2007

**SDS No:** 181-001.3 **Date Revised:** 05/19/2015

**Revision No:** 3

# **DermaDam®**

Chemical safety assessment

: See Section 11

**Additional information** 

: This product is not considered dangerous for transportation

Skin Sens., Cat. 1: Skin Sensitization, Category 1

### **SECTION 16: Other information**

Relevant R-phrases and/or Hstatements (number and full

text)

H317: May cause an allergic skin reaction.

: Anu Kattoju

**Revision summary** 

Prepared by

: This SDS replaces the 05/12/2014 SDS. Revised: Section 1: Date-

Revised.

**General statements** 

: N/A= Not Applicable

Manufacturer disclaimer

: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no

liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and

determine whether they are appropriate.