

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
Product name : Derwent Academy Assorted Markers- 4CT
Product code : 98204

1.2. Recommended use and restrictions on use

Recommended use : Ink and Toners

1.3. Supplier

ACCO Brands
Four Corporate Drive
Lake Zurich, IL
60047

Phone: 800-222-6462

1.4. Emergency telephone number

Emergency number : Rocky Mountain Poison + Drug center Phone number are (877)740-5015 (US Toll Free) and (303) 739-1110 (Outside US)

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

Flammable liquids, H226
Category 3
Skin corrosion/irritation, H314
Category 1
Skin sensitisation, H317
Category 1
Germ cell mutagenicity, H341
Category 2
Specific target organ toxicity — Single exposure, Category 3, H336
Narcosis

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA) :



Signal word (GHS-CA) : Danger

Hazard statements (GHS-CA) :
H226 - Flammable liquid and vapour
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H336 - May cause drowsiness or dizziness
H341 - Suspected of causing genetic defects

Precautionary statements (GHS-CA) :
P202 - Do not handle until all safety precautions have been read and understood
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P260 - Do not breathe fume, mist, spray, vapours
P280 - Wear eye protection, protective clothing, protective gloves
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor
EN (English)

Derwent Academy Assorted Markers- 4CT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
1-methoxy-2-propanol, monopropylene glycol methyl ether	(+/-)-1-methoxy-2-propanol / 1-methoxy-2-hydroxypropane / 1-Methoxy-2-propanol / 1-methoxy-2-propanol, (+/-)- / 1-methoxypropan-2-ol / 1-methoxypropanol-2 / 2-methoxy-1-methylethanol / 2-propanol, 1-methoxy- / 2-Propanol, 1-methoxy- / alpha-propylene glycol 1-methyl ether / alpha-propylene glycol monomethyl ether / methoxy ether of propyleneglycol / methoxyisopropanol / methyl ether of propylene glycol / monoethyl ether of propylene glycol / monopropylene glycol methyl ether / PGME (= propylene glycol monomethyl ether) / propylene glycol methyl ether / propylene glycol monomethyl ether	(CAS-No.) 107-98-2	15 - 80	Flam. Liq. 3, H226 STOT SE 3, H336
propan-1-ol, n-propanol	1-hydroxypropane / 1-propanol, anhydrous / alcohol C3 / ethyl carbinol / normal-propanol / normal-propyl alcohol / n-propanol / n-propanol (propyl alcohol, normal) / OPTAL / OS MOSOL / osmosol extra / propan-1-ol / propanol / propyl alcohol / propyl alcohol, normal / propylic alcohol	(CAS-No.) 71-23-8	15 - 80	Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336
Benzenesulfonic Acid		(CAS-No.) 85536-14-7	1 - 15	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Aquatic Chronic 3, H412
C. I. Solvent Violet 8		(CAS-No.) 84281-86-7.	1 - 15	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
C. I. Solvent Orange 3	1,3-benzenediamine, 4-(phenylazo) / 4-(phenylazo)benzene-1,3-diamine / chrysoidine / Environmentally hazardous substance, solid, n.o.s.	(CAS-No.) 495-54-5..	1 - 15	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Muta. 2, H341 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
C.I. solvent blue 4	1-naphthalenemethanol, alpha, alpha-bis[4-(dimethylamino)phenyl]-4-(phenylamino)- / 1-naphthalenemethanol, alpha, alpha-bis[4-(dimethylamino)phenyl]-4-(phenylamino)- / aizen victoria blue B base / alpha, alpha-bis[4-(dimethylamino)phenyl]-4-(phenylamino)naphthalene-1-methanol / base B / baso blue 645 / brilliant oil blue B base / C.I. 44045B / C.I. solvent blue 4 / fast oil blue B base / victoria blue B / victoria blue B base / victoria blue BA base / victoria blue base / victoria blue base B / victoria blue base FB / waxoline victoria blue B / alpha, alpha-bis[4-(dimethylamino)phenyl]-4-(phenylamino)naphthalene-1-methanol	(CAS-No.) 6786-83-0.	< 5	Eye Dam. 1, H318 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Derwent Academy Assorted Markers- 4CT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

First-aid measures after skin contact	: Call a physician immediately. Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
First-aid measures general	: Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Unsuitable extinguishing media

No additional information available

5.3. Specific hazards arising from the hazardous product

Fire hazard	: Flammable liquid and vapour.
-------------	--------------------------------

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Methods and materials for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe fume, mist, spray, vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Derwent Academy Assorted Markers- 4CT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

1-methoxy-2-propanol, monopropylene glycol methyl ether (107-98-2)		
USA - ACGIH	ACGIH TWA (ppm)	50 ppm
USA - ACGIH	ACGIH STEL (ppm)	100 ppm
USA - ACGIH	Remark (ACGIH)	Eye irr; CNS impair; A4 (Not classifiable as a Human Carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories)

propan-1-ol, n-propanol (71-23-8)		
USA - ACGIH	ACGIH TWA (ppm)	100 ppm
USA - ACGIH	Remark (ACGIH)	Eye & URT irr
USA - OSHA	OSHA PEL (TWA) (mg/m³)	500 mg/m³
USA - OSHA	OSHA PEL (TWA) (ppm)	200 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. Safety glasses. Gloves. Protective clothing.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: Black
Odour	: There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour(s): Pleasant odour Sweet odour Ether-like odour Alcohol odour Mild odour No data available on odour
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 96 °C
Flash point	: 23 °C
Auto-ignition temperature	: 287 °C
Decomposition temperature	: No data available

Derwent Academy Assorted Markers- 4CT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Flammability (solid, gas)	: Not applicable
Vapour pressure	: 19 hPa
Vapour pressure at 50 °C	: No data available
Relative density	: No data available
Density	: 0.85 g/cm ³
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 4.5 mPa.s
Explosive limits	: 1.7 - 13.5 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	: Flammable liquid and vapour.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

1-methoxy-2-propanol, monopropylene glycol methyl ether (107-98-2)

LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; Experimental value; Other)
-----------------	--

propan-1-ol, n-propanol (71-23-8)

LD50 oral rat	> 2000 mg/kg (Rat)
LD50 dermal rabbit	4049 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	9.8 mg/l/4h (Rat)

C. I. Solvent Orange 3 (495-54-5..)

LD50 oral rat	1650 mg/kg (Rat)
---------------	------------------

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Serious eye damage, category 1, implicit
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Derwent Academy Assorted Markers- 4CT

Viscosity, kinematic (calculated value) (40 °C)	5.29411765 mm ² /s
---	-------------------------------

Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

Derwent Academy Assorted Markers- 4CT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects. Harmful to aquatic life.

propan-1-ol, n-propanol (71-23-8)	
LC50 fish 2	4480 mg/l (LC50; 96 h; Pimephales promelas)
EC50 Daphnia 2	3644 mg/l (EC50; 48 h)
C. I. Solvent Orange 3 (495-54-5..)	
LC50 fish 1	0.3 mg/l (LC50; 48 h)

12.2. Persistence and degradability

1-methoxy-2-propanol, monopropylene glycol methyl ether (107-98-2)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in soil. Very mobile in soil. Photodegradation in the air.
ThOD	1.95 g O ₂ /g substance
propan-1-ol, n-propanol (71-23-8)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in soil. Biodegradable in soil in anaerobic condition.
Biochemical oxygen demand (BOD)	0.47 - 1.63 g O ₂ /g substance
Chemical oxygen demand (COD)	2.23 g O ₂ /g substance
ThOD	2.4 g O ₂ /g substance
BOD (% of ThOD)	0.20 - 0.44

12.3. Bioaccumulative potential

1-methoxy-2-propanol, monopropylene glycol methyl ether (107-98-2)	
BCF fish 1	1 (BCF)
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).
propan-1-ol, n-propanol (71-23-8)	
Log Pow	0.25 (Experimental value)
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).
C. I. Solvent Orange 3 (495-54-5..)	
Log Pow	2.13 - 2.845

12.4. Mobility in soil

1-methoxy-2-propanol, monopropylene glycol methyl ether (107-98-2)	
Surface tension	0.0707 N/m (20 °C; 1 g/l)
propan-1-ol, n-propanol (71-23-8)	
Surface tension	0.024 N/m (20 °C)
Log Pow	0.25 (Experimental value)
C. I. Solvent Orange 3 (495-54-5..)	
Log Pow	2.13 - 2.845

12.5. Other adverse effects

GWPmix comment : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information : Flammable vapours may accumulate in the container.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. Basic shipping description

In accordance with TDG

Transportation of Dangerous Goods

UN-No. (TDG) : UN2924
Packing group : III - Minor Danger

Derwent Academy Assorted Markers- 4CT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

TDG Primary Hazard Classes	: 3 - Class 3 - Flammable Liquids
TDG Subsidiary Classes	: 8
Transport document description	: UN2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (propan-1-ol, n-propanol ; Benzenesulfonic Acid), 3 (8), III
Proper Shipping Name (Transportation of Dangerous Goods)	: FLAMMABLE LIQUID, CORROSIVE, N.O.S. propan-1-ol, n-propanol ; Benzenesulfonic Acid

Hazard labels (TDG)	: 3 - Flammable liquids 8 - Corrosive substances
---------------------	---



TDG Special Provisions	: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a)UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S.; (b)UN1851, MEDICINE, LIQUID, TOXIC, N.O.S.; (c)UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S.; (d)UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.; or (e)UN3249, MEDICINE, SOLID, TOXIC, N.O.S. An example in Canada is the "Food and Drugs Act". (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a)UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b)UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS. SOR/2014-306
------------------------	---

Explosive Limit and Limited Quantity Index	: 5 L
Excepted quantities (TDG)	: E1
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 5 L

14.2. Transport information/DOT

Department of Transport

DOT NA no.	: UN2924
UN-No.(DOT)	: 2924
Packing group (DOT)	: III - Minor Danger
DOT Symbols	: G - Identifies PSN requiring a technical name
Transport document description	: UN2924 Flammable liquids, corrosive, n.o.s., 3 (8), III
Proper Shipping Name (DOT)	: Flammable liquids, corrosive, n.o.s.
Contains Statement Field Selection (DOT)	:
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Division (DOT)	: 3
Hazard labels (DOT)	: 3 - Flammable liquid 8 - Corrosive



Dangerous for the environment	: Yes
Marine pollutant	: Yes



Derwent Academy Assorted Markers- 4CT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

DOT Special Provisions (49 CFR 172.102)	: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / (1 + a (tr - tf))$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Emergency Response Guide (ERG) Number	: 132
Other information	: No supplementary information available.

14.3. Air and sea transport

IMDG

UN-No. (IMDG)	: 2924
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, CORROSIVE, N.O.S.
Transport document description (IMDG)	: UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S., 3 (8), III
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger

IATA

UN-No. (IATA)	: 2924
Proper Shipping Name (IATA)	: Flammable liquid, corrosive, n.o.s.
Transport document description (IATA)	: UN 2924 Flammable liquid, corrosive, n.o.s., 3 (8), III
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. National regulations

No additional information available

Benzenesulfonic Acid (85536-14-7)

Listed on the Canadian DSL (Domestic Substances List)

C. I. Solvent Orange 3 (495-54-5..)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

C.I. solvent blue 4 (6786-83-0.)

Listed on the Canadian DSL (Domestic Substances List)

Canada DSL & NDSL Flags Significant New Activity (SNAc) provisions of the DSL Act apply to a substance that was already on the DSL

15.2. International regulations

1-methoxy-2-propanol, monopropylene glycol methyl ether (107-98-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

propan-1-ol, n-propanol (71-23-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Derwent Academy Assorted Markers- 4CT

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Benzenesulfonic Acid (85536-14-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

C. I. Solvent Violet 8 (84281-86-7.)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

C. I. Solvent Orange 3 (495-54-5..)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

C.I. solvent blue 4 (6786-83-0.)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION 16: Other information

Date of issue : 05/24/2017

Revision date : 06/16/2017

Full text of H-statements:

H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS Canada (GHS)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.