

U.S. Department of Labor

May be used to comply with

Occupational Safety and Health Administration

OSHA's Hazard Communication Standard,

(Non-Mandatory Form)

29 CFR 1910.1200. Standard must be

Form Approved

consulted for specific requirements.

OMB No. 1218-0072

IDENTITY (As Used on Label and List) Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the DIAMOND POLISH MINT FLAVORED space must be marked to indicate that.

Section 1

Manufacturer's Name Mizzy Inc	Emergency Telephone Number 800-535-5053
Address (Number, Street, City, State, and ZIP Code) 616 Hollywood Av	Telephone Number for Information 856-663-4700
Cherry Hill, NJ 08002	Date Prepared: 10/20/03 Date Reviewed: 09/13/06
NA	Signature of Preparer (optional)

Section 2 - Hazard Ingredients/Identity Information

OSHA PEL	ACGIH TLV	Other Limits Recommended	%(optional)	
DIAMOND (C) Inert, PEL – 10(mg/m ³), TLV – 10 (mg/m ³)				
FILLER (Proprietary) Inert				
PURE FOOD GRADE MINT OIL				
SEMI-SOLID WATER SOLUBLE BASE (Proprietary)				
	PEL 3), TLV –	PEL TLV TLV TLV TLV TLV TLV TLV TLV TLV TU TLV T	PEL TLV Recommended 13), TLV – 10 (mg/m ³)	

Continued on Next Page

Section 3 - Physical/Chemical Characteristics

Boiling Point Not Available	NA	Specific Gravity (H ₂ O = 1) 1.0919	1.0919	
Vapor Pressure (mm Hg.) Not Available	NA	Melting Point 44.5°C (112.1°F)	44.5°C 112.1°F	
Vapor Density (AIR = 1) Not Available	NA	Evaporation Rate (Butyl Acetate = 1) NONE	NONE	
Solubility in Water Easily soluble in cold water, hot water. Soluble in methanol.				
Appearance and Odor: Gray Solid, Mint Odor				

Section 4 - Fire and Explosion Hazard Data

Flash Point (Method Used) Not Available	Flammable Limits Not Available	LEL NA	UEL NA	
Extinguishing Media SMALL FIRE: Use DRY chemicals, CO2, water spray or foam. LARGE FIRE: Use water spray, fog or foam. DO NOT use water jet.				
Special Fire Fighting Procedures No additional remark.				
Products of Combustion: These products are carbon oxides (CO, CO2).				
Unusual Fire and Explosion Hazards No additional remark.				

Section 5 - Reactivity Data

Stability	Unstable	NA	Conditions to Avoid Not Available		
This product is stable.	<u>Stable</u>	X	<u>Stable</u>		
Incompatibility (<i>Materials to Avoid</i>) No specific information is available in our database regarding the reactivity of this material in presence of various other materials					
Hazardous Decomposition or Byproducts					
Hazardous Polymerization May Occur NA Conditions to Avoid Not Available.					
NA	Will Not Occur	X	NA		

Section 6 - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion? Possible
Ingestion or Skin Contact	None	Possible	
ingestion of 5km contact	TVOIC	1 Ossible	1 Ossible

Health Hazards (Acute and Chronic)

No known health hazards.

Very slightly to slightly dangerous in case of skin contact (irritant), of eye contact (irritant), of ingestion.

Car	rcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
No	ot Available	Not Available	Not Available	NO

California Proposition 65 Warnings: Warning: This product contains a chemical known to the State of California to cause cancer. Chemical ingredient(s) requiring this warning: NONE

Signs and Symptoms of Exposure:

Possible eye irritation with contact.

Medical Conditions Generally Aggravated by Exposure:

There is no known effect from chronic exposure to this product. Repeated or prolonged exposure is not known to aggravate medical condition.

Emergency and First Aid Procedures:

Eye Contact: IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. COLD water may be used.

Skin Contact: Gently and thoroughly wash the skin with running water. COLD water may be used.

Ingestion: Have conscious person drink several glasses of water.

Section 7 - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled:

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Waste Disposal Method:

Recycle to process, if possible. Consult your local or regional authorities.

Precautions to Be taken in Handling and Storing:

Keep away from heat. Keep away from sources of ignition. Keep container dry. Keep in cool place. Keep container closed. Keep in a cool, well-ventilated place. Combustible materials should be stored away from extreme heat and away from strong oxidizing agents.

Other Precautions

Not available

Section 8 - Control Measures

Respiratory Protection (Specify Type) None			
Ventilation: Use in well ventilated area.	Local Exhaust Not needed		Special Not Available
	Mechanical (General) Not Available		Other Not Available
Protective Gloves Not needed		Eye Protection: Wear Safety glasses	
Other Protective Clothing or Equipment No additional remark.			
Work/Hygienic Practices: Wash hands thoroughly after using product.			

Section 9 – Other Regulatory Information

HMIS (U.S.A.) Health Hazard Fire Hazard Reactivity Personal Protection	(1) (1) (0) (a)	National Fire Protection Association (U.S.A.)	Health O Reactivity Specific hazard	
Other Classifications: WHMIS (Canada) Not controlled under WHMIS (CANADA). DSCL (EEC) R-16- Explosive when mixed with oxidizing substances.				