
SAFETY DATA SHEET

SECTION 1 Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

- Product Name: EASYCLEAN BASIN AND TOILET BOWL
- Product Part Number: 778851 (10L plastic can)

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture: Galley & Accommodation, Acid Cleaner

1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Wilhelmsen Ships Service AS
- Address of Supplier: Willem Barentszstraat 50, 3165AB Rotterdam, The Netherlands
- Telephone: +31 4877 777 Fax: +31 4877 888
-
- Head office: Wilhelmsen Ships Service AS
- Strandveien 20, N1324 Lysaker
- Norway, Tel: (47) 6349 440 35
-
- Other suppliers SEE SECTION 16!!!
- For quotations contact your local Customer Services
-
- Responsible Person: Product HSE Manager,
- Email: Email: WSS.GLOBAL.SDSINFO@wilhelmsen.com
- Telephone: Tel.: +31 10 4877775

1.4 Emergency telephone number

- ****ONLY TO BE USED IN CASE OF AN INCIDENT****
-
- International 24hrs Emergency NCEC: +44 1865 407333
- American Chemistry Council 24hrs +1 703 527 3887
- American 24hrs Emergency CHEMTREC (800) 424 9300
- Greece: Poisoning emergency center, +30 210 7793777
- Norway: Poison information centre, +47 22591300
- Sweden: Poison information centre, +46 08 33 12 31
- China NRCC 24hrs emergency telephone number: +86-0532-8388 9090
- Wilhelmsen Ships Service, Melbourne, AUSTRALIA Emergency 24hrs: +61 3 9630 0998

SECTION 2 Hazards identification**2.1 Classification of the substance or mixture**

- Council Directive 1999/45/EEC Classification, packing and labelling of dangerous preparations.
- Dangerous Substances Directive (67/548/EEC). Classification, packaging and labelling of dangerous substances
- Symbols: C
- Causes burns (R34)
-
- Regulations 1272/2008/EEC. Classification, labeling and packing of dangerous substances and preparations
- Symbols: GHS05
- Signal Word: Danger

SECTION 2 Hazards identification (....)

- Met. Corr. 1
- Skin Corr. 1B
- May be corrosive to metals (H290).
- Causes severe skin burns and eye damage (H314).
-

2.2 Label elements

- Signal Word: Danger
- Met. Corr. 1
- Skin Corr. 1B
-
- Contains:
 - methanesulphonic acid
 - Alkylglucosid
 - Fatty alcohol ethoxylates
-
- Hazard phrases
 - May be corrosive to metals (H290).
 - Causes severe skin burns and eye damage (H314).
- Precautionary Phrases
 - Wear protective gloves/protective clothing/eye protection/face protection (P280).
 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting (P301+P330+P331).
 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower (P303+P361+P353).
 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305+P351+P338).
 - Immediately call a POISON CENTER or doctor/physician (P310).

2.3 Other hazards

- Not applicable
- Not a PBT according to REACH Annex XIII
- Appearance: Liquid, off-white
- Odour: Sweet-smelling

SECTION 3 Composition/information on ingredients**3.1 Mixtures**

- methanesulphonic acid
 - Concentration: 5-10 %
 - CAS Number: 75-75-2
 - EC Number: 200-898-6
 - R/H Phrases: H290, H314 - R34
 - Symbols: GHS05, C
 - Categories: Skin Corr. 1B, Met. Corr. 1
 - REACH REG. NO: 01-211941166-34
- Alkylglucosid
 - Concentration: 10-30 %

SECTION 3 Composition/information on ingredients (....)

CAS Number: 161074-93-7

EC Number: 500-529-1

R/H Phrases: H318 - R41

Symbols: GHS05, Xi

Categories: Eye Dam. 1

- Fatty alcohol ethoxylates
Concentration: 5-10 %
CAS Number: 160875-66-1
EC Number: Not applicable
R/H Phrases: H302, H318 - R41, R22
Symbols: Xn, GHS07, GHS05
Categories: Acute Tox. 4, Eye Dam. 1
-

SECTION 4 First aid measures**4.1 Description of first aid measures**

- Contact with eyes:
 - If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes
 - Get immediate medical advice/attention (P315).
 -
- Contact with skin:
 - Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water
 -
- Ingestion:
 - Rinse mouth (P330).
 - Give plenty of water to drink
 - Do not induce vomiting
 - Never make an unconscious person vomit or drink fluids
 -
- Inhalation:
 - If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing (P341).
 - If exposed or concerned: Get medical advice/attention (P308+P313).

4.2 Most important symptoms and effects, both acute and delayed

- Vapours or aerosols may cause irritation of eyes, nose and respiratory tract
- Can cause damage to the eyes

4.3 Indication of any immediate medical attention and special treatment needed

- No information available
-

SECTION 5 Fire-fighting measures**5.1 Extinguishing media**

- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions

5.2 Special hazards arising from the substance or mixture

- No information available

5.3 Advice for firefighters

SECTION 5 Fire-fighting measures (....)

- Wear Positive-Pressure Breathing Apparatus
-

SECTION 6 Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- Wear protective clothing as per section 8

6.2 Environmental Precautions

- Do not allow to enter public sewers and watercourses

6.3 Methods and material for containment and cleaning up

- Absorb spillage in earth or sand
- Remove contaminated material to safe location for subsequent disposal
- Small quantities may be flushed to drains with plenty of water.

6.4 Reference to other sections

- See Section 13
-

SECTION 7 Handling and storage**7.1 Precautions for safe handling**

- Wear protective clothing as per section 8
- Do not get in eyes, on skin, or on clothing (P262).

7.2 Conditions for safe storage, including any incompatibilities

- Protect from frost
- Avoid contact with rubber
- Avoid contact with plastic
- Keep away from heat/sparks/open flames/hot surfaces. – No smoking (P210).
- Store in a well-ventilated place (P403).
- Store in a dry place. Store in a closed container (P402+P404).

7.3 Specific end use(s)

- Contact supplier for further information
-

SECTION 8 Exposure controls/personal protection**8.1 Control parameters**

- No exposure limits have been set for this substance

8.2 Exposure controls

- Ensure adequate ventilation

8.3 Occupational exposure controls

- Eyewash bottles should be available
- No respiratory protection is required unless subject to contact with substance mist
- Respiratory protection may be required under exceptional circumstances when excessive air contamination exists
- Wear suitable respiratory protection. Gas cartridge (acid gases).
- Wear neoprene or nitrile gloves
- Penetration time of glove material:
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Wear goggles giving complete eye protection



SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance: Liquid, off-white
- Odour: Sweet-smelling
- Density 1,08 - 1,085 g/cm³ at 20 deg C
- pH: 1-2 - 20C

9.2 Other information

- No information available
-

SECTION 10 Stability and reactivity

10.1 Reactivity

- No hazardous reactions known if used for its intended purpose

10.2 Chemical stability

- Considered stable under normal conditions

10.3 Possibility of hazardous reactions

- Not applicable

10.4 Conditions to avoid

- Reacts with metals liberating hydrogen
- May form explosive mixtures with air

10.5 Incompatible materials

- Incompatible with alkalis (strong bases)
- Avoid contact with metals

10.6 Hazardous Decomposition Products

- No hazardous decomposition products known
-

SECTION 11 Toxicological information

11.1 Information on toxicological effects

- LD50 (oral,rat) (Alkylglucoside) 2000-5000 mg/kg
- LD50 (oral,rat) (Fatty alcohol ethoxylate) 300-2000 mg/kg
- LD50 (oral,rat) (Polyamine, mod) >2000 mg/kg

11.2 Contact with eyes

- Can cause damage to the eyes

11.3 Contact with skin

- Prolonged skin or eye contact may cause chemical burns

11.4 Ingestion

- The ingestion of significant quantities may cause damage to mucous membranes

11.5 Inhalation

- Vapours or aerosols may cause irritation of eyes, nose and respiratory tract
-

SECTION 12 Ecological information

12.1 Toxicity

- LC50 (fish) (Alkylglucoside) 558 mg/l (96 hr)
 - LC50 (fish) (Methane Sulphonic acid) 73 mg/l (96 hr)
 - LC50 (fish) (Fatty alcohol ethoxylate) 1-10 mg/l (96 hr)
 - EC50 (Daphnia magna) (polyamine, mod.) 10-100 mg/l (48 hr)
 - Biodegradability. OECD-test. 28 days >60 % (Methane Sulphonic acid)
-

SECTION 12 Ecological information (....)

- This product contains an acidic component which may cause a low pH-value. Effect depends on water quality and the organisms' tolerance due to pH-value
- This product does not contain ingredients which are classified in the EU as dangerous for the environment.

12.2 Persistence and degradability

- The components in this product are readily biodegradable.

12.3 Bioaccumulation Potential

- Not applicable

12.4 Mobility in soil

- Not applicable

12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

12.6 Other Adverse Effects

- Not applicable
-

SECTION 13 Disposal considerations**13.1 Waste treatment methods**

- Small quantities may be flushed to drains with plenty of water.
- Disposal should be in accordance with local, state or national legislation

13.2 Classification

- EU Waste class: 06 01 06
-

SECTION 14 Transport information**14.1 UN**

- UN No.: UN3265
- Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s (Methanesulphonic acid)
- Hazard Class: 8
- Packing Group: III

14.2 Environmental hazards

- Not applicable

14.3 Special precautions for user

- No special precautions are required for this product

14.4 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

- Not applicable

14.5 Road/Rail (ADR/RID)

- ADR UN No.: UN3265
- Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s (Methanesulphonic acid)
- ADR Hazard Class: 8
- ADR Packing Group: III

14.6 Sea (IMDG)

- IMDG UN No.: UN3265
 - Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s (Methanesulphonic acid)
-

SECTION 14 Transport information (....)

- IMDG Hazard Class: 8
- IMDG Pack Group: III
- IMDG EmS: F-A, S-B

14.7 Air (ICAO/IATA)

- ICAO UN No.: UN3265
- Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s (Methanesulphonic acid)
- ICAO Hazard Class: 8
- ICAO Packing Group: III

14.8 DOT / CFR (US Department of Transportation)

- Identification Number: UN3265
 - DOT Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s (Methanesulphonic acid)
 - DOT Labels: 8
 - Product RQ (lbs): Not applicable
-

SECTION 15 Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- Council Directive 1999/45/EEC Classification, packing and labelling of dangerous preparations.
- Refer to current The Dangerous Substances Directive (67/548/EEC)
- Regulations 1272/2008/EEC. Classification, labeling and packing of dangerous substances and preparations
- This Safety Data Sheet is provided in compliance with the EC Directive 1907/2006-453/2010
- Composition information in accordance with EC Regulation 648/2004 of the European Parliament and of the Council of 31st March 2004 on detergents:
- Nonionic surfactants 15-30 %

15.2 Chemical Safety Assessment

- None
-

SECTION 16 Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H290: May be corrosive to metals. H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. R22: Harmful if swallowed. R34: Causes burns. R41: Risk of serious damage to eyes.

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents

The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer

The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties

The most up-to-date version of this MSDS can be found on www.wilhelmsen.com/shipsservice

OTHER CONTACT INFORMATION MAJOR CHEMICAL OFFICES

Wilhelmsen Ships Service Level 17, 636 St Kilda Road Melbourne Vic 3004 AUSTRALIA
Tel: +61 3 9630 0900 Emergency 24hrs: +61 3 9630 0998
Wilhelmsen Ships Service INC 210 Edgewater Street US-10305 Staten Island New York United

SECTION 16 Other information (....)

States Telephone daytime: (+1) 718 815 1310 Fax: (+1) 718 233 3268
Wilhelmsen Ships Service INC 2200 W. Pacific Coast Highway US-90810 Long Beach California, United States Tel (+1) 562 624 8888 Fax (+1) 562 624 1011
Wilhelmsen Ships Service INC 701 Ashland Ave. Ashland Center Two, Bay 12 US- 19032 Folcroft Pennsylvania United States Tel (+1) 610 586 7801 Fax (+1) 215 701 0646
Wilhelmsen Ships Service INC. 9400 New Century Drive US-77507 Pasadena Texas United States Telephone daytime: (+1) 281 867 2000 Fax: (+1) 281 867 2800
Wilhelmsen Ships Service Ltd. Unit 3A NewtonsCourt Crossways DA2 6QL Dartford, Kent United Kingdom Tel (+44) 1322 282 412 Fax (+44) 1322 284 774
Wilhelmsen Ships Service Ltda Rua Bispo Lacerda nos.61/67 Del Catilho BR 21051120 Rio de Janeiro Brazil Tel (+55) 21 25 82 8000 Fax (+55) 21 25 82 8001
Wilhelmsen Ships Service (S) Pte Ltd 186 Pandan Loop Singapore 128376 Tel (+65) 6395 4545
Wilhelmsen Ships Service Co., Ltd 12-31 Torihama-cho Kanazawa-ku Yokohama-shi JP-236 0002, Japan Tel (+81) 45 775 0012 Fax (+81) 45 775 0070
Wilhelmsen Ships Service Hellas SA 100, D. Moutsopoulou & Serifou str GR-185 41 Piraeus Greece
Tel (+ 30) 210 4239100 Fax (+ 30) 210 4212480
Wilhelmsen Ships Service AS U.A.E . Fl 24 Executive Heights, Tecom C Sheikh Zayed Road (East) Dubai United Arab Emirates Tel (+971) 4 382 3888
Wilhelmsen Ships Service AS, Willem Barentszstraat 50 3165 AB Rotterdam-Albrandswaard, the Netherlands. Tel (+31) 10 4877 777

