MSDS - Material Safety Data Sheet

Product Name: ENGINE BRITE GEL HEAVY DUTY ENGINE DEGREASER

MSDS No.: EBGELES

I. Basic Information:

Manufacturer: RADIATOR SPECIALTY COMPANY

Address: 600 RADIATOR ROAD

City, ST Zip: INDIAN TRAIL, NC 28079

Country: USA

Contact: Robert Geer

Information Telephone Number: 704--68-4-18 11

Emergency Contact: Rocky Mountain Poison & Drug Center

Emergency Telephone Number: 303-623-5716

Emergency Restrictions:

Product Name: ENGINE BRITE GEL HEAVY DUTY ENGINE DEGREASER

MSDS No.: EBGELES

Issue Date: 02/24/2014 Supersedes Date: Not Available

II. Hazards Identification:

EMERGENCY OVERVIEW

Harmful or Fatal if Swallowed. Eye and Skin Irritant. Contents Under Pressure.

Level 3 Aerosol

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Potential Health Effects

Route(s) of Entry:

Absorption, Eye, Inhalation, and Ingestion.

Health Hazards (Acute and Chronic):

See signs and symptoms below

Signs and Symptoms:

Eye Contact: Irritant. Prolonged contact may cause conjunctivitis. Skin Contact: Irritant. Defatting of tissue, dermatitis may occur.

Inhalation: Irritant to mucous membranes. Repeated exposure may cause narcosis..

Ingestion: HARMFUL OR FATAL IF SWALLOWED.

Medical Conditions Generally Aggravated by Exposure:

None Known

Other Health Warnings:

Vomiting and subsequent aspiration into the lungs may lead to chemical pneumonia and pulmonary edema which is a potentially fatal condition.

Potential Environmental Effects

Not Available

III. Composition/Information on Ingredients:

Chemical Name	CAS No.	% Range	Trade Secret
Petroleum naphtha	64742-94-5	3.0 - 7.0	
Carbon dioxide	124-38-9	1.0 - 5.0	
d- limonene Fragrance	5989-27-5	2.0	
Hydrocarbon Fluid	64742-47-8	60.0 - 100.0	
Polyoxyethylene Hexaoleate	57171-56-9	3.0 - 7.0	
Tripropylene Glycol Monomethyl Ether	25498-49-1	1.0 - 5.0	

MSDS - Material Safety Data Sheet Product Name: ENGINE BRITE GEL HEAVY DUTY ENGINE

DEGREASER MSDS No.: EBGELES

IV. First Aid Measures:

Emergency and First Aid Procedures:

Eye Contact: Flush eyes with clean water for 15 minutes while lifting eyelids. Get prompt medical attention.

Skin Contact: Wash with soap and water thoroughly. If adverse effects persist, get prompt medical attention. Launder contaminated clothing before reuse.

Inhalation: Remove to fresh air. If breathing becomes difficult give oxygen and get prompt medical attention. If breathing stops, give artificial respiration and get prompt medical attention.

Ingestion: DO NOT INDUCE VOMITING! Call Poison Control Center, physician, or hospital emergency room immediately. Aspiration of vomitus into the lungs can cause pneumonitis, which can be fatal.

Note to Physicians:

N/E

V. Fire Fighting Measures:

Suitable Extinguishing Media:

Water Fog, Foam, Carbon Dioxide, Dry Chemical

Unsuitable Extinguishing Media:

Do not use forced water stream as this could cause the fire to spread.

Products of Combustion:

High temperatures and ignition sources produce products of combustion: carbon monoxide, sulfur-like smoke.

Protection of Firefighters:

Wear self-contained positive pressure breathing apparatus and protective clothes. Use shield to protect from rupturing and venting containers. At elevated temperatures containers may vent, rupture or burst, even violently

VI. Accidental Release Measures:

Personal Precautions:

Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental Precautions:

Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify proper authorities as required that a spill has occurred. Run off to sewer may create fire or explosion hazard.

Methods for Containment:

Dike or contain spill and absorb with inert materials (sand, sawdust, absorbent sweeping compounds, rags, etc).

Methods for Cleanup:

Using a non-metalic scoop, place contaminated material into an approved chemical waste container. Where possible, vacuum spilled liquid using an explosion proof vacuum to recover material.

Other Information:

Eliminate all ignition sources. Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify proper authorities as required that a spill has occured.

VII. Handling and Storage:

Handling Precautions:

Handling: Use with adequate ventilation and proper protective equipment.

Do not use near fire, sparks, or flame. Do not puncture or incinerate container.

Avoid contact with eyes. Avoid prolonged or repeated breathing of vapors. If exposure may or does exceed occupational exposure limits, use a NIOSH approved respirator to prevent over-exposure.

Storage Precautions:

Store in cool, well ventilated area below 120°F away from heat sources.

VIII. Exposure Controls/Personal Protection:

MSDS - Material Safety Data Sheet Product Name: ENGINE BRITE GEL HEAVY DUTY ENGINE DEGREASER

MSDS No.: EBGELES

Chemical Name	OSHA PEL	ACGIH TLV	Other Limits
Hydrocarbon Fluid	5 mg/m3	5 mg/m3	Not Available
Petroleum naphtha	N/E	N/E	100 ppm
d- limonene Fragrance	N/E	N/E	Not Available
Carbon dioxide	N/AV	5000 ppm	Not Available
Tripropylene Glycol Monomethyl Ether	N/E	N/E	Not Available
Polyoxyethylene Hexaoleate	N/E	N/E	Not Available

Engineering Controls:

See Section above for applicable exposure limits. Use with adequate ventilation. If TLV is exceeded, wear NIOSH approved respirator.

Personal Protective Equipment:

For prolonged exposure wear protective safety glasses, gloves, and apron.

IX. Physical and Chemical Properties:

Boiling Point: 318°F Boiling Range: N/D

Solubility In Water: Emulifies

Flash Point: 190°F Odor Threshold: N/D

Vapor Density (AIR = 1): N/D

pH Range: N/A

Decomposition Temp: N/D

Lower Explosive Limit: N/D

Specific Gravity (H20 = 1): 0.90

Other Information: VOC Contert: < 10% (CARB Compliant)

Melting Point: N/D Freezing Point: N/D

Evaporation Rate (Butyl Acetate = 1): N/D

Flash Point Method: TCC

Appearance and Odor: Opaque dark grey liquid with

citrus/petroleum odor

Vapor Pressure (mm Hg.): N/D
Partition Coefficient: N/D
Auto-Ignition Temp: N/D
Upper Explosive Limit: N/D

X. Stability and Reactivity:

Stability:

Stable

Conditions to Avoid:

See Incompatible materials below

Incompatible Materials:

Strong oxidizing agents.

Hazardous Decomposition Products:

High temperatures and ignition sources produce products of combustion: carbon monoxide, sulfur-like smoke.

Possibility of Hazardous Reactions:

Will not occur.

XI. Toxicological Information:

MSDS - Material Safety Data Sheet

Product Name: ENGINE BRITE GEL HEAVY DUTY ENGINE

DEGREASER
MSDS No.: EBGELES

XII. Ecological Information:

N/D

XIII. Disposal Considerations:

DISPOSAL: This container may be recycled in aerosol recycling centers when empty. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash. Dispose of unused product in accordance with all local, state government and federal laws and regulations.

XIV. Transport Information:

Shipping Name: Consumer Commodity

DOT Hazard Class: ORM-D

DOT Subsidiary Hazard Class: Not Available

Not Available

Packing Group:

<u>Transportation Information:</u>
DOT Hazard Class: ORM-D

UN/NA#: Not Available

Shipping Name: Consumer Commodity

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for international and air shipping purposes.

ICAO/IATA (US)

Shipping Name: Aerosols Class: 2.1 UN number: UN1950

International:

ICAO/IATA

UN number: UN1950 Shipping Name: Aerosols

Class: 2.1

IMDG

UN number: UN1950 Shipping Name: Aerosols

Class: 2.1 EmS: F-D, S-U

XV. Regulatory Information:

SARA 313 Reportable Chemicals: Petroleum Naphtha (64742-94-5)

USA TSCA: All components of this material are listed on the US TSCA Inventory.

Warning: This product contains a chemical(s) known to the State of California to cause cancer or birth defects or other reproductive harm.

State RTK Chemicals:

Petroleum Naphtha (64742-94-5)

MSDS - Material Safety Data Sheet

Product Name: ENGINE BRITE GEL HEAVY DUTY ENGINE

DEGREASER
MSDS No.: EBGELES

XVI. Other Information	tion:				
Chemical State: Chemical Type:	Liquid Pure	Gas [Mixture	Solid	NFPA Health Reastivity	2-2-0
Hazard Category: X Acute	Chronic Pressure	X Fire Reactive		Special	
Additional Manufacturer	Warnings:				
Do not used in confined area without proper ventilation. Contact lenses may cause further damage in case of splash into eye. KEEP AWAY FROM				2-2-0	
CHILDREN AND ANIMA	ALS!	00000000000000000000000000000000000000		and the second s	
N/E: Not Established				Physical Hazard Pers Protection	

Additional Product Information:

N/A: Not Applicable N/AV: Not Available

While Radiator Specialty Company believes this data is accurate as of the revision date, we make no warranty with respect to the data and we expressly disclaim all liability for reliance thereon. The data is offered solely for information, investigation, and verification. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is responsible for full compliance.