HALLIBURTON

SAFETY DATA SHEET

ECONOLITE LIQUID

Revision Date: 14-Oct-2015 Revision Number: 34

1. Product Identifier & Identity for the Chemical

Statement of Hazardous Nature Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised

System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods

according to the criteria of ADG.

1.1. Product Identifier

Product Name ECONOLITE LIQUID

Other means of Identification

Synonyms: None Product Code: HM000478

Recommended use of the chemical and restrictions on use

Recommended Use Light Weight Cement Additive

Uses Advised Against No information available

Supplier's name, address and phone number

Manufacturer/Supplier Halliburton Australia Pty. Ltd.

15 Marriott Road Jandakot WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: + 61 1 800 686 951

Fax Number: 61 (08) 9455 5300

E-Mail address: fdunexchem@halliburton.com

Emergency phone number

+ 61 1 800 686 951

Australian Poisons Information Centre

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

2. Hazard Identification

Statement of Hazardous Nature Hazardous according to the criteria of the 3rd Revised Edition of the Globally Harmonised

System of Classification and Labelling of Chemicals (GHS), Non-Dangerous Goods

according to the criteria of ADG.

Classification of the hazardous chemical

Skin Corrosion / irritation	Category 2 - H315
Serious Eye Damage / Eye Irritation	Category 1 - H318

Label elements, including precautionary statements

Hazard Pictograms



Signal Word Danger

Hazard Statements H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary Statements

Prevention P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/eye protection/face protection

Response P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

Storage None

Disposal None

Contains

SubstancesCAS NumberSodium silicate1344-09-8

Other hazards which do not result in classification

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Australia Classification

For the full text of the H-phrases mentioned in this Section, see Section 16

Classification Xi - Irritant.

Risk Phrases R38 Irritating to skin.

R41 Risk of serious damage to eyes.

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Sodium silicate	1344-09-8	30 - 60%	Skin Irrit. 2 (H315) Eye Corr. 1 (H318)

4. First aid measures

Description of necessary first aid measures

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after flushing. Skin

In case of contact, immediately flush skin with plenty of soap and water for at least

15 minutes. Get medical attention. Remove contaminated clothing and launder

before reuse.

Ingestion Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

Symptoms caused by exposure

Causes severe eye irritation which may damage tissue. Causes skin irritation.

Medical Attention and Special Treatment

Notes to Physician Treat symptomatically

5. Fire Fighting Measures

Suitable extinguishing equipment

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

Specific hazards arising from the chemical

Special Exposure Hazards

Decomposition in fire may produce harmful gases.

Special protective equipment and precautions for fire fighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation.

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Neutralize to pH of 6-8. Scoop up and remove. Do NOT spread spilled product with water.

7. Handling and storage

7.1. Precautions for Safe Handling

Handling Precautions

Avoid contact with eyes, skin, or clothing. Wash hands after use. Launder contaminated clothing before reuse. Avoid breathing vapors. Avoid breathing mist. Ensure adequate ventilation. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Information

Store away from acids. Store in a cool well ventilated area. Keep container closed when not in use.

Other Guidelines

No information available

8. Exposure Controls/Personal Protection

Control parameters - exposure standards, biological monitoring

Exposure Limits

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Sodium silicate	1344-09-8	Not applicable	Not applicable

Appropriate engineering controls

Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without

good cross ventilation.

Personal protective equipment (PPE)

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Dust/mist respirator. (N95, P2/P3)

Hand Protection

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): (>= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great

diversity of types.

Skin Protection Full protective chemical resistant clothing.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls

Do not allow material to contaminate ground water system

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid Color: Clear to hazy

Odor: Slightly soapy Odor Threshold: No information available

<u>Property</u> <u>Values</u>

Remarks/ - Method

pH: 11.2 Freezing Point/Range -1 °C

Melting Point/RangeNo data availableBoiling Point/Range101 °C / 214 °FFlash PointNo data availableEvaporation rateNo data availableVapor PressureNo data availableVapor DensityNo data available

Specific Gravity 1.4

Water Solubility
Soluble in water
Solubility in other solvents
Partition coefficient: n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
No data available
No data available
No data available
No data available
No information available

Explosive Properties

No information available

No information available

9.2. Other information

VOC Content (%) No data available

10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Strong acids. Amphoteric metals such as aluminum, magnesium, lead, tin, or zinc.

10.6. Hazardous Decomposition Products

Toxic fumes.

11. Toxicological Information

Information on routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation.

Symptoms related to exposure

Most Important Symptoms/Effects

Causes severe eye irritation which may damage tissue. Causes skin irritation.

Numerical measures of toxicity

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium silicate	1344-09-8	3400 mg/kg (Rat)	> 5000 mg/kg (Rat) (similar	> 2.06 mg/L (Rat) 4h (similar substance – Potassium silicate)
			substance)	Substance – Potassium silicate)

Immediate, delayed and chronic health effects from exposure

Inhalation May cause mild respiratory irritation.

Eye Contact Causes severe eye irritation which may damage tissue.

Skin Contact Causes skin irritation.

Ingestion Irritation of the mouth, throat, and stomach.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1%

are chronic health hazards.

Exposure Levels

No data available

Interactive effects

Skin disorders.

Data limitations

No data available

Substances	CAS Number	Skin corrosion/irritation	
Sodium silicate	1344-09-8	auses moderate skin irritation. (Rabbit)	
Substances	CAS Number	Eye damage/irritation	
Sodium silicate	1344-09-8	Causes severe eye irritation which may damage tissue. (Rabbit)	
Substances	CAS Number	Skin Sensitization	
Sodium silicate	1344-09-8	Did not cause sensitization on laboratory animals (mouse) (similar substances)	
Substances	CAS Number	Respiratory Sensitization	

Substances	CAS Number	Respiratory Sensitization
Sodium silicate	1344-09-8	No information available
		•

Substances	CAS Number	Mutagenic Effects
Sodium silicate	1344-09-8	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects.
Substances	CAS Number	Carcinogenic Effects
Sodium silicate		No information available.
Substances	CAS Number	Denve ductive toxicity
		Reproductive toxicity
Sodium silicate	1344-09-8	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)
	•	,
Substances	CAS Number	STOT - single exposure
Sodium silicate	1344-09-8	No information available.
Substances	CAS Number	STOT - repeated exposure
Sodium silicate	1344-09-8	No significant toxicity observed in animal studies at concentration requiring classification.
Substances	CAS Number	Aspiration hazard
Sodium silicate	1344-09-8	Not applicable

12. Ecological Information

Ecotoxicity

Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Sodium silicate	1344-09-8	EC50 (72h) > 345 mg/L (growth rate) (Scenedesmus subspicatus) EC0 (72h) 35 mg/L (growth rate) (Scenedesmus subspicatus)	LC50 (96h) 1108 mg/L (Danio rerio) LC50 (96h) 260 – 310 mg/L (Oncorhynchus mykiss)	EC0 (0.5h) 3454 mg/L (Pseudomonas putida)	EC50 (48h) 1700 mg/L (Daphnia magna)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Sodium silicate	1344-09-8	The methods for determining biodegradability are
		not applicable to inorganic substances.

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Sodium silicate	1344-09-8	No information available

12.4. Mobility in soil

Substances	CAS Number	Mobility
Sodium silicate	1344-09-8	No information available

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations	
101210000000000000000000000000000000000	

Safe handling and disposal methods

Disposal should be made in accordance with federal, state, and local regulations.

Disposal of any contaminated packaging

Follow all applicable national or local regulations.

Environmental regulations

Not applicable

14. Transport Information

Transportation Information

UN Number: Not restricted **UN Proper Shipping Name:** Not restricted Transport Hazard Class(es): Not applicable Not applicable **Packing Group: Environmental Hazards:** Not applicable

Special precautions during transport

None

HazChem Code

None Allocated

15. Regulatory Information

Safety, health and environmental regulations specific for the product

International Inventories

Australian AICS Inventory

New Zealand Inventory of

Chemicals

US TSCA Inventory Canadian DSL Inventory

EINECS Inventory

All components listed on inventory or are exempt. All components listed on inventory or are exempt.

This product, and all its components, complies with EINECS

All components listed on inventory or are exempt. All components listed on inventory or are exempt.

Poisons Schedule number

16. Other information

Date of preparation or review

Revision Date: 14-Oct-2015

Revision Note

SDS sections updated: 2

Full text of R-phrases referred to under Sections 2 and 3

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H318 - Causes serious eye damage

For additional information on the use of this product, contact your local Halliburton **Additional information**

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

Key abreviations or acronyms used

bw - body weight

CAS - Chemical Abstracts Service

EC50 - Effective Concentration 50%

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL50 - Lethal Loading 50%

mg/kg - milligram/kilogram

mg/L - milligram/liter

NOEC - No Observed Effect Concentration

OEL - Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

ppm - parts per million

STEL - Short Term Exposure Limit

TWA - Time-Weighted Average

vPvB - very Persistent and very Bioaccumulative

h - hour

mg/m³ - milligram/cubic meter

mm - millimeter

mmHg - millimeter mercury

w/w - weight/weight

d - day

Key literature references and sources for data

www.ChemADVISOR.com/

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet