

 Product name:
 ELECTROLYTE A2-I
 Page:
 1/9

 Revision Date:
 2014-09-29
 Print date:
 2014-09-29

 Document No.:
 M0010
 SDS-ID:
 US-EN/15.0

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name: ELECTROLYTE A2-I

Cat. No.40900008, 40900009

Container size: 920 ml

Relevant identified uses of the substance or mixture and uses advised against

<u>Application:</u> For electrolytic polishing of metallographic preparations

Details of the supplier of the safety data sheet

Supplier: Struers A/S

Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800

Responsible for material Responsible for material safety data sheet authoring: DHI

safety data sheet authoring: Any questions to the contents of this material safety data sheet should be sent to:

Chemical.info@struers.dk

Emergency telephone number

Emergency telephone: Infotrac:

1-800-535-5053 Struers US: 1-440-871-0071

 Product name:
 ELECTROLYTE A2-I
 Page:
 2/9

 Revision Date:
 2014-09-29
 Print date:
 2014-09-29

 Document No.:
 M0010
 SDS-ID:
 US-EN/15.0

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

The product is classified:

67/548/EEC / 1999/45/EC: F;R11

GHS: Flam. Liq. 2;H225 - Skin Irrit. 2;H315 - Eye Irrit. 2;H319 (\*)

#### Label elements

(\*)



Danger

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local regulations.

NFPA Rating: Health:2 Fire:3 Reactivity:0 Other:-

#### Other hazards

The product is highly flammable, and explosive vapors/air mixtures may be formed even at normal room temperatures. Organic solvents may be absorbed into the body by inhalation and ingestion and cause permanent damage to the nervous system, including the brain. (\*)

PBT/vPvB: Not relevant.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Mixtures**

The product contains: organic solvents and water.

Product name:	ELECTROLYTE A2-I	Page:	3/9
Revision Date:	2014-09-29	Print date:	2014-09-29
Document No.:	M0010	SDS-ID:	US-EN/15.0

#### 67/548/EEC:

5-15

References:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
65-85	64-17-5	200-578-6	-	Ethanol	F;R11	
10<-15	111-76-2	203-905-0	-	2-Butoxyethanol	Xn;R20/21/22 Xi;R36/38	
5-15	7732-18-5	231-791-2	-	Water	-	
GHS:						
<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
65-85	64-17-5	200-578-6	-	Ethanol	Flam. Liq. 2;H225 Eye Irrit. 2;H319	
10<-15	111-76-2	203-905-0	-	2-Butoxyethanol	Acute Tox. 4;H332	

Water

#### **SECTION 4: FIRST AID MEASURES**

#### **Description of first aid measures**

7732-18-5

Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

<u>Inhalation:</u> Move into fresh air and keep at rest.

231-791-2 -

Skin contact: Remove contaminated clothes and rinse skin thoroughly with water.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyelids widely. If irritation persists: Continue flushing during

The full text for all R-phrases and hazard statements are displayed in section 16.

Acute Tox. 4;H312 Acute Tox. 4;H302 Eye Irrit. 2;H319 Skin Irrit. 2;H315

transport to hospital. Bring along these instructions.

Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable seek hospital and bring these

instructions. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

 Product name:
 ELECTROLYTE A2-I
 Page:
 4/9

 Revision Date:
 2014-09-29
 Print date:
 2014-09-29

 Document No.:
 M0010
 SDS-ID:
 US-EN/15.0

#### **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media

Extinguishing media: Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Cool containers exposed to heat with water spray and remove container, if no

risk is involved.

Special hazards arising from the substance or mixture

Specific hazards: The product is flammable, and heating may generate vapors which may form

explosive vapor/air mixtures. Vapors are heavier than air and may travel along the floor and in the bottom of containers. Vapors may be ignited by a spark, a hot

surface or an ember.

Advice for firefighters

Protective equipment for Selection of respiratory protection for fire fighting: follow the general fire

<u>fire-fighters:</u> precautions indicated in the workplace.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Do not smoke or use open fire, or other sources of ignition. Avoid inhalation of

vapors and contact with skin and eyes.

**Environmental precautions** 

Environmental Do not discharge into drains, water courses or onto the ground.

precautions:

Methods and material for containment and cleaning up

Spill Cleanup Methods: Large quantities of concentrate should not be discharged into the drain but

removed with absorbing material. Absorb spillage with non-combustible,

absorbent material.

Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

Safe handling advice: Avoid inhalation of vapors and contact with skin and eyes. Observe good

chemical hygiene practices.

<u>Technical measures:</u> Do not smoke or use open fire or other sources of ignition.

<u>Technical precautions:</u> Local exhaust is recommended.

Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> Follow rules for flammable liquids.

storage:

Storage conditions: Store in a cool and well-ventilated place. Avoid contact with oxidizing agents.

Specific end use(s)

Specific use(s): Not relevant.

 Product name:
 ELECTROLYTE A2-I
 Page:
 5/9

 Revision Date:
 2014-09-29
 Print date:
 2014-09-29

 Document No.:
 M0010
 SDS-ID:
 US-EN/15.0

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Occupational exposure limits:

CAS-No.:	Chemical name:	As:	Exposu	ure limits:	Type:	Notes:	References:
64-17-5	Ethyl alcohol	-	1000 ppm	1900 mg/m3	TWA	-	OSHA
111-76-2	2-Butoxyethanol	-	50 ppm	240 mg/m3	TWA	Skin	OSHA
111-76-2	2-Butoxyethanol	-	20 ppm		TWA	A3; BEI	ACGIH
64-17-5	Ethanol	-	1000 ppm		STEL	A3; 15min	ACGIH

Notes: A3: Confirmed Animal Carcinogen with Unknown Relevance to Humans.

Skin: Danger of cutaneous absorption. (ACGIH)

X: Skin absorption. (OSHA)

**Exposure controls** 

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and

minimize the risk of inhalation of vapors.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation and work of brief duration, use suitable

respiratory equipment. Use respiratory equipment with gas filter, type A2.

<u>Hand protection:</u> Wear protective gloves. Nitrile gloves are recommended. The most suitable

glove must be chosen in consultation with the gloves supplier, who can inform

about the breakthrough time of the glove material.

Eve protection: Risk of splashes: Wear goggles/face shield.

Skin protection: No special precautions.

Environmental Exposure

Controls:

Not available.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

Appearance: colorless liquid

Odor: odor of alcohol

pH: Not relevant.

Boiling point: 85°C
Flash point: 12°C

Explosion limits: 2 - 12 vol%

Relative density: 0,83

Solubility: Miscible with water.

Other information

Other data: Volatile Organic Compound (VOC): 747 g/l (calculated)

 Product name:
 ELECTROLYTE A2-I
 Page:
 6/9

 Revision Date:
 2014-09-29
 Print date:
 2014-09-29

 Document No.:
 M0010
 SDS-ID:
 US-EN/15.0

#### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Reactivity: None known.

**Chemical stability** 

Stability: Stable under normal temperature conditions.

Possibility of hazardous reactions

Hazardous Reactions: None known.

Conditions to avoid

Conditions/materials to avoid: Avoid exposing to heat and contact with strong oxidizing substances.

**Incompatible materials** 

<u>Incompatible materials:</u> None known.

Hazardous decomposition products

<u>Hazardous decomposition</u> None i

products:

None in particular.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Information on toxicological effects

<u>Inhalation:</u> Vapors may irritate throat and respiratory system and cause coughing. Vapors

have a narcotic effect and may cause headache, fatigue, dizziness and nausea. In serious cases, unconsciousness and permanent damage to the brain and liver

may be seen.

Skin contact: Causes skin irritation. Contains butoxyethanol which may penetrate the skin. (\*)

<u>Eye contact:</u> Causes serious eye irritation. (\*)

<u>Ingestion:</u> May irritate and cause malaise.

Specific effects: The product contains butoxyethanol which is suspected of having harmful

long-term effects on the kidneys and nervous system.

Carcinogenicity:

National Toxicology Program (NTP): No.

I.A.R.C. Monographs: No.

OSHA: No.

 Product name:
 ELECTROLYTE A2-I
 Page:
 7/9

 Revision Date:
 2014-09-29
 Print date:
 2014-09-29

 Document No.:
 M0010
 SDS-ID:
 US-EN/15.0

# **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity** 

<u>Ecotoxicity:</u> The environmental hazard of the product is considered to be limited.

Persistence and degradability

<u>Degradability:</u> The product is potentially degradable. BOD20 ≥ 78%

**Bioaccumulative potential** 

<u>Bioaccumulative potential:</u> The product is not bioaccumulating.

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

Other adverse effects

Other adverse effects: None known.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 16 05 08

READY-TO-USE MIXTURE: EWC-code: 16 05 06

 Product name:
 ELECTROLYTE A2-I
 Page:
 8/9

 Revision Date:
 2014-09-29
 Print date:
 2014-09-29

 Document No.:
 M0010
 SDS-ID:
 US-EN/15.0

#### **SECTION 14: TRANSPORT INFORMATION**

**UN number** 

<u>UN-No:</u> 1993

UN proper shipping name

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S (Ethanol, 2-Butoxyethanol mixture)

Additional IMDG information:

EmS: F-E, S-D MFAG: 1

Transport hazard class(es)

Class: 3

Packing group

PG:

**Environmental hazards** 

Marine pollutant: No. Environmentally Hazardous No.

substance:

Special precautions for user

<u>Special precautions:</u> None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

<u>Transport in bulk:</u> Not relevant.

# **SECTION 15: REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions:

TSCA: Listed.

National regulation: Europe/USA:

This Material Safety Data Sheet has been prepared according to the

EU-regulation.

Threshold Limit Values (2014), ACGIH, by the American Conference on

Governmental Industrial Hygienists.

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and

Health Standards, Air contaminants (OSHA), with amendments.

#### **Chemical Safety Assessment**

CSA status: Not relevant.

 Product name:
 ELECTROLYTE A2-I
 Page:
 9/9

 Revision Date:
 2014-09-29
 Print date:
 2014-09-29

 Document No.:
 M0010
 SDS-ID:
 US-EN/15.0

#### **SECTION 16: OTHER INFORMATION**

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 2.

The (\*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Additional information: Classification according to Regulation (EC) No. 1272/2008:

Calculation method.

Wording of H-statements:

R11 Highly flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R36/38 Irritating to eyes and skin.

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.