

# **Material Safety Data Sheet**

Issuing Date 14-Sep-2012 Revision Date 14-Sep-2012 Revision Number 0

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Duraset 3 Catalyst

Product Code(s) 999463C

Recommended Use Resin hardening agent

Product Technology MMA

**Supplier Address** 

Ennis-Flint 5910 North Central Expressway

Suite 1050 Dallas TX 75206 T: 800.331.8118

800.331.8118 (For Technical Inquiries)

**Chemical Emergency Phone** 

Number

Chemtrec 1-800-424-9300

#### 2. HAZARDS IDENTIFICATION

### WARNING!

# **Emergency Overview**

May cause skin, eye, and respiratory tract irritation

May produce an allergic reaction

Cancer hazard

WARNING! This product contains a chemical known in the State of California to cause cancer and birth defects or

other reproductive harm.

Appearance Light brown to clear Physical State Liquid. Odor Odorless

**Potential Health Effects** 

Principle Routes of Exposure Inhalation. Skin contact.

**Acute Toxicity** 

**Eyes** May cause irritation.

Skin May cause irritation. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons.

**Inhalation** May cause irritation of respiratory tract.

**Ingestion** Ingestion may cause irritation to mucous membranes.

Chronic Effects This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of

crystalline silica is unlikely to occur from exposure to this product. Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1). Repeated contact may cause allergic reactions in very

susceptible persons.

**Aggravated Medical Conditions** Respiratory disorders. Skin disorders.

**Environmental Hazard** See Section 12 for additional Ecological Information.

\_\_\_\_

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name      | CAS-No     | Weight % |
|--------------------|------------|----------|
| Quartz             | 14808-60-7 | 10-30    |
| Benzoyl peroxide   | 94-36-0    | 1-5      |
| Methyl pyrrolidone | 872-50-4   | 0.1-1    |

# 4. FIRST AID MEASURES

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing. If irritation persists, call a physician.

**Skin Contact** Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic

reactions see a physician.

**Inhalation** Move to fresh air. Consult a physician.

**Ingestion** Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth

to an unconscious person. Consult a physician.

**Notes to Physician**Treat symptomatically. May cause sensitization of susceptible persons.

Protection of First-aiders Avoid contact with skin, eyes and clothing. Use personal protective equipment.

### 5. FIRE-FIGHTING MEASURES

Flammable Properties Not flammable.

Flash Point Not applicable.

surrounding environment.

**Explosion Data** 

Sensitivity to Mechanical Impact
Sensitivity to Static Discharge

None. None

Specific Hazards Arising from the

Chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by skin contact.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

NFPA Health Hazard 2 Flammability 1 Instability 0 Physical and Chemical

Hazards -

**HMIS** Health Hazard 2\* Flammability 1 Physical Hazard 0 Personal Protection X

6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,

eyes and clothing.

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system.

**Methods for Containment** Dike far ahead of liquid spill for later disposal.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

**Handling** Ensure adequate ventilation. Avoid contact with skin and eyes.

Storage Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep

containers tightly closed in a cool, well-ventilated place.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines**

| Chemical Name    | ACGIH TLV                               | OSHA PEL                                  | NIOSH IDLH                      |
|------------------|---|---|---------------------------------|
| Quartz           | TWA: 0.025 mg/m <sup>3</sup> respirable | 30/(%SiO2+2) mg/m <sup>3</sup> TWA, Total | IDLH: 50 mg/m3 respirable dust  |
| 14808-60-7       | fraction                                | Dust;250/%SiO2+5) mppcf TWA,              | TWA: 0.05 mg/m³ respirable dust |
|                  |   | respirable fraction; 10/(%SiO2+2)         |                                 |
|                  |   | mg/m³ TWA, respirable                     |                                 |
|                  |   | TWA: 0.1 mg/m <sup>3</sup> (vacated)      |                                 |
| Benzoyl peroxide | TWA: 5 mg/m <sup>3</sup>                | TWA: 5 mg/m <sup>3</sup>                  | IDLH: 1500 mg/m <sup>3</sup>    |
| 94-36-0          |   | (vacated) TWA: 5 mg/m <sup>3</sup>        | TWA: 5 mg/m <sup>3</sup>        |

OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Engineering Measures Showers

Eyewash stations Ventilation systems

**Personal Protective Equipment** 

Eye/Face Protection
Skin and Body Protection
Skin and Body Protection
Safety glasses with side-shields.
Wear protective gloves/clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before

re-use. Provide regular cleaning of equipment, work area and clothing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

AppearanceLight brown to clear.OdorOdorless.Odor ThresholdNot applicablePhysical StateLiquid

pH Not applicable
Flash Point Not applicable
Not applicable
Not applicable.

Decomposition Temperature Not applicable Melting Point/Range Not applicable

Physical State Liquid

Autoignition Temperature Not applicable Boiling Point/Boiling Range Not applicable

Flammability Limits in Air Not applicable

SolubilityNot applicableEvaporation RateNot applicableVapor PressureNot applicableVapor DensityNot applicable

**VOC (g/I)** < 50

# 10. STABILITY AND REACTIVITY

**Stability** Stable under recommended storage conditions.

Incompatible Products Oxidizing or reducing agents.

Conditions to Avoid Excessive heat.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2).

Hazardous Polymerization Hazardous polymerization does not occur.

# 11. TOXICOLOGICAL INFORMATION

#### **Acute Toxicity**

**Product Information**No acute toxicity information is available for this product.

#### **Component Information**

| Chemical Name      | LD50 Oral            | LD50 Dermal                               | LC50 Inhalation      |
|--------------------|----------------------|---|----------------------|
| Quartz             | 500 mg/kg (Rat)      |   |                      |
| Benzoyl peroxide   | = 6400 mg/kg (Rat)   | -   | -                    |
| Methyl pyrrolidone | = 3598 mg/kg ( Rat ) | = 2000 mg/kg(Rabbit)<br>= 2500 mg/kg(Rat) | = 3.1 mg/L (Rat) 4 h |

### **Chronic Toxicity**

Chronic Toxicity This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of

crystalline silica is unlikely to occur from exposure to this product. Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1). Repeated contact may cause allergic reactions in very

susceptible persons.

Carcinogenicity This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B).

| Chemical Name    | ACGIH | IARC    | NTP   | OSHA |
|------------------|-------|---------|-------|------|
| Quartz           | A2    | Group 1 | Known | X    |
| Benzoyl peroxide | -     | Group 3 | -     | -    |

**ACGIH: (American Conference of Governmental Industrial Hygienists)** 

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3: Not Classifiable as to its Carcinogenicity to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen

**OSHA: (Occupational Safety & Health Administration)** 

X - Present

Target Organ Effects Respiratory system.

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

| Chemical Name      | Toxicity to Algae                                     | Toxicity to Fish   |  | Toxicity to<br>Microorganisms | Daphnia Magna (Water<br>Flea)             |
|--------------------|---|--|--|-------------------------------|---|
| Methyl pyrrolidone | EC50 72 h: > 500 mg/L<br>(Desmodesmus<br>subspicatus) | LC50 96 h: static (Pir prom LC50 96 h: static (Poecil LC50 96 h: static (Leuc LC50 96 h: static (Leuc LC50 96 h: static (Leuc LC50 96 h: static (Lepomis m | nephales<br>elas)<br>= 1400 mg/L<br>ia reticulata)<br>= 4000 mg/L<br>iscus idus) |                               | EC50 48 h: = 4897 mg/L<br>(Daphnia magna) |
|                    | Chemical Name   |  |  | Log Pow                       |   |
| N                  | lethyl pyrrolidone                                    | ·  |  | -0.46                         | _   |

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** 

Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name    | California Hazardous Waste |
|------------------|----------------------------|
| Benzoyl peroxide | Toxic                      |
|                  | Ignitable                  |
|                  | Reactive                   |

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA All components are listed on the TSCA Inventory.

DSL All components are listed either on the DSL or NDSL.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name      | CAS-No   | Weight % | SARA 313 - Threshold<br>Values % |
|--------------------|----------|----------|----------------------------------|
| Benzoyl peroxide   | 94-36-0  | 1-5      | 1.0                              |
| Methyl pyrrolidone | 872-50-4 | 0.1-1    | 1.0                              |

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No

Sudden Release of Pressure Hazard No
Reactive Hazard No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **U.S. State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

| Chemical Name      | CAS-No     | California Prop. 65 |
|--------------------|------------|---------------------|
| Quartz             | 14808-60-7 | Carcinogen          |
| Methyl pyrrolidone | 872-50-4   | Developmental       |

### U.S. State Right-to-Know Regulations

| Chemical Name                                    | New Jersey | Massachusetts | Pennsylvania | Illinois | Rhode Island |
|--|------------|---------------|--------------|----------|--------------|
| Quartz   | Х          | X             | X            | -        | Х            |
| 1,2-Benzenedicarboxylic acid, dicyclohexyl ester |            |               | Х            |          |              |
| Benzoyl peroxide                                 | X          | X             | X            |          | X            |
| Methyl pyrrolidone                               | Х          | Х             | X            |          |              |

#### **International Regulations**

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

### **WHMIS Hazard Class**

D2A Very toxic materials D2B Toxic materials



| Component        | NPRI |
|------------------|------|
| Benzoyl peroxide | X    |
| 94-36-0 ( 1-5 )  |      |

# **16. OTHER INFORMATION**

Product Stewardship **Prepared By** 

23 British American Blvd. Latham, NY 12110

1-800-572-6501 14-Sep-2012

**Issuing Date Revision Date** 14-Sep-2012 **Revision Note** Initial Release

#### **General Disclaimer**

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication and it does not purport to be all inclusive and shall be used only as a guide. We urge each customer or recipient of this MSDS to study it carefully to become aware of and understand the potential hazards associated with the product. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. Any use of the product not in conformance with this MSDS or in combination with any other product or process is the responsibility of the user. Customary precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Remove all soiled and contaminated clothing immediately.

**End of Safety Data Sheet**