

 Product name:
 EPOSPEED S
 Page:
 1/9

 Revision Date:
 2014-03-24
 Print date:
 2014-03-24

 Document No.:
 M0189
 SDS-ID:
 US-EN/1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name: EPOSPEED S

Cat. No. SA401101

Container size: 20 ml

Relevant identified uses of the substance or mixture and uses advised against

<u>Application:</u> Soluble UV resin for curing samples to glass slides.

Details of the supplier of the safety data sheet

Supplier: Struers A/S

Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800

Responsible for material Responsible for material safety data sheet authoring: DHI

safety data sheet authoring: Any questions to the contents of this material safety data sheet should be sent to:

Lisbeth.Mygind@struers.dk

Emergency telephone number

Emergency telephone: Infotrac:

1-800-535-5053 Struers US: 1-440-871-0071

 Product name:
 EPOSPEED S
 Page:
 2/9

 Revision Date:
 2014-03-24
 Print date:
 2014-03-24

 Document No.:
 M0189
 SDS-ID:
 US-EN/1.0

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

The product is classified:

67/548/EEC: R43 N;R51/53

GHS: Skin Sens. 1;H317 - Eye Irrit. 2;H319 - Aquatic Chronic 2;H411

Human health: May cause an allergic skin reaction. Causes serious eye irritation.

<u>Environment:</u> Toxic to aquatic life with long lasting effects.

Label elements



Warning

<u>Contains:</u> (3',4'-Epoxycyclohexane)methyl-3,4-epoxycyclohexyl carboxylate

Diphenyl(4-phenylthiophenyl)sulfonium hexafluoroantimonate

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

P273 Avoid release to the environment.

P280e Wear protective clothing, gloves, eye and face protection.

P302/352 IF ON SKIN: Wash with plenty of soap and water.

P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313 If skin irritation or rash occurs: Get medical advice/attention.

P337/313 If eye irritation persists: Get medical advice/attention.

NFPA Rating: Health:2 Fire:1 Reactivity:0 Other:-

Other hazards

PBT/vPvB: Not relevant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

The product contains: epoxy resin .

Product name:	EPOSPEED S	Page:	3/9
Revision Date:	2014-03-24	Print date:	2014-03-24
Document No.:	M0189	SDS-ID:	US-EN/1.0

67/548/	EEC:					
<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
40-50	2386-87-0	219-207-4	01-2119846133- 44-xxxx	(3',4'-Epoxycyclohexane) methyl-3,4-epoxycyclohexyl carboxylate	R43 R52-53	
10-15	122-99-6	204-589-7	01-2119488943- 21-xxxx	2-Phenoxyethanol	Xn;R22 Xi;R36	
10-15	31308-55-1	250-561-2	-	Octahydro-4,7-methano- 1H-indene methanol	Xi;R38	
1-3	159120-95-3	403-500-0	-	Diphenyl(4 -phenylthiophenyl)sulfonium hexafluoroantimonate	R43 N;R50-53	
0,5-1,5	108-32-7	203-572-1	01-2119537232- 48-xxxx	Propylene carbonate	Xi;R36	
GHS:						
<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
40-50	2386-87-0	219-207-4	01-2119846133- 44-xxxx	(3',4'-Epoxycyclohexane) methyl-3,4-epoxycyclohexyl carboxylate	Skin Sens. 1;H317 Aquatic Chronic 3;H412	
10-15	122-99-6	204-589-7	01-2119488943- 21-xxxx	2-Phenoxyethanol	Acute Tox. 4;H302 Eye Irrit. 2;H319	
10-15	31308-55-1	250-561-2	_	Octahydro-4 7-methano-	Eve Irrit 2:H310	

			No:		
40-50	2386-87-0	219-207-4	01-2119846133- 44-xxxx	(3',4'-Epoxycyclohexane) methyl-3,4-epoxycyclohexyl carboxylate	Skin Sens. 1;H317 Aquatic Chronic 3;H412
10-15	122-99-6	204-589-7	01-2119488943- 21-xxxx	2-Phenoxyethanol	Acute Tox. 4;H302 Eye Irrit. 2;H319
10-15	31308-55-1	250-561-2	-	Octahydro-4,7-methano- 1H-indene methanol	Eye Irrit. 2;H319
1-3	159120-95-3	403-500-0	-	Diphenyl(4 -phenylthiophenyl)sulfonium hexafluoroantimonate	Skin Sens. 1;H317 Aquatic Acute 1;H400 Aquatic Chronic 1;H410
0,5-1,5	108-32-7	203-572-1	01-2119537232- 48-xxxx	Propylene carbonate	Eye Irrit. 2;H319

References: The full text for all R-phrases and hazard statements are displayed in section 16.

 Product name:
 EPOSPEED S
 Page:
 4/9

 Revision Date:
 2014-03-24
 Print date:
 2014-03-24

 Document No.:
 M0189
 SDS-ID:
 US-EN/1.0

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Inhalation: Move injured person into fresh air and keep person calm under observation. If

uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of eczema or other skin disorders: Seek medical attention and bring

these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyelids widely. If irritation persists: Continue flushing during

transport to hospital. Bring along these instructions.

Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable seek hospital and bring these

instructions. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog.

Special hazards arising from the substance or mixture

<u>Specific hazards:</u> During fire, health hazardous gases may be formed.

Advice for firefighters

Protective equipment for Selection of respiratory protection for fire fighting: follow the general fire

<u>fire-fighters:</u> precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Avoid contact with skin and eyes.

Environmental precautions

<u>Environmental</u> Avoid discharge into drains, water courses or onto the ground.

precautions:

Methods and material for containment and cleaning up

<u>Spill Cleanup Methods:</u> Absorb spillage with suitable absorbent material.

Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

 Product name:
 EPOSPEED S
 Page:
 5/9

 Revision Date:
 2014-03-24
 Print date:
 2014-03-24

 Document No.:
 M0189
 SDS-ID:
 US-EN/1.0

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Safe handling advice: Avoid contact with skin and eyes. Good personal hygiene is necessary. Wash

hands and contaminated areas with water and soap before leaving the work site.

Observe good chemical hygiene practices.

<u>Technical measures:</u> Work practice should minimize contact. Technical aids: Use disposable

equipment (rags, brushes, spatulas, putty knives, etc.), if possible.

<u>Technical precautions:</u> First-aid equipment, including eye wash bottle, must be available at the work site.

Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

Store in closed original container in a dry place. Store in a cool and

well-ventilated place.

Specific end use(s)

Storage conditions:

Specific use(s): Not relevant.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No occupational exposure limit assigned.

Exposure controls

Engineering measures: Provide adequate ventilation. Mix and prepare in a place with efficient exhaust

ventilation. An eye wash bottle must be available at the work site. Provide access to washing facilities including soap, skin cleanser and fatty cream.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation and work of brief duration, use suitable

respiratory equipment. Use respiratory equipment with gas filter, type A2.

Hand protection: Wear protective gloves. Butyl rubber gloves are recommended, but be aware

that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier,

who can inform about the breakthrough time of the glove material.

Eye protection: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of splashes.

Hygiene measures: Remove contaminated clothing and wash the skin thoroughly with soap and

water after work. When using do not eat, drink or smoke.

Environmental Exposure

Controls:

Not available.

 Product name:
 EPOSPEED S
 Page:
 6/9

 Revision Date:
 2014-03-24
 Print date:
 2014-03-24

 Document No.:
 M0189
 SDS-ID:
 US-EN/1.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:blue liquidOdor:Aromatic.Boiling point:> 200 °CFlash point:> 100 °C

Explosion limits: Not available.

Relative density: Not available.

Solubility: insoluble in water

Other information

Other data: VOC (Volatile Organic Substances): 150 g/l (calculated)

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Reactivity: None known.

Chemical stability

Stability: Stable under normal temperature conditions.

Possibility of hazardous reactions

<u>Hazardous Reactions:</u> None known.

Conditions to avoid

Conditions/materials to avoid: Strong oxidizing substances and strong bases.

Incompatible materials

<u>Incompatible materials:</u> None known.

Hazardous decomposition products

<u>Hazardous decomposition</u> None under normal conditions.

products:

 Product name:
 EPOSPEED S
 Page:
 7/9

 Revision Date:
 2014-03-24
 Print date:
 2014-03-24

 Document No.:
 M0189
 SDS-ID:
 US-EN/1.0

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhalation: Not relevant at normal room temperatures. When heated, irritating vapors may be

formed.

Skin contact: Risk of sensitization or allergic reactions among sensitive individuals. May cause

irritation.

Eye contact: Causes serious eye irritation.

<u>Ingestion:</u> May cause stomach pain or vomiting.

<u>Specific effects:</u> May cause sensitization.

Carcinogenicity:

National Toxicology Program (NTP): No.

I.A.R.C. Monographs: No.

OSHA: No.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

<u>Ecotoxicity:</u> Toxic to aquatic life with long lasting effects.

Persistence and degradability

<u>Degradability:</u> The degradability of the product has not been stated.

Bioaccumulative potential

<u>Bioaccumulative potential:</u> No data available on bioaccumulation.

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Dispose of collected dust according to agreement with local authorities. Waste is classified as hazardous waste. Note that fully cured material is not considered as hazardous waste.

Waste from residues: EWC-code: 16 05 08

EPOSPEED S 8/9 Product name: Page: Revision Date: 2014-03-24 Print date: 2014-03-24 Document No.: M0189 SDS-ID: US-EN/1.0

SECTION 14: TRANSPORT INFORMATION

UN number

3082 UN-No:

UN proper shipping name

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diphenyl(4

-phenylthiophenyl)sulfonium hexafluoroantimonate)

Additional IMDG information:

EmS: F-A, S-F MFAG:1

Transport hazard class(es)

9 Class:

Packing group

PG: Ш

Environmental hazards

Marine pollutant: Yes. Environmentally Hazardous Yes.

substance:

Special precautions for user

Special precautions: None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant.

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

TSCA: N/A. Special provisions:

> As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

National regulation: Europe/USA:

This Material Safety Data Sheet has been prepared according to the

EU-regulation.

Chemical Safety Assessment

CSA status: Not relevant.

 Product name:
 EPOSPEED S
 Page:
 9/9

 Revision Date:
 2014-03-24
 Print date:
 2014-03-24

 Document No.:
 M0189
 SDS-ID:
 US-EN/1.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: -

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorue

Additional information: Classification according to Regulation (EC) No. 1272/2008:

Calculation method.

Wording of H-statements:

R22 Harmful if swallowed.

R36 Irritating to eyes.
R38 Irritating to skin.

R43 May cause sensitisation by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.