# MATERIAL SAFETY DATA SHEET

# SPEARMINT FRESH

#### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER: Tarr Acquisition, LLC

4115 W. Turney Avenue

Phoenix, AZ 85019

**INFORMATION PHONE:** (602) 233-2000

EMERGENCY PHONE: CHEMTREC 800-424-9300 (US) Day or night

International Call Collect CHEMTREC 202-483-7616

PRODUCT NAME: SPEARMINT FRESH

**PRODUCT NUMBER:** 3170

**UPC NUMBER:** 

PREPARED BY: Patricia Rodabaugh

 DATE PREPARED:
 11/23/2004

 LAST REVISION:
 6/8/1999

 SYNONYMS:
 SF

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name CAS # Weight % OSHA PEL ACGIH TLV NOTE

Dipropylene Glycol Monomethyl Ether 034590-94-8 10 100 ppm 100 ppm

Spearmint fragrance 5-7 (distributor proprietary fragrance

mix)

Portland, Oregon Phoenix, Arizona

Auburn, Washington

Vancouver, Washington

**Print Date:** 11/23/2004

Nonylphenol ethoxylate 127087-87-0 1-3 Not established Not established

# 3. HAZARDOUS IDENTIFICATION

EMERGENCY OVERVIEW: COMBUSTIBLE. Harmful or fatal if swallowed - can enter lungs and cause damage. May cause eye and skin

irritation or injury. Keep out of waterways. Soak up with suitable non-reactive absorbent material. Collect

with rubber shovel into suitable containers for disposal.

# POTENTIAL HEALTH EFFECTS

**EYE CONTACT:** Material may cause slight transient (temporary) eye irritation. Direct contact with the liquid or exposure to its vapors

or mists may cause stinging, tearing, redness. Corneal injury is unlikely.

**INHALATION:** Signs and symptioms of excessive exposure may be anesthetic or narcotic effects.

INGESTION: Single dose oral toxicity is low. The oral LD50 for rats is 5.4 ml/kg. Small amounts swallowed incidental to normal

handling operations are not likely to cause to injury, swallowing larger amounts may cause injury.

**SKIN CONTACT:** Prolonged exposure not likely to cause significant skin irritation.

# SIGNS AND SYMPTOMS OF EXPOSURE:

Itching, burning or redness of the skin or eyes.

# 4. FIRST AID MEASURES

**EYE CONTACT:** Immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids open. If irritation

occurs, get medical attention.

**INHALATION:** Remove victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, oxygen

should be administered by qualified personnel. Get medical attention.

3170 Page 1 of 4

**INGESTION:** Induce vomiting if large amounts are ingested, consult medical personnel.

**SKIN CONTACT:** Flush skin with water. If irritation occurs, get medical attention.

# AGGRAVATED MEDICAL CONDITIONS:

Preexisting skin and eye conditions may be aggravated by exposure to this product.

### SUPPLEMENTAL HEALTH INFORMATION:

The LD50 for skin absorption is rabbits is greater than 20 ml/kg. Prolonged skin contact with very large amounts may cause drowsiness. SYSTEMIC (OTHER TARGET ORGAN) EFFECTS: Observations in animals include minor liver or kidney effects. Sighns and symptoms of excessive exposure may be anesthetic or narcotic effects. TERATOLOGY (BIRTH DEFECTS): Birth defects are unlikely. Exposures having no adverse effects on the mother should have no effect on the fetus. MUTAGENICITY (EFFECTS ON GENETIC MATERIAL): Results of in vitro ("test tube") mutagencity tests have been negative.

#### 5. FIRE FIGHTING MEASURES

# FLAMMABLE PROPERTIES

FLASH POINT: >200 F FLASH POINT METHOD USED: Tag Closed Cup

AUTOIGNITION: NDA LEL: 0.011 UEL: 0.14

#### **EXTINGUISHING MEDIA:**

Use water fog, "alcohol" foam, dry chemical, or CO2. For large scale fires, alcohol resistant foams are preferred if available. General purpose synthetic foams or protein foams may function, but much less effectively.

### SPECIAL FIRE FIGHTING PROCEDURES:

The use of SCBA and full protective equipment is recommended for firefighters. Water spray may used to cool containers exposed to heat or flame. When using water spray, boil over may occur when the product temperture reaches the boiling point of water (tank type scenarios, not spills). Water may be used to flush spills away from fire exposures and to dilute spills to non-flammable mixtures. Contain fire run off water.

#### UNUSUAL FIRE AND EXPLOSION HAZARDS:

When heated above the flash point this material emits flammable vapors which, when mixed with air, can burn or be explosive. Fine mist or spray may be flammable at temperatures below the flash point.

### **COMBUSTION PRODUCTS:**

Carbon monoxide and unidentified organic compounds may be formed during combustion.

#### 6. ACCIDENTAL RELEASE MEASURES

# STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED OR RELEASED:

Remove all sources of ignition and provide ventilation. Wear protective equipment as given in Section 8. Dike around large spills to prevent spreading. Absorb small spills with inert material (clay, sand). Prevent contamination of surface waters.

# 7. HANLDING AND STORAGE

# PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Keep away from heat, sparks, and flame. Surfaces that are hot may ignite even liquid product in the absence of sparks or flame. Extinguish pilot lights, cigarettes and turn off other sources of ignition prior to use and until all vapors are gone.

# OTHER PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN! Empty containers retain product residue and can be dangerous. Do not pressurize, cut weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks static electricity, or other sources of ignition.

# 8. EXPOSURE CONTROL/PERSONAL PROTECTION

### RESPIRATORY PROTECTION:

If exposure may or does exceed occupational exposure limits (Sec. 2) use a NIOSH approved respirator to prevent overexposure. In accord with 29 CFR 1910.134, when airborne exposure guidelines and/or comfort levels may be exceeded, use an approved air-purifying respirator.

3170 Page 2 of 4

#### **VENTILATION:**

Provide exhaust ventilation sufficient to keep the airborne concentration of this product below its exposure limits. Exhaust air may need to be cleaned by scrubbers or filters to reduce environmental contamination.

#### PROTECTIVE GLOVES:

Use impervious gloves when prolonged or frequently repeated contact could occur.

#### EYE PROTECTION:

Use safety glasses. Where contact with this material is likely, chemical goggles are recommended because eye contact may cause discomfort even though it is unlikely to cause injury.

# OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

Where splashing is possible, full chemically resistant protective clothing (e.g., acid suit) and boots are required.

#### **WORK / HYGENIC PRACTICES:**

Use good personal hygiene when handling this product. Wash hands after use, before eating, drinking, smoking, or using the toilet.

### **ENGINEERING CONTROLS:**

Facilities storing or utilizing this material should be equipped with and eyewash facility and a safety shower. Local exhaust ventilation may be necessary for some operations.

### **EXPOSURE GUIDELINES:**

Avoid prolonged or repeated breathing of vapors

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**SOLUBILITY IN WATER:** Infinite in water

**APPEARANCE AND ODOR:** Colorless, clear liquid. Spearmint odor.

**BOILING POINT:** 363 F **PERCENT VOLATILE:** 94

VAPOR PRESSURE: 18 PH: N/A

EVAPORATION RATE: Slower than ether MOLECULAR WEIGHT:

POUNDS PER GALLON: 8.30 VAPOR DENSITY: Heavier than air

SPECIFIC GRAVITY: .997 OTHER PROPERTIES: VOC's: 0.79 lb./gal.

MELTING POINT: NDA FREEZING POINT: NDA

# 10. STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: Avoid heat, sparks, flame and contact with strong oxidizing agents. Do not store or handle in aluminum

equipment at temperatures above 120 deg. F.

# INCOMPATIBILITY:

None Reported.

#### HAZARDOUS DECOMPOSITION OR BY PRODUCTS:

Carbon monoxide and unidentified organic compounds may be formed during combustion.

HAZARDOUS POLYMERIZATION: Will Not Occur

**CONDITIONS TO AVOID:** Avoid heat, flame, and other sources of ignition.

#### 11. TOXICOLOGY INFORMATION

See supplemental health information section.

3170 Page 3 of 4

# 12. ECOLOGICAL INFORMATION

Avoid uncontrolled releases of this material. Keep out of sewers, storm drains, surface waters and soil. Where spills are possible, a comprehensive spill response plan should be developed and implemented.

#### 13. DISPOSAL CONSIDERATIONS

The preferred options for disposal are to send to licensed reclaimers, or to permitted incinerators. Any disposal practice must be in compliance with federal, state, and local regulations. Do not dump into sewers, ground, or any body of water.

### 14. TRANSPORTATION INFORMATION

**DOT Proper Shipping Name:** Not DOT regulated as a hazardous material **PACKING GROUP:** N/A

**GUIDE NUMBER:** N/A

HAZARD CLASS: Not a hazardous material

UN NUMBER: N/A

#### 15. REGULATORY INFORMATION

All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

### 16. OTHER INFORMATON

HMIS INFORMATION: HEALTH: 0 FLAMMABILITY: 1 REACTIVITY: 0 PROTECTIVE: B

**SARA Title III Information:** 

SARA 302: To the best of our knowledge, none of the chemicals in this product are listed as an Extremely Hazardous Substance under

Section 302 of SARA Title III nor does this product contain any other such substances.

SARA 311/312: This product should be reported as an immediate (acute) health hazard, and a fire hazard.

SARA 313: Certain glycols are reportable.

Supplemental Health Info.:

No specific antidote. Supportive care. Treatment based on judgement of the physician in reposne to reacitons of the patient.

N/A = Not Applicable NDA = No Data Available

### Disclaimer

This information contained herein is based on the data available to us and is believed to be accurate. However, Tarr Acquisition, LLC (Tarr, LLC) makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Tarr, LLC assumes no responsibility for injuries from the use of the product described herein.

3170 Page 4 of 4