MATERIAL SAFETY DATA SHEET

CASCADE BLEND #1

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER: Tarr, LLC

P.O. Box 12570

Portland, OR 97212

INFORMATION PHONE: (503) 288-5294

EMERGENCY PHONE: CHEMTREC 800-424-9300 (US) Day or night

International Call Collect CHEMTREC 202-483-7616

Portland, Oregon Phoenix, Arizona

Auburn, Washington

Vancouver, Washington

Print Date: 12/15/2004

PRODUCT NAME: CASCADE BLEND #1

PRODUCT NUMBER: CAS1

UPC NUMBER:

PREPARED BY: Patricia Rodabaugh

DATE PREPARED: 12/15/2004 **LAST REVISION:** 2/4/2000

SYNONYMS:

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name CAS # Weight % OSHA PEL ACGIH TLV NOTE

Hexane, n- 110-54-3 80-82 50 ppm 50 ppm

 Isopropyl alcohol
 67-63-0
 13-17
 400 ppm
 400 ppm

 Methyl alcohol
 67-56-1
 3-5
 200 ppm
 200 ppm

3. HAZARDOUS IDENTIFICATION

EMERGENCY OVERVIEW: DANGER! Poison. Flammable. Vapor harmful. May be fatal or cause blindness if swallowed. Avoid

prolonged breathing of vapors. Avoid contact with eyes and skin.

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Liquid or vapor may cause eye irritation.

INHALATION: Excessive exposure to this product may cause headache, CNS depression, drowsiness, dizziness, loss of appetite,

irritation of the respiratory tract, drunkeness, unconsciousness, or death.

INGESTION: POISONOUS. May be fatal or cause blindness if swallowed. Ingestion may have a narcotic effect including signs of

CNS depression such as dizziness, headache, drowsiness, loss of coordination, and fatigue.

SKIN CONTACT: Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and

dermatitis (rash).

SIGNS AND SYMPTOMS OF EXPOSURE:

Shortness of breathing, confused behavior, redness of skin, swelling of tissues, watery eyes, and nausea.

4. FIRST AID MEASURES

EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids open. Get medical

attention.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, oxygen should be

administered by qualified personnel. Get medical attention immediately.

CAS1 Page 1 of 4

INGESTION: Do not give liquids if victim is unconscious or drowsy. Otherwise, give 2 glasses of water and induce

vomiting by giving 30cc syrup of ipecac (or touching finger to the back of victim's throat). Keep victim's

head below hips while vomiting. Call doctor.

SKIN CONTACT: Remove contaminated clothing/shoes. Flush skin with water. Follow by washing with soap and water. If

irritation occurs, get medical attention. Do not reuse clothing until cleaned.

AGGRAVATED MEDICAL CONDITIONS:

Preexisting eye, skin and respiratory disorders may be aggravated by exposure to this product. Impared function from preexsiting disorders may be aggravated by exposure to this product.

SUPPLEMENTAL HEALTH INFORMATION:

None identified

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASH POINT: 1 F FLASH POINT METHOD USED: Tag Closed Cup

AUTOIGNITION: N/A LEL: 0.011 UEL: 0.36

EXTINGUISHING MEDIA:

Use water fog, "alcohol" foam, dry chemical, or CO2.

SPECIAL FIRE FIGHTING PROCEDURES:

WARNING. Flammable Liquid. Clear fire area of unprotected personnel. Do not enter confined fire space without full bunker gear, including a positive pressure NIOSH approved SCBA. Cool fire exposed containers with water.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

When heated above the flash point this material emits flammable vapors which, when mixed with air, can burn or be explosive. Fine mist or spray may be flammable at temperatures below the flash point.

COMBUSTION PRODUCTS:

Carbon monoxide and unidentified organic compounds may be formed during combustion.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED OR RELEASED:

WARNING. Flammable. Ventilate area of leak or spill. Remove all sources of ignition. Clean-up personnel require protective clothing and respiratory protection from vapors. Only specially trained or qualified personnel should handle the emergency.

7. HANLDING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Keep away from heat, sparks, and flame. Surfaces that are hot may ignite even liquid product in the absence of sparks or flame. Extinguish pilot lights, cigarettes and turn off other sources of ignition prior to use and until all vapors are gone.

OTHER PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN! Empty containers retain product residue and can be dangerous. Do not pressurize, cut weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks static electricity, or other sources of ignition.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

RESPIRATORY PROTECTION:

If exposure may or does exceed occupational exposure limits (Sec. 2) use a NIOSH approved respirator to prevent overexposure. In accord with 29 CFR 1910.134 use either an atmosphere-suppling respir. of an air-purifying respir. for organic vapors.

VENTILATION:

Provide exhaust ventilation sufficient to keep the airborne concentration of this product below its exposure limits. Exhaust air may need to be cleaned by scrubbers or filters to reduce environmental contamination.

PROTECTIVE GLOVES:

CAS1 Page 2 of 4

Wear resistant gloves (consult your safety equipment supplier). To prevent repeated or prolonged skin contact, wear impervious clothing and boots

EYE PROTECTION:

Use chemical safety goggles and/or full face shield where splashing is possible. Contact lenses should not be worn when working with this material. Maintain eye wash fountain and quick-drench facilities in work areas.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

Wear gloves and protective clothing which are impervious to this product for the duration of anticipated exposure, if there is potential for skin contact.

WORK / HYGENIC PRACTICES:

Use good personal hygiene when handling this product. Wash hands after use, before eating, drinking, smoking, or using the toilet.

ENGINEERING CONTROLS:

Facilities storing or utilizing this material should be equipped with and eyewash facility and a safety shower.

EXPOSURE GUIDELINES:

May be harmful or fatal if swallowed. May irritate body tissues. Use with adequate ventillation. Avoid breathing vapor. Do not get in eyes, on skin, on clothing. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

SOLUBILITY IN WATER: soluble

APPEARANCE AND ODOR: Colorless, clear liquid. Mild odor.

BOILING POINT: 147-159 F **PERCENT VOLATILE:** 100

VAPOR PRESSURE: 96 - 124 mmHg @ 20 C **PH:** N/A

EVAPORATION RATE: Slower than ether MOLECULAR WEIGHT:

POUNDS PER GALLON: 5.48 VAPOR DENSITY: Heavier than air

SPECIFIC GRAVITY: 0.65 OTHER PROPERTIES:

MELTING POINT: N/A FREEZING POINT: N/A

10. STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: Avoid strong alkalies and oxidizing agents.

INCOMPATIBILITY:

Strong oxidizers.

HAZARDOUS DECOMPOSITION OR BY PRODUCTS:

Carbon monoxide and unidentified organic compounds may be formed during combustion.

HAZARDOUS POLYMERIZATION: Will Not Occur

CONDITIONS TO AVOID: Avoid heat, flame, and other sources of ignition.

11. TOXICOLOGY INFORMATION

Poison. May be fatal or cause blindness, if swallowed. Cannot be made nonpoisonous.

CAS1 Page 3 of 4

12. ECOLOGICAL INFORMATION

Avoid uncontrolled releases of this material. Where spills are possible, a comprehensive spill response plan should be developed and implemented.

13. DISPOSAL CONSIDERATIONS

The preferred options for disposal are to send to licensed reclaimers, or to permitted incinerators. Any disposal practice must be in compliance with federal, state, and local regulations. Do not dump into sewers, ground, or any body of water.

14. TRANSPORTATION INFORMATION

DOT Proper Shipping Name: Flammable liquids, n.os., 3, UN 1993, II **PACKING GROUP:** II

(Methanol, Hexane) GUIDE NUMBER: 128

HAZARD CLASS: 3 DOT CLASS: Flammable liquid

UN NUMBER: UN 1993

15. REGULATORY INFORMATION

SARA Title III Categories: 1. Immediate (Acute) Health Affects: YES 2. Delayed (Chronic) Health Effects: YES 3. Fire Hazard:

YES 4. Sudden Release of Pressure Haz.: NO 5. Reactivity Hazard: NO

16. OTHER INFORMATON

HMIS INFORMATION: HEALTH: 2 FLAMMABILITY: 3 REACTIVITY: 0 PROTECTIVE: H

SARA Title III Information:

SARA 302: To the best of our knowledge, none of the chemicals in this product are listed as an Extremely Hazardous Substance under

Section 302 of SARA Title III nor does this product contain any other such substances.

SARA 311/312: This product should be reported as an immediate (acute) health hazard, delayed (chronic) health hazard, and a fire hazard.

SARA 313: Methyl alcohol and n-hexane are listed.

Supplemental Health Info.: Cancer Information: Based on the available information, this material cannot be classified with regard to carcinogenicity. This

material is not listed as a carcinogen by the International Agency for Research on Cancer, the National Toxicology Program, or

the Occupational Safety and Health Administration.

Target Organ Effects: Prolonged and repeated exposure to n-hexane may cause peripheral neuropathy by damaging peripheral nerve tissue (taht of the arms and legs) and result in muscular weakness and loss of sensation. Overexposure to this material (or its components) has been suggested as a cause of the following effects in laboratory animals: mild, reversible liver effects, mild, reversible kidney effects, nasal damage, nervous system damage, testis damage, lun damage. Overexposure to this material has been suggested as a cause of the following effects in humans: visual impairment, central nervous system effects.

N/A = Not Applicable NDA = No Data Available

Disclaimer

This information contained herein is based on the data available to us and is believed to be accurate. However, Tarr Acquisition, LLC (Tarr, LLC) makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Tarr, LLC assumes no responsibility for injuries from the use of the product described herein.

CAS1 Page 4 of 4