

 Product name:
 EUKITT
 Page:
 1/9

 Revision Date:
 2013-11-28
 Print date:
 2013-11-28

 Document No.:
 M0035
 SDS-ID:
 US-EN/13.0

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name: EUKITT

Cat. No. 41000004

Container size: 500 ml

Relevant identified uses of the substance or mixture and uses advised against

Application: Adhesive.

Details of the supplier of the safety data sheet

Supplier: Struers A/S

Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800

Responsible for material Responsible for material safety data sheet authoring: DHI

safety data sheet authoring: Any questions to the contents of this material safety data sheet should be sent to:

Lisbeth.Mygind@struers.dk

Emergency telephone number

Emergency telephone: Infotrac:

1-800-535-5053 Struers US: 1-440-871-0071

 Product name:
 EUKITT
 Page:
 2/9

 Revision Date:
 2013-11-28
 Print date:
 2013-11-28

 Document No.:
 M0035
 SDS-ID:
 US-EN/13.0

# **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

The product is classified: R10 Xn;R20/21 Xi;R38

Physical and Chemical

The product is flammable.

Hazards:

<u>Human health:</u> Harmful by inhalation and in contact with skin. Irritating to skin.

Environment: The product contains a substance which has a photochemical ozone creation

potential.

**Label elements** 



Harmful

Contains: Xylene

R10 Flammable.

R20/21 Harmful by inhalation and in contact with skin.

R38 Irritating to skin.

S24 Avoid contact with skin.

S36/37 Wear suitable protective clothing and gloves.

Use only in well-ventilated areas.

S60 This material and its container must be disposed of as hazardous waste.

NFPA Rating: Health:2 Fire:3 Reactivity:0 Other:-

Other hazards

PBT/vPvB: Not relevant.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# **Mixtures**

The product contains: organic solvent and resin.

67/548/EEC:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
60-10	0 1330-20-7	215-535-7	-	Xylene	R10 Xn;R20/21 Xi;R38	С
30-60	_	-	-	Acrylic resin	-	

 Product name:
 EUKITT
 Page:
 3/9

 Revision Date:
 2013-11-28
 Print date:
 2013-11-28

 Document No.:
 M0035
 SDS-ID:
 US-EN/13.0

GHS:

<u>%:</u> CAS-No.: EC No.: REACH Reg. Chemical name: Hazard classification: Notes: No: С 60-100 1330-20-7 215-535-7 Xylene Flam. Liq. 3;H226 Acute Tox. 4;H332 Acute Tox. 4;H312 Skin Irrit. 2;H315 30-60 Acrylic resin

References: The full text for all R-phrases and hazard statements are displayed in section 16.

#### **SECTION 4: FIRST AID MEASURES**

#### **Description of first aid measures**

Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Inhalation: Move injured person into fresh air and keep person calm under observation. If

uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyelids widely. If irritation persists: Seek medical attention and

bring these instructions.

Immediately rinse mouth and drink plenty of water or milk. Keep person under

observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport

immediately to hospital and bring along these instructions.

#### Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

#### Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

#### **SECTION 5: FIREFIGHTING MEASURES**

## **Extinguishing media**

Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog. Cool containers

exposed to heat with water spray and remove container, if no risk is involved.

#### Special hazards arising from the substance or mixture

Specific hazards: When heated and in case of fire, harmful vapors/gases may be formed.

Advice for firefighters

Protective equipment for Selection of respiratory protection for fire fighting: follow the general fire

<u>fire-fighters:</u> precautions indicated in the workplace.

 Product name:
 EUKITT
 Page:
 4/9

 Revision Date:
 2013-11-28
 Print date:
 2013-11-28

 Document No.:
 M0035
 SDS-ID:
 US-EN/13.0

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Avoid inhalation of vapors and contact with skin and eyes. Do not smoke or use

open fire, or other sources of ignition.

**Environmental precautions** 

Environmental Avoid discharge into drains, water courses or onto the ground.

precautions:

Methods and material for containment and cleaning up

Spill Cleanup Methods: Absorb spillage with non-combustible, absorbent material. Do not use sawdust or

other combustible material.

Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

# **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

Safe handling advice: Avoid inhalation of vapors and contact with skin and eyes. Do not smoke or use

open fire, or other sources of ignition. Observe good chemical hygiene practices.

Technical measures: Work practice should minimize contact.

<u>Technical precautions:</u> Local exhaust is recommended.

Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> Follow rules for flammable liquids.

storage:

Storage conditions: Store in a cool and well-ventilated place. Avoid contact with oxidizing agents.

Specific end use(s)

Specific use(s): Not relevant.

 Product name:
 EUKITT
 Page:
 5/9

 Revision Date:
 2013-11-28
 Print date:
 2013-11-28

 Document No.:
 M0035
 SDS-ID:
 US-EN/13.0

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Occupational exposure limits:

<u>CAS-No.:</u> <u>Chemical name:</u> <u>As:</u> <u>Exposure limits:</u> <u>Type:</u> <u>Notes:</u> <u>References:</u>

1330-20-7 Xylene (o, m & p - 100 ppm TWA A4 ACGIH

isomers)

- 150 ppm STEL A4; 15min

1330-20-7 Xylenes, all isomers - 100 ppm 435 mg/m3 TWA - OSHA

Notes: A4: Not Classifiable as a Human Carcinogen.

**Exposure controls** 

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and

minimize the risk of inhalation of vapors. Provide easy access to water supply

or an emergency shower.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation: Use respiratory equipment with gas filter,

type A2.

Hand protection: Wear protective gloves. Laminate (PE/EVOH) gloves are recommended. Be

aware that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Risk of splashes: Wear goggles/face shield.

<u>Skin protection:</u> Wear apron or protective clothing in case of splashes.

Environmental Exposure

Controls:

Not available.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# Information on basic physical and chemical properties

Appearance: colorless liquid

Odor: of solvents

pH: Not available.

Boiling point: 137°C
Flash point: 23°C

Explosion limits: 1-7% (Xylene)

<u>Vapor pressure:</u> 7 mmHg
Relative density: 0,95

Solubility: insoluble in water

Soluble in: Ethanol

Other information

Other data: VOC (Volatile Organic Substances): 570 g/l (calculated)

 Product name:
 EUKITT
 Page:
 6/9

 Revision Date:
 2013-11-28
 Print date:
 2013-11-28

 Document No.:
 M0035
 SDS-ID:
 US-EN/13.0

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Reactivity: None known.

**Chemical stability** 

<u>Stability:</u> Stable under normal temperature conditions.

Possibility of hazardous reactions

Hazardous Reactions: None known.

Conditions to avoid

Conditions/materials to avoid: Avoid contact with oxidizing agents.

**Incompatible materials** 

Incompatible materials: None known.

**Hazardous decomposition products** 

<u>Hazardous decomposition</u> None in particular.

products:

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## Information on toxicological effects

<u>Inhalation:</u> Vapors have a narcotic effect and may cause headache, fatigue, dizziness and

nausea.

Skin contact: Irritating and degreasing. The product contains xylene which may penetrate the

skin.

Eye contact: Splashes may irritate.

<u>Ingestion:</u> May irritate and cause malaise.

Specific effects: Frequent inhalation of even small concentrations may cause irritability, fatigue,

memory failure and in time permanent damage to the nervous system, including

the brain, and possibly liver and kidneys, too.

Carcinogenicity:

National Toxicology Program (NTP): No.

I.A.R.C. Monographs: No.

OSHA: No.

 Product name:
 EUKITT
 Page:
 7/9

 Revision Date:
 2013-11-28
 Print date:
 2013-11-28

 Document No.:
 M0035
 SDS-ID:
 US-EN/13.0

# **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity** 

Ecotoxicity: The product contains a substance which has a photochemical ozone creation

potential.

Persistence and degradability

<u>Degradability:</u> The degradability of the product has not been stated.

**Bioaccumulative potential** 

Bioaccumulative potential: No data available on bioaccumulation.

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

Other adverse effects

Other adverse effects: None known.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 16 05 08

 Product name:
 EUKITT
 Page:
 8/9

 Revision Date:
 2013-11-28
 Print date:
 2013-11-28

 Document No.:
 M0035
 SDS-ID:
 US-EN/13.0

#### **SECTION 14: TRANSPORT INFORMATION**

**UN number** 

<u>UN-No:</u> 1866

UN proper shipping name

Proper Shipping Name: RESIN SOLUTION

Additional IMDG information:

EmS: F-E, S-E MFAG: 1

Transport hazard class(es)

Class: 3

Packing group

PG: III

**Environmental hazards** 

Marine pollutant: No. Environmentally Hazardous No.

substance:

Special precautions for user

Special precautions: None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant.

# **SECTION 15: REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Special provisions:</u> TSCA: Listed.

National regulation: Europe/USA:

This Material Safety Data Sheet has been prepared according to the

EU-regulation.

Threshold Limit Values (2013), ACGIH, by the American Conference on

Governmental Industrial Hygienists.

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and

Health Standards, Air contaminants (OSHA), with amendments.

# **Chemical Safety Assessment**

CSA status: Not relevant.

 Product name:
 EUKITT
 Page:
 9/9

 Revision Date:
 2013-11-28
 Print date:
 2013-11-28

 Document No.:
 M0035
 SDS-ID:
 US-EN/13.0

#### **SECTION 16: OTHER INFORMATION**

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: -

The (\*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

# Wording of H-statements:

R10 Flammable.

R20/21 Harmful by inhalation and in contact with skin.

R38 Irritating to skin.

H226 Flammable liquid and vapour.
H312 Harmful in contact with skin.

H315 Causes skin irritation.
H332 Harmful if inhaled.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.