

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

EZ MUL® 2F

Revision Date: 13-Jan-2014

Revision Number: 30

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name EZ MUL® 2F

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Emulsifier
Sector of use	Refer to the Annex for a listing of uses.

1.3 Details of the supplier of the safety data sheet

Halliburton Manufacturing Services, Ltd.
Halliburton House, Howemoss Crescent
Kirkhill Industrial Estate
Dyce
Aberdeen, AB21 0GN
United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4 Emergency telephone number

+44 1224 795277 or +1 281 575 5000

Emergency telephone - §45 - (EC)1272/2008	
Europe	112
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO): + 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

2. Hazards Identification

2.1 Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Skin Corrosion / irritation	Category 2 - (H315)
Serious Eye Damage / Eye Irritation	Category 2 - (H319)
Skin Sensitization	Category 1 - (H317)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

Classification	Xi - Irritant.
Risk Phrases	R43 May cause sensitization by skin contact. R36/38 Irritating to eyes and skin.

2.2 Label Elements

Hazard Pictograms



Signal Word

Warning

Hazard Statements

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/eye protection/face protection
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/attention

Contains

Substances

Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine
Hydrotreated light petroleum distillate
Ethylene glycol monobutyl ether
Diethylene glycol monobutyl ether

CAS Number

68990-47-6
64742-47-8
111-76-2
112-34-5

2.3 Other Hazards

None known

3. Composition/information on Ingredients

Substances	EINECS	CAS Number	PERCENT (w/w)	EEC Classification	EU - CLP Substance Classification	REACH No.
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	273-601-0	68990-47-6	60 - 100%	Xi; R43	Skin Sens. 1 (H317)	01-2119496070-42
Hydrotreated light petroleum distillate	265-149-8	64742-47-8	10 - 30%	Xn; R65	Asp. Tox. 1 (H304)	01-2119484819-18
Ethylene glycol monobutyl ether	203-905-0	111-76-2	1 - 5%	Xn; R20/21/22 Xi; R36/38	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	01-2119475108-36
Diethylene glycol monobutyl ether	203-961-6	112-34-5	1 - 5%	Xi; R36	Eye Irrit. 2 (H319)	01-2119475104-44

For the full text of the R-phrases mentioned in this Section, see Section 16

4. First aid measures

4.1 Description of first aid measures

Inhalation	If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
Eyes	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
Skin	In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention.
Ingestion	Get medical attention! If vomiting occurs, keep head lower than hips to prevent aspiration.

4.2 Most important symptoms and effects, both acute and delayed

May cause eye and skin irritation. May cause allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

Do NOT spray pool fires directly with water. A solid stream of water directed into hot burning liquid can cause splattering.

5.2 Special hazards arising from the substance or mixture

Special Exposure Hazards

Decomposition in fire may produce toxic gases. Use water spray to cool fire exposed surfaces.

5.3 Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment.

See Section 8 for additional information

6.2 Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3 Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Contain spill with sand or other inert materials. Scoop up and remove.

6.4 Reference to other sections

See Section 8 and 13 for additional information.

7. Handling and Storage

7.1 Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. Avoid breathing mist. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse. Ground and bond containers when transferring from one container to another.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

7.2 Conditions for safe storage, including any incompatibilities

Store away from oxidizers. Keep from heat, sparks, and open flames. Keep container closed when not in use. Store in a cool, dry location.

Protect from sunlight and store in well-ventilated place

7.3 Specific End Use(s)

Exposure Scenario

Please refer to the attached Annex for a listing of exposure scenarios.

Other Guidelines

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits

Substances	CAS Number	EU	UK OEL	Netherlands	France OEL
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	Not applicable	STEL: 50 ppm STEL: 246 mg/m ³ TWA: 25 ppm TWA: 123 mg/m ³	TWA: 100 mg/m ³ STEL: 246 mg/m ³	2 ppm
Diethylene glycol monobutyl ether	112-34-5	STEL: 15 ppm STEL: 101.2 mg/m ³ TWA: 10 ppm TWA: 67.5 mg/m ³	STEL: 15 ppm STEL: 101.2 mg/m ³ TWA: 10 ppm TWA: 67.5 mg/m ³	TWA: 50 mg/m ³ STEL: 100 mg/m ³	10 ppm

Substances	CAS Number	Germany MAK/TRK	Spain	Portugal	Finland
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ MAK: 10 ppm MAK: 49 mg/m ³	50 ppm VLA-EC; 245 mg/m ³ VLA-EC VLA-ED: 20 ppm VLA-ED: 98 mg/m ³	TWA: 20 ppm	STEL: 50 ppm STEL: 250 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³
Diethylene glycol monobutyl ether	112-34-5	TWA: 100 mg/m ³ MAK: 10 ppm MAK: 67 mg/m ³	15 ppm VLA-EC; 101.2 mg/m ³ VLA-EC VLA-ED: 10 ppm VLA-ED: 67.5 mg/m ³	Not applicable	TWA: 10 ppm TWA: 68 mg/m ³

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	Not applicable	Not applicable	Not applicable	STEL: 20 ppm STEL: 75 mg/m ³ TWA: 10 ppm TWA: 50 mg/m ³
Diethylene glycol monobutyl ether	112-34-5	Not applicable	Not applicable	Not applicable	STEL: 20 ppm STEL: 102 mg/m ³ TWA: 10 ppm TWA: 68 mg/m ³

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable

Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	STEL: 50 ppm STEL: 246 mg/m ³ TWA: 20 ppm TWA: 98 mg/m ³	NDSch: 200 mg/m ³ NDS: 98 mg/m ³	TWA: 98 mg/m ³ STEL: 246 mg/m ³	TWA: 100 mg/m ³
Diethylene glycol monobutyl ether	112-34-5	STEL: 15 ppm STEL: 101.2 mg/m ³ TWA: 10 ppm TWA: 67.5 mg/m ³	NDSch: 100 mg/m ³ NDS: 67 mg/m ³	TWA: 67.5 mg/m ³ STEL: 101.2 mg/m ³	TWA: 100 mg/m ³

Substances	CAS Number	Denmark
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	Not applicable
Ethylene glycol monobutyl ether	111-76-2	TWA: 20 ppm TWA: 98 mg/m ³
Diethylene glycol monobutyl ether	112-34-5	TWA: 10 ppm TWA: 67.5 mg/m ³

Derived No Effect Level (DNEL)**Worker**

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Hazards for the eyes - local effects
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	14693 µg/m ³	29386 µg/m ³	14693 µg/m ³	14693 µg/m ³	16666 µg/kg bw/day	33332 µg/kg bw/day	1388 µg/cm ²	1388 µg/cm ²	Not available
Ethylene glycol monobutyl ether	98 mg/m ³	663 mg/m ³	Not available	246 mg/m ³	75 mg/kg bw/day	89 mg/kg bw/day	Not available	Not available	Not available
Diethylene glycol monobutyl ether	67.5 mg/m ³	Not available	67.5 mg/m ³	101.2 mg/m ³	20 mg/kg bw/day	Not available	Not available	Not available	Not available

General Population

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Long-term exposure - systemic effects, Oral	Acute / short term exposure - local effects, Oral	Hazards for the eyes - local effects
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	3623 µg/m ³	7246 µg/m ³	3623 µg/m ³	3623 µg/m ³	8333 µg/kg bw/day	16666 µg/kg bw/day	694 µg/cm ²	694 µg/cm ²	8333 µg/kg bw/day	16666 µg/kg bw/day	Not available
Ethylene glycol monobutyl ether	49 mg/m ³	426 mg/m ³	Not available	123 mg/m ³	38 mg/kg bw/day	44.5 mg/kg bw/day	Not available	Not available	3.2 mg/kg bw/day	13.4 mg/kg bw/day	Not available
Diethylene glycol monobutyl ether	34 mg/m ³	Not available	34 mg/m ³	50.6 mg/m ³	10 mg/kg bw/day	Not available	Not available	Not available	1.25 mg/kg bw/day	Not available	Not available

Predicted No Effect Concentration (PNEC)

Substances	Freshwater	Marine water	Intermittent release	Sewage treatment plant	Sediment (freshwater)	Sediment (marine water)	Air	Soil	Secondary poisoning
------------	------------	--------------	----------------------	------------------------	-----------------------	-------------------------	-----	------	---------------------

Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	0.00217 mg/L	0.000217 mg/L	0.0217 mg/L	1 mg/L	180 mg/kg sediment dw	18 mg/kg sediment dw	Not available	146 mg/kg soil dw	33.34 mg/kg food
Ethylene glycol monobutyl ether	8.8 mg/L	0.88 kg/L	9.1 mg/L	463 mg/L	34.6 mg/kg	3.46 mg/kg	Not available	3.13 mg/kg soil dw	0.02 g/kg food
Diethylene glycol monobutyl ether	1.0 mg/L	0.1 mg/L	3.9 mg/L	200 mg/L	4.0 mg/kg	0.4 mg/kg	Not available	0.4 mg/kg	56 mg/kg food

8.2 Exposure controls**Engineering Controls**

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal protective equipment**Respiratory Protection**

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Organic vapor respirator with a dust/mist filter. (A2P2/P3) In high concentrations, supplied air respirator or a self-contained breathing apparatus.

Hand Protection

Impervious rubber gloves. Nitrile gloves. Neoprene gloves. Butyl rubber gloves.

Skin Protection

Rubber apron.

Eye Protection

Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions

Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls No information available

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical State: Liquid

Color: Dark amber

Odor: Mild hydrocarbon

Odor Threshold: No information available

PropertyValues

Remarks/ - Method

pH:

4-7

Freezing Point/Range

-20 °C

Melting Point/Range

No data available

Boiling Point/Range

~ 150 °C

Flash Point

79.44 °C PMCC

Evaporation rate

No data available

Vapor Pressure

0.2 mmHg

Vapor Density

No data available

Specific Gravity

0.96

Water Solubility

Insoluble in water

Solubility in other solvents

No data available

Partition coefficient: n-octanol/water

No data available

Autoignition Temperature

No data available

Decomposition Temperature

No data available

Viscosity

> 100 mm²/s

Explosive Properties

No information available

Oxidizing Properties

No information available

9.2 Other information**VOC Content (%)**

No data available

10. Stability and Reactivity

10.1 Reactivity

Not applicable

10.2 Chemical Stability

Stable

10.3 Possibility of Hazardous Reactions

Will Not Occur

10.4 Conditions to Avoid

Keep away from heat, sparks and flame.

10.5 Incompatible Materials

Strong oxidizers.

10.6 Hazardous Decomposition Products

Oxides of nitrogen. Hydrocarbons. Carbon monoxide and carbon dioxide.

11. Toxicological Information

11.1 Information on Toxicological Effects**Acute Toxicity****Inhalation**

May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.

Eye Contact

May cause eye irritation

Skin Contact

May cause skin irritation. May cause an allergic skin reaction.

Ingestion

Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions.

Chronic Effects/Carcinogenicity

No data available to indicate product or components present at greater than 1% are chronic health hazards.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	> 2020 mg/kg (Rat)	> 2000 mg/kg (Rat)	No data available
Hydrotreated light petroleum distillate	64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	5.28 mg/L (Rat) 4h
Ethylene glycol monobutyl ether	111-76-2	470 mg/kg (Rat) 1414 mg/kg (Guinea pig) 1746 mg/kg (Rat) 320 mg/kg (Rabbit) 530 mg/kg (Rat) 560 mg/kg (Rat) 3000 mg/kg (Rat) 2400 (Rat)	220 mg/kg (Rabbit) 2270 mg/kg (Rat) 200 mg/kg (Guinea pig) >2000 mg/kg (Rabbit) 841 mg/kg (Rabbit) 435 mg/kg (Rabbit) >2000 mg/kg (Guinea pig) >2000 mg/kg (Rat) 100 mg/kg (Rabbit) 207 mg/kg (Guinea pig) 400-500 mg/kg (Rabbit)	450 ppm (Rat) 4h 2.174 mg/L (Rat) 4h 2.21 mg/L (Rat) 4h 450-486 ppm (Rat) 4h 925 ppm (Rat) 4h >633 ppm (Guinea pig) 1h
Diethylene glycol monobutyl ether	112-34-5	3384 mg/kg (Rat) 6560 mg/kg (Rat) 5660 mg/kg (Rat) 2406 mg/kg (Mouse) 2000 mg/kg (Guinea pig)	2700 mg/kg (Rabbit) 2764 mg/kg (Rabbit)	No data available

Substances	CAS Number	Skin corrosion/irritation
------------	------------	---------------------------

Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Non-irritating to the skin
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to the skin
Ethylene glycol monobutyl ether	111-76-2	Irritating to skin. (rabbit)
Diethylene glycol monobutyl ether	112-34-5	Mild skin irritation

Substances	CAS Number	Eye damage/irritation
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Non-irritating to the eye
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to the eye
Ethylene glycol monobutyl ether	111-76-2	Irritating to eyes. (rabbit)
Diethylene glycol monobutyl ether	112-34-5	May cause eye irritation (rabbit)

Substances	CAS Number	Skin Sensitization
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Skin sensitizer in guinea pig
Hydrotreated light petroleum distillate	64742-47-8	Did not cause sensitization on laboratory animals (guinea pig)
Ethylene glycol monobutyl ether	111-76-2	Did not cause sensitization on laboratory animals (guinea pig)
Diethylene glycol monobutyl ether	112-34-5	Did not cause sensitization on laboratory animals (guinea pig)

Substances	CAS Number	Respiratory Sensitization
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	No information available
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethylene glycol monobutyl ether	111-76-2	No information available
Diethylene glycol monobutyl ether	112-34-5	No information available

Substances	CAS Number	Mutagenic Effects
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	In vivo tests did not show mutagenic effects
Hydrotreated light petroleum distillate	64742-47-8	In vivo tests did not show mutagenic effects In vitro tests did not show mutagenic effects
Ethylene glycol monobutyl ether	111-76-2	In vivo tests did not show mutagenic effects In vitro tests did not show mutagenic effects
Diethylene glycol monobutyl ether	112-34-5	In vivo tests did not show mutagenic effects In vitro tests did not show mutagenic effects

Substances	CAS Number	Carcinogenic Effects
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Did not show carcinogenic effects in animal experiments
Hydrotreated light petroleum distillate	64742-47-8	The full refining history is known and it can be shown that the production substance is not carcinogen, therefore the classification as a carcinogen need not apply.
Ethylene glycol monobutyl ether	111-76-2	Did not show carcinogenic effects in animal experiments
Diethylene glycol monobutyl ether	112-34-5	No information available.

Substances	CAS Number	Reproductive toxicity
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Animal testing did not show any effects on fertility.
Hydrotreated light petroleum distillate	64742-47-8	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.
Ethylene glycol monobutyl ether	111-76-2	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.
Diethylene glycol monobutyl ether	112-34-5	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.

Substances	CAS Number	STOT - single exposure
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	No significant toxicity observed in animal studies at concentration requiring classification.
Hydrotreated light petroleum distillate	64742-47-8	No significant toxicity observed in animal studies at concentration requiring classification.
Ethylene glycol monobutyl ether	111-76-2	No significant toxicity observed in animal studies at concentration requiring classification.
Diethylene glycol monobutyl ether	112-34-5	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	STOT - repeated exposure
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	No significant toxicity observed in animal studies at concentration requiring classification.
Hydrotreated light petroleum distillate	64742-47-8	No significant toxicity observed in animal studies at concentration requiring classification.
Ethylene glycol monobutyl ether	111-76-2	No significant toxicity observed in animal studies at concentration requiring classification.
Diethylene glycol monobutyl ether	112-34-5	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	Aspiration hazard
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	May be fatal if swallowed and enters airways

Ethylene glycol monobutyl ether	111-76-2	Not applicable
Diethylene glycol monobutyl ether	112-34-5	Not applicable

12. Ecological Information

12.1 Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	EC50(72h): > 100 mg/L (growth rate) (Pseudokirchnerella subcapitata)	LC50(96h): > 100 mg/L (Danio rerio)	EC50(3h): > 100 mg/L (respiration rate) (Activated sludge)	IC50(48h): > 100 mg/L (Daphnia magna)
Hydrotreated light petroleum distillate	64742-47-8	EC50(72h): > 10,000 mg/L (Skeletonema costatum) (ISO 10253)	LC50 96h): > 10,000 mg/L (Scophthalmus maximus) (OSPARCOM 1995)	No information available	LC50(48h): > 10,000 mg/L (Acartia tonsa) (ISO 14669) EC50(48h): 1100 mg/L (mobility) (Daphnia pulex)
Ethylene glycol monobutyl ether	111-76-2	EC50: 839.56 mg/l (Skeletonema costatum) EC50(72h): 911 mg/L (biomass) EC50: > 500 mg/l (Scenedesmus subspicatus) NOEC(72h): 88 mg/L (biomass)(Pseudokirchnerella subcapitata)	LC50: > 1000 mg/l (Scophthalmus maximus juvenile) LC50(96h): 1474 mg/L (Oncorhynchus mykiss) NOEC(21d): > 100mg/L (Danio rerio)	TT/EC3(48h): 463 mg/L (Uronema parduzci) TT/EC3(72h): 73 mg/L (Entosiphon sulcatum) TT/EC3(16h): 700 mg/L (Pseudomonas putida)	EC50: >1000 mg/L (Daphnia magna) EC50 (48h): 1800 mg/L (Daphnia magna) EC50: 1875 mg/l (Daphnia magna) NOEC(21d)(reproduction): 100 mg/L (Daphnia magna)
Diethylene glycol monobutyl ether	112-34-5	EC50: > 100 mg/L (Desmodesmus subspicatus)	LC50: 1300 mg/L (Lepomis macrochirus)	EC10: >1995 mg/L (Activated sludge, industrial)	EC50: > 100 mg/L (Daphnia magna)

12.2 Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Readily biodegradable (71% @ 28d)
Hydrotreated light petroleum distillate	64742-47-8	Readily biodegradable (87% @ 28d)
Ethylene glycol monobutyl ether	111-76-2	Readily biodegradable (75-88% @ 28d)
Diethylene glycol monobutyl ether	112-34-5	Readily biodegradable (71% @ 28d)

12.3 Bioaccumulative potential

Substances	CAS Number	Log Pow
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	2.4
Hydrotreated light petroleum distillate	64742-47-8	7.5
Ethylene glycol monobutyl ether	111-76-2	0.81
Diethylene glycol monobutyl ether	112-34-5	1.0

12.4 Mobility in soil

No information available

12.5 Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

12.6 Other adverse effects**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations**13.1 Waste treatment methods****Disposal Method**

Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging

Follow all applicable national or local regulations.

14. Transport Information**IMDG/IMO**

UN Number:	Not restricted.
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

RID

UN Number:	Not restricted.
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental hazard:	Not applicable

ADR

UN Number:	Not restricted.
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental hazard:	Not applicable

IATA/ICAO

UN Number:	Not restricted.
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental hazard:	Not applicable

Special Precautions for User None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. Regulatory Information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****International Inventories**

All of the components in the product are on the following Inventory lists: All of the components in the product are on the following Inventory lists:.

EINECS Inventory	This product, and all its components, complies with EINECS
US TSCA Inventory	All components listed on inventory or are exempt.
Canadian DSL Inventory	All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering Classes (WGK) WGK 1: Low hazard to waters.

List of the carcinogenic, mutagenic and toxic for reproduction substances SZW
(Complex) petroleum and coal derivatives

15.2 Chemical Safety Assessment

Yes

16. Other Information

Full text of R-phrases referred to under Sections 2 and 3

Xn - Harmful.
Xi - Irritant.
R20/21/22 Harmful by inhalation, by contact with skin and if swallowed.
R36 Irritating to eyes.
R36/38 Irritating to eyes and skin.
R65 Harmful: may cause lung damage if swallowed.

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date: 13-Jan-2014

Revision Note

Not applicable

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet