HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: EZ MUL® NT

Revision Date: 13-Jan-2014 **Revision Number: 30**

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

EZ MUL® NT **Product Trade Name:**

Synonyms: None **Chemical Family:** Blend Internal ID Code HM003637

Product Use

Emulsifier Application:

Manufacturer's Name and Contact Details

Name and Address Halliburton Energy Services

645 - 7th Ave SW Suite 2200

Calgary, AB T2P 4G8 Canada

Emergency Telephone Number (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. HAZARD(S) IDENTIFICATION

WHIMIS Classification

WHMIS Hazard Class B3 Combustible Liquids

D1A Very Toxic Materials D2B Toxic Materials

WHMIS Symbol(s)



Summary of hazards of the product

Hazard Overview May cause eye, skin, and respiratory irritation. May cause headache, dizziness,

and other central nervous system effects. May be harmful if swallowed.

Combustible.

3. COMPOSITION/INFORMATION ON INGREDIENTS				
Substances	CAS Number	PERCENT (w/w)	HMIRA Registry Number	Filing Date

Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	60 - 100%	Not applicable	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	10 - 30%	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	1 - 5%	Not applicable	Not applicable
Diethylene glycol monobutyl ether	112-34-5	1 - 5%	Not applicable	Not applicable

4. FIRST AID MEASURES

Description of first aid measures

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after flushing.

In case of contact, immediately flush skin with plenty of soap and water for at least

15 minutes. Get medical attention.

Ingestion Get medical attention! If vomiting occurs, keep head lower than hips to prevent

aspiration.

Most important symptoms and effects, both acute and delayed

May cause eye and skin irritation. May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE FIGHTING MEASURES

Extinguishing media

Skin

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

Do NOT spray pool fires directly with water. A solid stream of water directed into hot burning liquid can cause splattering.

Special hazards arising from the substance or mixture

Special Exposure Hazards

Decomposition in fire may produce toxic gases. Use water spray to cool fire exposed surfaces.

Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

Hazardous combustion products

Oxides of nitrogen. Hydrocarbons. Carbon monoxide and carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions and emergency producedures

Protective Equipment

Use appropriate protective equipment.

Environmental Precautionary Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning / Absorption

Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Contain spill with sand or other inert materials. Scoop up and remove.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with eyes, skin, or clothing. Avoid breathing mist. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse. Ground and bond containers when transferring from one container to another.

Conditions for safe storage and Incompatible materials for storage

Store away from oxidizers. Keep from heat, sparks, and open flames. Keep container closed when not in use. Store in a cool, dry location.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Exposure Limits

Substances	CAS Number	ACGIH TLV-TWA	OSHA PEL-TWA
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine		Not applicable	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	TWA: 20 ppm	50 ppm
Diethylene glycol monobutyl ether	112-34-5	Not applicable	Not applicable

Appropriate engineering controls

Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal Protective Equipment (PPE)

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Organic vapor respirator with a dust/mist filter. (A2P2/P3) In high concentrations, supplied air respirator or a self-contained breathing apparatus.

Hand Protection Skin Protection Eye Protection Other Precautions Impervious rubber gloves. Nitrile gloves. Neoprene gloves. Butyl rubber gloves.

Rubber apron.

Chemical goggles; also wear a face shield if splashing hazard exists. Eyewash fountains and safety showers must be easily accessible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State: Liquid Color: Dark amber

Odor: Mild hydrocarbon Odor Threshold: No information available

Property Values

Remarks/ - Method

pH: 4-7

pH Concentration of Solution:

No information available.

Freezing Point/Range -20 °C

Melting Point/Range No information available

Boiling Point/Range (C): 150 °C Flash Point/Range (C): 65 °C

Flash Point Method:

Autoignition Temperature (C):

No information available.

No information available.

Flammability Limits in Air - Lower (%): 0.6 Flammability Limits in Air - Upper (%): 4.7

Evaporation Rate (Butyl Acetate=1): No information available.

Vapor Pressure @ 20 C (mmHg): 0.2

Vapor Density (Air=1): No information available.

Specific Gravity @ 20 C (Water=1): 0.96
Solubility in Water (g/100ml): Insoluble

Solubility in other solvents

Partition Coefficient/n-Octanol/Water:

Decomposition Temperature (C):

Viscosity

Explosive Properties

Oxidizing Properties

No information available.

No information available

No information available

No information available

Other Information

Molecular Weight (g/mole):No information available.VOC Content (%)No information available

10. STABILITY AND REACTIVITY

Conditions of Reactivity

Conditions to Avoid Keep away from heat, sparks and flame.

Hazardous Polymerization: Will Not Occur

Chemical Stability

Stable

Sensitivity to Static Discharge

Not available

Sensitivity to Mechanical Impact

Not available

Incompatible materials

Strong oxidizers.

Hazardous Decomposition Products

Oxides of nitrogen. Hydrocarbons. Carbon monoxide and carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Routes of entry

Eye or skin contact, inhalation.

Information on Toxicological Effects

Acute effects from exposure

Inhalation May cause respiratory irritation. May cause central nervous system depression including

headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech,

giddiness and unconsciousness.

Eye Contact May cause eye irritation.

Skin Contact May cause skin irritation. May cause an allergic skin reaction.

Ingestion Aspiration into the lungs may

Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech,

giddiness, tremors and convulsions.

Chronic effects from exposure

Chronic Effects/Carcinogenicity

No data available to indicate product or components present at greater than 1% are chronic

health hazards.

Irritancy of product

Irritation Irritating to eyes Irritating to skin

Sensitization of product

Sensitization May cause sensitization by skin contact

Mutagenicity

Mutagenic Effects Not regarded as mutagenic

Carcinogenicity

Carcinogenic Effects No ingredient of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA.

Reproductive Toxicity

Reproductive Toxicity This product does not contain any known or suspected reproductive hazards

Teratogenicity/embryotoxicity

Teratogenic Not a teratogen or embroytoxin.

Toxicologically synergistic material Not available

Acute Toxicity

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	> 2020 mg/kg (Rat)	> 2000 mg/kg (Rat)	No data available
Hydrotreated light petroleum distillate	64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	5.28 mg/L (Rat) 4h
Ethylene glycol monobutyl ether	111-76-2	470 mg/kg (Rat) 1414 mg/kg (Guinea pig) 1746 mg/kg (Rat) 320 mg/kg (Rabbit) 530 mg/kg (Rat) 560 mg/kg (Rat) 3000 mg/kg (Rat) 2400 (Rat)	220 mg/kg (Rabbit) 2270 mg/kg (Rat) 200 mg/kg (Guinea pig) >2000 mg/kg (Rabbit) 841 mg/kg (Rabbit) 435 mg/kg (Rabbit) >2000 mg/kg (Guinea pig) >2000 mg/kg (Rat) 100 mg/kg (Rabbit) 207 mg/kg (Guinea pig) 400-500 mg/kg (Rabbit)	450 ppm (Rat) 4h 2.174 mg/L (Rat) 4h 2.21 mg/L (Rat) 4h 450-486 ppm (Rat) 4h 925 ppm (Rat) 4h >633 ppm (Guinea pig) 1h
Diethylene glycol monobutyl ether	112-34-5	3384 mg/kg (Rat) 6560 mg/kg (Rat) 5660 mg/kg (Rat) 2406 mg/kg (Mouse) 2000 mg/kg (Guinea pig)	2700 mg/kg (Rabbit) 2764 mg/kg (Rabbit)	No data available

12. ECOLOGICAL INFORMATION

Toxicity

Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	EC50(72h): > 100 mg/L (growth rate) (Pseudokirchnerella subcapitata)	LC50(96h): > 100 mg/L (Danio rerio)	EC50(3h): > 100 mg/L (respiration rate) (Activated sludge)	IC50(48h): > 100 mg/L (Daphnia magna)
Hydrotreated light petroleum distillate	64742-47-8	EC50(72h): > 10,000 mg/L (Skeletonema costatum) (ISO 10253)	LC50 96h): > 10,000 mg/L (Scophthalmus maximus) (OSPARCOM 1995)	No information available	LC50(48h): > 10,000 mg/L (Acartia tonsa) (ISO 14669)
Ethylene glycol monobutyl ether	111-76-2	EC50: 839.56 mg/l (Skeletonema costatum) EC50(72h): 911 mg/L (biomass) EC50: > 500 mg/l (Scenedesmus subspicatus) NOEC(72h): 88 mg/L (biomass)(Pseudokirc hnerella subcapitata)	LC50: > 1000 mg/l (Scophthalmus maximus juvenile) LC50(96h): 1474 mg/L (Oncorhynchus mykiss) NOEC(21d): > 100mg/L (Danio rerio)	TT/EC3(48h): 463 mg/L (Uronema parduzci) TT/EC3(72h): 73 mg/L (Entosiphon sulcatum) TT/EC3(16h): 700 mg/L (Pseudomonas putida)	
Diethylene glycol monobutyl ether	112-34-5	EC50: > 100 mg/L (Desmodesmus subspicatus)	LC50: 1300 mg/L (Lepomis macrochirus)	EC10: >1995 mg/L (Activated sludge, industrial)	EC50: > 100 mg/L (Daphnia magna)

Persistence and Degradability

Bioaccumlation potential

Substances	Log Pow
Fatty acid, tall-oil, reaction product with diethylenetriamine,	2.4
maleic anhydride, tetraethylenepentamine, and	
triethylenetetramine	
Hydrotreated light petroleum distillate	7.5
Ethylene glycol monobutyl ether	0.81
Diethylene glycol monobutyl ether	1.0

Mobility in soil

No information available

Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. DISPOSAL CONSIDERATIONS

Disposal Method Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Canadian TDG

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable

IATA/ICAO

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable

IMDG/IMO

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable

Special Precautions for User None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Canadian Regulations

Canadian DSL Inventory

All components listed on inventory or are exempt.

WHMIS Hazard Class B3 Combustible Liquids

D1A Very Toxic Materials D2B Toxic Materials

WHMIS Symbol(s)



US Regulations
US TSCA Inventory

All components listed on inventory or are exempt.

16. OTHER INFORMATION

Preparation Information

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

Revision Date: 13-Jan-2014

Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products,

contact Chemical Compliance at 1-580-251-4335.

Key or legend to abbreviations and acronyms

WHMIS: Workplace Hazardous Materials Information System

Key literature references and sources for data

www.ChemADVISOR.com/

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS