

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

EZ MUL® NT

Revision Date: 25-Nov-2015

Sector of use

Revision Number: 58

SECTION 1: Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product Identifier</u>	
Product Name	EZ MUL® NT
Internal ID Code	HM003637

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended Use Emulsifier

Refer to the Annex for a listing of uses.

1.3. Details of the supplier of the safety data sheet

Halliburton Manufacturing Services, Ltd. Halliburton House, Howemoss Crescent Kirkhill Industrial Estate Dyce Aberdeen, AB21 0GN United Kingdom

www.halliburton.com <u>For further information, please contact</u> **E-Mail address:** fdunexchem@halliburton.com <u>1.4. Emergency telephone number</u> +44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §	45 - (EC)1272/2008
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) -
	Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only
	available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08
	97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) NO 1272/2008	
Skin Sensitization	Category 1 - (H317)
Specific Target Organ Toxicity - (Single Exposure)	Category 3 - (H336)

2.2. Label Elements

Hazard Pictograms



Signal Word

Danger

Hazard Statements

H317 - May cause an allergic skin reaction H336 - May cause drowsiness or dizziness

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/eye protection/face protection
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P363 - Wash contaminated clothing before reuse
P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
P312 - Call a POISON CENTER or doctor/physician if you feel unwell

Contains Substances Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and	CAS Number 68990-47-6
triethylenetetramine	
Hydrotreated light petroleum distillate	64742-47-8
Ethylene glycol monobutyl ether	111-76-2
Diethylene glycol monobutyl ether	112-34-5

2.3. Other Hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.2. Mixtures

Mixture

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	273-601-0	68990-47-6	60 - 100%	Skin Sens. 1 (H317)	01-2119496070-42
Hydrotreated light petroleum distillate	265-149-8	64742-47-8	10 - 30%	Asp. Tox. 1 (H304)	01-2119484819-18
Ethylene glycol monobutyl ether	203-905-0	111-76-2	1 - 5%	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	01-2119475108-36
Diethylene glycol monobutyl ether	203-961-6	112-34-5	1 - 5%	Eye Irrit. 2 (H319)	01-2119475104-44

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	If inhaled, move victim to fresh air and seek medical attention.
Eyes	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after
	flushing.
Skin	In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention.
Ingestion	Get medical attention! If vomiting occurs, keep head lower than hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person.

4.2. Most Important symptoms and effects, both acute and delayed

Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal. May cause allergic skin reaction. May cause skin irritation. May cause headache, dizziness, and other central nervous system effects.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical. Extinguishing media which must not be used for safety reasons

Do NOT spray pool fires directly with water. A solid stream of water directed into hot burning liquid can cause splattering.

5.2. Special hazards arising from the substance or mixture

Special Exposure Hazards

Decomposition in fire may produce harmful gases. Use water spray to cool fire exposed surfaces.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Contain spill with sand or other inert materials. Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. Avoid breathing mist. Avoid breathing vapors. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Ground and bond containers when transferring from one container to another. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from oxidizers. Keep from heat, sparks, and open flames. Keep container closed when not in use. Store in a cool, dry location. Store in a well ventilated area. Store locked up. Product has a shelf life of 18 months.

7.3. Specific End Use(s)

Exposure Scenario Other Guidelines

Please refer to the attached Annex for a listing of exposure scenarios. No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters Exposure Limits

Substances	CAS Number	EU	UK	Netherlands	France
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	Not applicable	TWA: 25 ppm TWA: 123 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³	TWA: 100 mg/m ³ STEL: 246 mg/m ³	2 ppm
Diethylene glycol monobutyl ether	112-34-5	TWA: 10 ppm TWA: 67.5 mg/m ³ STEL: 15 ppm STEL: 101.2 mg/m ³	TWA: 10 ppm TWA: 67.5 mg/m ³ STEL: 15 ppm STEL: 101.2 mg/m ³	TWA: 50 mg/m ³ STEL: 100 mg/m ³	TWA: 10 ppm TWA: 67.5 mg/m ³ STEL: 15 ppm STEL: 101.2 mg/m ³

Substances	CAS Number	Germany	Spain	Portugal	Finland
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	TWA: 20 ppm TWA: 140 mg/m ³	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	TWA: 10 ppm TWA: 49 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ 50 ppm STEL [VLA-EC]; 245 mg/m ³ STEL [VLA-EC]	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³
Diethylene glycol monobutyl ether	112-34-5	TWA: 10 ppm TWA: 67 mg/m ³	TWA: 10 ppm TWA: 67.5 mg/m ³ 15 ppm STEL [VLA-EC]; 101.2 mg/m ³ STEL [VLA-EC]	TWA: 10 ppm TWA: 67.5 mg/m ³ STEL: 15 ppm STEL: 101.2 mg/m ³	TWA: 10 ppm TWA: 68 mg/m ³

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL" 40 ppm STEL" 200 mg/m ³	20 ppm TWA; 98 mg/m ³ TWA 50 ppm STEL; 246 mg/m ³ STEL	TWA: 10 ppm TWA: 49 mg/m ³ STEL: 20 ppm STEL: 98 mg/m ³	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 20 ppm STEL: 75 mg/m ³
Diethylene glycol monobutyl ether	112-34-5	TWA: 10 ppm TWA: 67.5 mg/m ³ STEL" 15 ppm STEL" 101.2 mg/m ³	10 ppm TWA; 67.5 mg/m ³ TWA 15 ppm STEL; 101.2 mg/m ³ STEL	TWA: 10 ppm TWA: 67 mg/m ³ STEL: 15 ppm STEL: 101 mg/m ³	TWA: 10 ppm TWA: 68 mg/m ³ STEL: 20 ppm STEL: 102 mg/m ³

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl	111-76-2	TWA: 20 ppm	TWA: 98 mg/m ³	TWA: 98 mg/m ³	TWA: 100 mg/m ³

Revision Date: 25-Nov-2015

ether		TWA: 98 mg/m ³	STEL: 200 mg/m ³	STEL: 246 mg/m ³	
		STEL: 50 ppm			
		STEL: 246 mg/m ³			
Diethylene glycol	112-34-5	TWA: 10 ppm	TWA: 67 mg/m ³	TWA: 67.5 mg/m ³	TWA: 100 mg/m ³
monobutyl ether		TWA: 67.5 mg/m ³	STEL: 100 mg/m ³	STEL: 101.2 mg/m ³	-
		STEL: 15 ppm	-	-	
		STEL: 101.2 mg/m ³			

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	TWA: 20 ppm TWA: 98 mg/m ³	TWA: 30 ppm TWA: 150 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ STEL: 246 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³
Diethylene glycol monobutyl ether	112-34-5	TWA: 10 ppm TWA: 68 mg/m ³	TWA: 150 mg/m ³ STEL: 250 mg/m ³	TWA: 10 ppm TWA: 67.5 mg/m ³ STEL: 15 ppm STEL: 101.2 mg/m ³	TWA: 10 ppm TWA: 67.5 mg/m ³ STEL: 15 ppm STEL: 101.2 mg/m ³

Derived No Effect Level (DNEL) Worker

VVOIKEI									
	exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	exposure - local effects,	exposure - local effects,	exposure - systemic effects,	exposure -	exposure -	Acute / short term exposure - local effects, Dermal	Hazards for the eyes - local effects
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepenta mine, and triethylenetetramin e		29386 µg/m ³	14693 μg/m ³		100	33332 µg/kg bw/day	1388 µg/cm²	1388 µg/cm²	Not available
Ethylene glycol monobutyl ether	98 mg/m³	663 mg/m³	Not available			89 mg/kg bw/day	Not available	Not available	Not available
Diethylene glycol monobutyl ether	67.5 mg/m³	Not available	67.5 mg/m³	101.2 mg/m ³	20 mg/kg bw/day	Not available	Not available	Not available	Not available

General Population

Substances	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Hazards
	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	for the
	systemic		local	exposure -	systemic	exposure -	local	exposure -	systemic	exposure -	eyes -
	,		effects,	local	effects,	,	effects,	local	effects,	local	local
		,	Inhalation	,	Dermal			,	Oral	,	effects
		Inhalation		Inhalation		Dermal		Dermal		Oral	
Fatty acid, tall-oil, reaction product with diethylenetriamin e, maleic anhydride, tetraethylenepent amine, and triethylenetetrami ne		7246 µg/m³	3623 μg/m³	3623 μg/m³	8333 μg/kg bw/day			694 μg/cm²	8333 µg/kg bw/day	16666 µg/kg bw/day	Not available
Ethylene glycol monobutyl ether	49 mg/m ³	426 mg/m ³	Not available	123 mg/m ³	38 mg/kg bw/day	-		Not available	3.2 mg/kg bw/day	13.4 mg/kg bw/day	Not available
Diethylene glycol monobutyl ether	- 0	Not available	34 mg/m ³	50.6 mg/m³	10 mg/kg bw/day			Not available	1.25 mg/kg bw/day	Not available	Not available

Predicted No Effect Concentration (PNEC) Freshwater Marine water Intermittent Sewage Sediment Sediment Air Soil Secondary Substances release treatment (freshwater) (marine poisoning plant water) 0.00217 0.000217 Fatty acid, tall-oil, 18 mg/kg Not available 146 mg/kg 33.34 mg/kg 0.0217 mg/L 1 mg/L 180 mg/kg reaction product mg/L mg/L sediment dw sediment dw soil dw food with diethylenetriamine, maleic anhydride, tetraethylenepenta mine, and triethylenetetramin 3.46 mg/kg Not available 3.13 mg/kg 0.02 g/kg Ethylene glycol 8.8 mg/L 0.88 kg/L 9.1 mg/L 463 mg/L 34.6 mg/kg monobutyl ether soil dw food Diethylene glycol 1.0 mg/L 0.1 mg/L 3.9 mg/L 200 mg/L 4.0 mg/kg 0.4 mg/kg Not available 0.4 mg/kg 56 mg/kg monobutyl ether food

8.2. Exposure controls Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection	If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Organic vapor respirator with a dust/mist filter. (A2P2/P3) In high concentrations, supplied air respirator or a self-contained breathing apparatus.
Hand Protection	 Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Neoprene gloves. Nitrile gloves. Butyl rubber gloves. (>= 0.7 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.
Skin Protection	Rubber apron.
Eye Protection	Chemical goggles; also wear a face shield if splashing hazard exists.
Other Precautions	None known.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and Chemical Properties

9.1. Information of Physical State: Odor:	<u>on basic physical and chemical properties</u> Liquid Mild hydrocarbon	Color:	Dark amber No information available
Property_		Values	
Remarks/ - Metho	bd_		
pH:		4-7	
Freezing Point/R	ange	-20 °C	
Melting Point/Ra	nge	No data available	
Boiling Point/Rai	nge	150 °C / 304 °F	-
Flash Point		65 °C / 149 °F	PMCC
Flammability (so	lid, gas)	No data available	
upper flamma	ability limit	4.7	
lower flamma	ability limit	0.6	
Evaporation rate		No data available	
Vapor Pressure		0.2	
Vapor Density		No data available	

Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties

9.2. Other information VOC Content (%) 0.96 Insoluble in water No data available No data available No data available > 100 mm2/s No information available No information available

No data available

SECTION 10: Stability and Reactivity

 10.1. Reactivity

 Not expected to be reactive.

 10.2. Chemical Stability

 Stable

 10.3. Possibility of Hazardous Reactions

 Will Not Occur

 10.4. Conditions to Avoid

 Keep away from heat, sparks and flame.

 10.5. Incompatible Materials

 Strong oxidizers.

 10.6. Hazardous Decomposition Products

 Oxides of nitrogen. Hydrocarbons. Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

11.1. Information on Toxicological	I Effects
Acute Toxicity	
Inhalation	May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.
Eve Contact	May cause mild eye irritation.
Skin Contact	May cause an allergic skin reaction. May cause mild skin irritation.
Ingestion	Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions.
Chronic Effects/Carcinogenicity	No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	> 2020 mg/kg (Rat)	> 2000 mg/kg (Rat)	No data available
Hydrotreated light petroleum distillate	64742-47-8	> 5000 mg/kg (Rat) (similar substance)	> 2000 mg/kg (Rabbit) (similar substance)	> 5.28 mg/L (Rat) 4h (similar substance)
Ethylene glycol monobutyl ether	111-76-2	470 mg/kg (Rat) 1414 mg/kg (Guinea pig) 1746 mg/kg (Rat) 320 mg/kg (Rabbit) 530 mg/kg (Rat) 560 mg/kg (Rat) 3000 mg/kg (Rat) 2400 mg/kg (Rat)	220 mg/kg (Rabbit) 2270 mg/kg (Rat) 200 mg/kg (Guinea pig) >2000 mg/kg (Rabbit) 841 mg/kg (Rabbit) 435 mg/kg (Rabbit) >2000 mg/kg (Guinea pig) >2000 mg/kg (Rat) 100 mg/kg (Guinea pig)	450 mg/L (Rat) 4h 2.174 mg/L (Rat) 4h 2.21 mg/L (Rat) 4h 450-486 mg/L (Rat) 4h 925 mg/L (Rat) 4h >633 mg/L (Guinea pig) 1h

			400-500 mg/kg (Rabbit)	
Diethylene glycol monobutyl ether	112-34-5	3384 mg/kg (Rat) 6560 mg/kg (Rat) 5660 mg/kg (Rat) 2406 mg/kg (Mouse) 2000 mg/kg (Guinea pig)	2700 mg/kg (Rabbit) 2764 mg/kg (Rabbit)	No data available

Substances	CAS Number	Skin corrosion/irritation
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Non-irritating to the skin
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to the skin (similar substances)
Ethylene glycol monobutyl ether	111-76-2	Causes moderate skin irritation. (Rabbit)
Diethylene glycol monobutyl ether	112-34-5	Mild skin irritation (Rabbit)

Substances	CAS Number	Eye damage/irritation
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Non-irritating to the eye
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to rabbit's eye
Ethylene glycol monobutyl ether	111-76-2	Causes moderate eye irritation. (Rabbit)
Diethylene glycol monobutyl ether	112-34-5	Causes moderate eye irritation. (Rabbit)

Substances	CAS Number	Skin Sensitization
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Skin sensitizer in guinea pig.
Hydrotreated light petroleum distillate	64742-47-8	Did not cause sensitization on laboratory animals (guinea pig) (similar substances)
Ethylene glycol monobutyl ether	111-76-2	Did not cause sensitization on laboratory animals (guinea pig)
Diethylene glycol monobutyl ether	112-34-5	Did not cause sensitization on laboratory animals (guinea pig)

Substances	CAS Number	Respiratory Sensitization
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	No information available
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethylene glycol monobutyl ether	111-76-2	No information available
Diethylene glycol monobutyl ether	112-34-5	No information available

	CAS Number	Mutagenic Effects
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	In vivo tests did not show mutagenic effects.

Hydrotreated light	64742-47-8	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects. (similar
petroleum distillate		substances)
Ethylene glycol monobutyl	111-76-2	In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects
ether		
Diethylene glycol	112-34-5	In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects
monobutyl ether		

Substances	CAS Number	Carcinogenic Effects
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	No information available.
Hydrotreated light petroleum distillate	64742-47-8	Did not show carcinogenic effects in animal experiments
Ethylene glycol monobutyl ether	111-76-2	Not regarded as carcinogenic.
Diethylene glycol monobutyl ether	112-34-5	No information available.

Substances	CAS Number	Reproductive toxicity			
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Animal testing did not show any effects on fertility.			
Hydrotreated light petroleum distillate	64742-47-8	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)			
Ethylene glycol monobutyl ether	111-76-2	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.			
Diethylene glycol monobutyl ether	112-34-5	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.			

Substances	CAS Number	STOT - single exposure
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	No information available
Hydrotreated light petroleum distillate	64742-47-8	May cause disorder and damage to the Central Nervous System (CNS) (similar substances)
Ethylene glycol monobutyl ether	111-76-2	No data of sufficient quality are available.
Diethylene glycol monobutyl ether	112-34-5	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	STOT - repeated exposure
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	No data of sufficient quality are available.
Hydrotreated light petroleum distillate	64742-47-8	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)
Ethylene glycol monobutyl ether	111-76-2	No data of sufficient quality are available.
Diethylene glycol monobutyl ether	112-34-5	No significant toxicity observed in animal studies at concentration requiring classification.

	CAS Number	Aspiration hazard
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable

Hydrotreated light petroleum distillate		Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal.
Ethylene glycol monobutyl ether	111-76-2	No adverse health effects are expected from swallowing.
Diethylene glycol monobutyl ether	112-34-5	Not applicable

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	EC50 (72h) > 100 mg/L (growth rate) (Pseudokirchnerella subcapitata)	LC50 (96h) > 100 mg/L (Danio rerio)	EC50 (3h) > 100 mg/L (Activated sludge) (respiration rate)	IC50 (48h) > 100 mg/L (Daphnia magna)
Hydrotreated light petroleum distillate	64742-47-8	EC50 (72h) > 1,000 mg/L (Skeletonema costatum) ErL50 (72h) > 1000 mg/L (Pseudokirchneriella subcapitata) EbL50 (72h) > 1000 mg/L (Pseudokirchneriella subcapitata) NOELR (72h) 1000 mg/L (Pseudokirchneriella subcapitata)	LC50 (96h) > 10,000 mg/L (Scophthalmus maximus) LL50 (96h) > 1000 mg/L (Oncorhynchus mykiss)	No information available	LC50 (48h) > 10,000 mg/L (Acartia tonsa) EC50 (48h) 1100 mg/L (Daphnia pulex) LC50 (48h) 0.12 mg/L (Daphnia magna) EL50 (48h) > 1000 mg/L (Daphnia magna)
Ethylene glycol monobutyl ether	111-76-2	EC50 839.56 mg/L (Skeletonema costatum) EbC50 (72h) 911 mg/L EC50 > 500 mg/L (Scenedesmus subspicatus) NOEC (72h) 88 mg/L (biomass)(Pseudokirchn erella subcapitata)	LC50 > 1000 mg/L (Scophthalmus maximus, juvenile) LC50 (96h) 1474 mg/L (Oncorhynchus mykiss) NOEC (21d) > 100mg/L (Danio rerio)	TT/EC3 (48h) 463 mg/L (Uronema parduzci) TT/EC3 (72h) 73 mg/L (Entosiphon sulcatum) TT/EC3 (16h) 700 mg/L (Pseudomonas putida)	No information available
Diethylene glycol monobutyl ether	112-34-5	EC50 > 100 mg/L (Desmodesmus subspicatus)	LC50 1300 mg/L (Lepomis macrochirus)	EC10 >1995 mg/L (Activated sludge, industrial)	EC50 > 100 mg/L (Daphnia magna)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Fatty acid, tall-oil, reaction product with	68990-47-6	Readily biodegradable (71% @ 28d)
diethylenetriamine, maleic anhydride,		
tetraethylenepentamine, and triethylenetetramine		
Hydrotreated light petroleum distillate	64742-47-8	Readily biodegradable (40% @ 28d)
Ethylene glycol monobutyl ether	111-76-2	Readily biodegradable (75-88% @ 28d)
Diethylene glycol monobutyl ether	112-34-5	Readily biodegradable (85% @ 28d)

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Fatty acid, tall-oil, reaction product with	68990-47-6	2.4
diethylenetriamine, maleic anhydride,		
tetraethylenepentamine, and triethylenetetramine		
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethylene glycol monobutyl ether	111-76-2	0.81
Diethylene glycol monobutyl ether	112-34-5	1.0

12.4. Mobility in soil

Substances	CAS Number	Mobility	
Fatty acid, tall-oil, reaction product with	68990-47-6	No information available	
diethylenetriamine, maleic anhydride,			
tetraethylenepentamine, and triethylenetetramine			
Hydrotreated light petroleum distillate	64742-47-8	No information available	
Ethylene glycol monobutyl ether	111-76-2	No information available	
Diethylene glycol monobutyl ether	112-34-5	No information available	

12.5. Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and	Not PBT/vPvB
triethylenetetramine	
Hydrotreated light petroleum distillate	Not PBT/vPvB
Ethylene glycol monobutyl ether	Not PBT/vPvB
Diethylene glycol monobutyl ether	Not PBT/vPvB

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Disposal Method

Disposal should be made in accordance with federal, state, and local regulations. Incineration recommended in approved incinerator according to federal, state, and local regulations. Substance should NOT be deposited into a sewage facility.

Contaminated Packaging

Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

SECTION 14: Transport Information

|--|

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

RID

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Environmental Hazards:

<u>ADR</u>

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Environmental Hazards:

IATA/ICAO

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

Not restricted Not applicable Not applicable Not applicable

Not restricted Not restricted Not applicable Not applicable Not applicable

Not restricted Not restricted Not applicable Not applicable Not applicable 14.1. UN Number: Not restricted

14.2. UN Proper Shipping Name: Not restricted

14.3. Transport Hazard Class(es): Not applicable

14.4. Packing Group: Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories EINECS Inventory US TSCA Inventory Canadian DSL Inventory

This product, and all its components, complies with EINECS All components listed on inventory or are exempt. All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering Classes (WGK)

WGK 1: Low hazard to waters.

List of the carcinogenic, mutagenic and toxic for reproduction substances SZW (Complex) petroleum and coal derivatives

Substances	CAS Number	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization
Diethylene glycol monobutyl ether	112-34-5	Use restricted. See item 55. Conditions of	Not applicable
		restrictions 27 June 2010	

15.2. Chemical Safety Assessment

Yes

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3

- H302 Harmful if swallowed
- H304 May be fatal if swallowed and enters airways
- H312 Harmful in contact with skin
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H332 Harmful if inhaled

H336 - May cause drowsiness or dizziness

Key or legend to abbreviations and acronyms

bw – body weight CAS – Chemical Abstracts Service CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures EC – European Commission EC10 – Effective Concentration 10% EC50 – Effective Concentration 50% EEC – European Economic Community ErC50 – Effective Concentration growth rate 50% IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk LC50 – Lethal Concentration 50% LD50 – Lethal Dose 50% LL0 - Lethal Loading 0% LL50 - Lethal Loading 50% MARPOL - International Convention for the Prevention of Pollution from Ships mg/kg - milligram/kilogram mg/L - milligram/liter NIOSH - National Institute for Occupational Safety and Health NOEC - No Observed Effect Concentration NTP - National Toxicology Program OEL – Occupational Exposure Limit PBT - Persistent Bioaccumulative and Toxic PC - Chemical Product category PEL - Permissible Exposure Limit ppm – parts per million PROC – Process category REACH - REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals STEL - Short Term Exposure Limit SU - Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/ NZ CCID

Revision Date: 25-Nov-2015 Revision Note SDS sections updated: 3

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet