

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

EZ-MUD® PLUS

Revision Date: 22-Oct-2015

Revision Number: 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name EZ-MUD® PLUS
Internal ID Code HM003646

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Additive
Sector of use	SU2 - Mining, (including offshore industries)
Product category	PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents, other unspecific
Process categories	PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises

1.3. Details of the supplier of the safety data sheet

Halliburton Manufacturing Services, Ltd.
 Halliburton House, Howemoss Crescent
 Kirkhill Industrial Estate
 Dyce
 Aberdeen, AB21 0GN
 United Kingdom

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4. Emergency telephone number

+44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §45 - (EC)1272/2008	
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO): + 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Not classified

2.2. Label Elements

Not classified

Hazard Pictograms**Signal Word**

None

Hazard Statements

Not Classified

EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

None

Contains**Substances**

Hydrotreated light petroleum distillate

Ethoxylated alcohol

CAS Number

64742-47-8

Proprietary

2.3. Other Hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients**3.2. Mixtures**

Mixture

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Hydrotreated light petroleum distillate	265-149-8	64742-47-8	10 - 30%	STOT SE 3 (H336) Asp. Tox. 1 (H304)	01-2119484819-18
Ethoxylated alcohol	Not Listed	Proprietary	1 - 5%	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Corr. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)	No data available

For the full text of the H-phrases mentioned in this Section, see Section 16**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

If inhaled, move victim to fresh air and seek medical attention.

Eyes

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

Skin

Wash with soap and water. Get medical attention if irritation persists. Remove contaminated shoes and discard.

Ingestion

Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

4.2. Most Important symptoms and effects, both acute and delayed

No significant hazards expected.

4.3. Indication of any immediate medical attention and special treatment needed**Notes to Physician**

Treat symptomatically

SECTION 5: Firefighting Measures**5.1. Extinguishing media****Suitable Extinguishing Media**

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture**Special Exposure Hazards**

Decomposition in fire may produce harmful gases. Use water spray to cool fire exposed surfaces.

5.3. Advice for firefighters**Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage**7.1. Precautions for Safe Handling**

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from oxidizers. Keep container closed when not in use. Product has a shelf life of 12 months.

7.3. Specific End Use(s)**Exposure Scenario**

No information available

Other Guidelines

No information available

SECTION 8: Exposure Controls/Personal Protection**8.1. Control parameters****Exposure Limits**

Substances	CAS Number	EU	UK	Netherlands	France
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Ethoxylated alcohol	Proprietary	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Germany	Spain	Portugal	Finland
Hydrotreated light petroleum distillate	64742-47-8	TWA: 20 ppm TWA: 140 mg/m ³	Not applicable	Not applicable	Not applicable
Ethoxylated alcohol	Proprietary	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Ethoxylated alcohol	Proprietary	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Ethoxylated alcohol	Proprietary	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
------------	------------	---------	---------	---------	--------

Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Ethoxylated alcohol	Proprietary	Not applicable	Not applicable	Not applicable	Not applicable

Derived No Effect Level (DNEL)

No information available.

Worker**General Population****Predicted No Effect Concentration (PNEC)**

No information available.

8.2. Exposure controls**Engineering Controls**

A well ventilated area to control dust levels. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

Not normally needed. But if significant exposures are possible then the following respirator is recommended:

Organic vapor respirator with a dust/mist filter. (A2P2/P3)

Hand Protection

Impervious rubber gloves.

Skin Protection

Rubber apron.

Eye Protection

Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions

None known.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid

Color: White to gray

Odor: Mild hydrocarbon

Odor Threshold: No information available

Property**Values****Remarks/ - Method****pH:**

No data available

Freezing Point/Range

No data available

Melting Point/Range

No data available

Boiling Point/Range

175 °C / 347 °F

Flash Point

> 93 °C / > 200 °F PMCC

Flammability (solid, gas)

No data available

upper flammability limit

No data available

lower flammability limit

No data available

Evaporation rate

< 1

Vapor Pressure

No data available

Vapor Density

No data available

Specific Gravity

1

Water Solubility

Partly soluble

Solubility in other solvents

No data available

Partition coefficient: n-octanol/water

No data available

Autoignition Temperature

No data available

Decomposition Temperature

No data available

Viscosity

No data available

Explosive Properties

No information available

Oxidizing Properties

No information available

9.2. Other information**VOC Content (%)**

No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

Keep away from heat, sparks and flame.

10.5. Incompatible Materials

Strong oxidizers.

10.6. Hazardous Decomposition Products

Ammonia. Oxides of nitrogen. Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological Information**11.1. Information on Toxicological Effects****Acute Toxicity****Inhalation**

May cause mild respiratory irritation.

Eye Contact

May cause mild eye irritation.

Skin Contact

May cause mild skin irritation.

Ingestion

May cause mild gastric distress.

Chronic Effects/Carcinogenicity

No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrotreated light petroleum distillate	64742-47-8	> 5000 mg/kg (Rat) (similar substance)	> 2000 mg/kg (Rabbit) (similar substance)	> 5.28 mg/L (Rat) 4h (similar substance)
Ethoxylated alcohol	Proprietary	1700 mg/kg (Rat) 1650 mg/kg (Dog) 1100 mg/kg (Rat) (similar substance) 2850 mg/kg (Rat)	> 2000 mg/kg (Rabbit) (similar substance)	> saturated concentration (similar substance)

Substances	CAS Number	Skin corrosion/irritation
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to the skin (similar substances)
Ethoxylated alcohol		Causes moderate skin irritation. (Rabbit) (similar substances)

Substances	CAS Number	Eye damage/irritation
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to rabbit's eye
Ethoxylated alcohol		Causes severe eye irritation which may damage tissue. (Rabbit) (similar substances)

Substances	CAS Number	Skin Sensitization
Hydrotreated light petroleum distillate	64742-47-8	Did not cause sensitization on laboratory animals (guinea pig) (similar substances)
Ethoxylated alcohol		Did not cause sensitization on laboratory animals (guinea pig) (similar substances)

Substances	CAS Number	Respiratory Sensitization
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethoxylated alcohol		No information available

Substances	CAS Number	Mutagenic Effects
Hydrotreated light petroleum distillate	64742-47-8	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects. (similar substances)
Ethoxylated alcohol		In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects. (similar substances)

Substances	CAS Number	Carcinogenic Effects
Hydrotreated light petroleum distillate	64742-47-8	Did not show carcinogenic effects in animal experiments

Ethoxylated alcohol		Did not show carcinogenic or teratogenic effects in animal experiments (similar substances)
---------------------	--	---

Substances	CAS Number	Reproductive toxicity
Hydrotreated light petroleum distillate	64742-47-8	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)
Ethoxylated alcohol		Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)

Substances	CAS Number	STOT - single exposure
Hydrotreated light petroleum distillate	64742-47-8	May cause disorder and damage to the Central Nervous System (CNS) (similar substances)
Ethoxylated alcohol		No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)

Substances	CAS Number	STOT - repeated exposure
Hydrotreated light petroleum distillate	64742-47-8	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)
Ethoxylated alcohol		No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)

Substances	CAS Number	Aspiration hazard
Hydrotreated light petroleum distillate	64742-47-8	Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal.
Ethoxylated alcohol		Not applicable

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Hydrotreated light petroleum distillate	64742-47-8	EC50 (72h) > 1,000 mg/L (Skeletonema costatum) ErL50 (72h) > 1000 mg/L (Pseudokirchneriella subcapitata) EbL50 (72h) > 1000 mg/L (Pseudokirchneriella subcapitata) NOELR (72h) 1000 mg/L (Pseudokirchneriella subcapitata)	LC50 (96h) > 10,000 mg/L (Scophthalmus maximus) LL50 (96h) > 1000 mg/L (Oncorhynchus mykiss)	No information available	LC50 (48h) > 10,000 mg/L (Acartia tonsa) EC50 (48h) 1100 mg/L (Daphnia pulex) LC50 (48h) 0.12 mg/L (Daphnia magna) EL50 (48h) > 1000 mg/L (Daphnia magna)
Ethoxylated alcohol	Proprietary	EC50 (48h) 2-4 mg/L (Selenastrum capricornutum) (similar substance) ErC50 (72h) 0.282 mg/L (Selenastrum capricornutum) (similar substance) ErC10 0.137 mg/L (Scenedesmus subspicatus) (similar substance)	2.6 mg/L (Brachydanio rerio) (similar substance) LC50 (96h) 1.1 mg/L (Salmo gairdneri) (similar substance) NOEC 0.88 mg/L (reproduction) (Lepomis macrochirus) (similar substance)	No information available	EC50 (48h) 1.2 mg/L (Daphnia magna) (Similar substance) EC50 (48h) 0.6 mg/L (Daphnia magna) (Similar substance) NOEC (21d) 0.77 mg/L (reproduction) (Daphnia magna) (Similar substance)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Hydrotreated light petroleum distillate	64742-47-8	Readily biodegradable (40% @ 28d)
Ethoxylated alcohol	Proprietary	Readily biodegradable (85% @ 28d)

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethoxylated alcohol	Proprietary	5.17

12.4. Mobility in soil

Substances	CAS Number	Mobility
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethoxylated alcohol	Proprietary	Kd = 3.07 L/kg Kd = 3.09 L/kg

12.5. Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment
Hydrotreated light petroleum distillate	Not PBT/vPvB

12.6. Other adverse effects**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations
--

13.1. Waste treatment methods**Disposal Method**

Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging

Follow all applicable national or local regulations.

SECTION 14: Transport Information
--

IMDG/IMO

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

RID

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

ADR

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

IATA/ICAO

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

14.1. UN Number: Not restricted

14.2. UN Proper Shipping Name: Not restricted

14.3. Transport Hazard Class(es): Not applicable

14.4. Packing Group: Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory

This product, and all its components, complies with EINECS

US TSCA Inventory

All components listed on inventory or are exempt.

Canadian DSL Inventory

All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering Classes (WGK)

WGK 2: Hazard to waters.

15.2. Chemical Safety Assessment

No information available

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Key or legend to abbreviations and acronyms

bw – body weight

CAS – Chemical Abstracts Service

CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures

EC – European Commission

EC10 – Effective Concentration 10%

EC50 – Effective Concentration 50%

EEC – European Economic Community

ErC50 – Effective Concentration growth rate 50%

IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 – Lethal Concentration 50%

LD50 – Lethal Dose 50%

LL0 – Lethal Loading 0%

LL50 – Lethal Loading 50%

MARPOL – International Convention for the Prevention of Pollution from Ships

mg/kg – milligram/kilogram

mg/L – milligram/liter

NIOSH – National Institute for Occupational Safety and Health

NOEC – No Observed Effect Concentration

NTP – National Toxicology Program

OEL – Occupational Exposure Limit

PBT – Persistent Bioaccumulative and Toxic

PC – Chemical Product category

PEL – Permissible Exposure Limit

ppm – parts per million

PROC – Process category

REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL – Short Term Exposure Limit

SU – Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/

OSHA

ECHA C&L

Revision Date: 22-Oct-2015

Revision Note

SDS sections updated: 2 4 11

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet