150000001138

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name: Eastman(TM) Dilute Acetic Acid, 80%

Product No.: EAN 970013. P1178300

Additional identification

Chemical name: acetic acid **CAS-No.:** 64-19-7

Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Solvent

Uses advised against: None known.

Details of the supplier of the safety data sheet

Manufacturer / Supplier

Eastman Chemical Company 200 South Wilcox Drive Kingsport, TN 37660-5280 US +14232292000

Visit our website at www.EASTMAN.com or email emnmsds@eastman.com

Emergency telephone number:

For emergency health, safety, and environmental information, call 1-423-229-4511 or 1-423-229-2000.

For emergency transportation information, in the United States: call CHEMTREC at 800-424-9300 or call 423-229-2000.

SECTION 2: Hazards identification

Hazard Classification:

Physical Hazards

Flammable liquids Category 4

Health Hazards

Skin Corrosion/Irritation Category 1B
Serious Eye Damage/Eye Irritation Category 1

OSHA Specified Hazards: not applicable

Warning label items including precautionary statement:

Pictogram:



150000001138



Signal Words: DANGER!

Hazard Statement(s): H227: Combustible liquid.

H314: Causes severe skin burns and eye damage.

Precautionary Statement:

Prevention: P243: Take precautionary measures against static discharge.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

Response: P303+P361+P353: IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting.

P363: Wash contaminated clothing before reuse.

P304+P340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P310: Immediately call a POISON CENTER/doctor/...

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations, and

product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC):

None known.

SECTION 3: Composition/information on ingredients

Substances / Mixtures

General information:

Chemical name	Concentration	Additional identification	Notes
acetic acid	50 - 80%	CAS-No.: 64-19-7	#
water	20 - 50%	CAS-No.: 7732-18-5	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

Description of first aid measures

[#] This substance has workplace exposure limit(s).



SDSUS / EN / TSDSUS04 Version: 3.1 Revision Date: 01/11/2016

> Initiator: 0001 / PRD 150000001138

Inhalation: Move to fresh air. If breathing stops, provide artificial respiration. If

breathing is difficult, give oxygen. Get medical attention immediately.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately. In case of irritation from airborne exposure, move to fresh air.

Get medical attention if symptoms persist.

Skin contact: Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Destroy or thoroughly clean contaminated shoes.

Ingestion: Call a physician or poison control center immediately. Only induce vomiting

at the instruction of medical personnel. Never give anything by mouth to an

unconscious person.

Most important symptoms and

effects, both acute and

delayed:

May irritate and cause redness and pain.

Indication of any immediate medical attention and special treatment needed

Hazards: None known.

Treatment: Treat symptomatically.

SECTION 5: Firefighting measures

General Fire Hazards: Combustible liquid and vapor.

Extinguishing media

Suitable extinguishing

media:

Water spray. Dry chemical. Carbon Dioxide. Alcohol foam.

Unsuitable extinguishing

media:

None known.

Special hazards arising from

the substance or mixture:

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent

buildup of vapors or gases to explosive concentrations.

Advice for firefighters

Special fire fighting

procedures:

Water may be ineffective in fighting the fire. Use water spray to keep fire-

exposed containers cool.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures



SDSUS / EN / TSDSUS04 Version: 3.1 Revision Date: 01/11/2016

Initiator: 0001 / PRD 150000001138

Personal precautions,

protective equipment and emergency procedures:

Wear appropriate personal protective equipment.

Environmental Precautions: Avoid release to the environment.

Methods and material for

containment and cleaning

Notification Procedures:

up:

Eliminate sources of ignition. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Large Spillages: Use water spray to disperse vapors and dilute spill to a nonflammable mixture. Prevent runoff from entering drains, sewers, or streams. Dike for later

disposal.

In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

SECTION 7: Handling and storage:

Precautions for safe handling: Avoid breathing mists or vapors. Do not get in eyes, on skin, on clothing.

Do not taste or swallow. Use only with adequate ventilation. Wash

thoroughly after handling.

Conditions for safe storage,

including any incompatibilities:

Keep container tightly closed and in a well-ventilated place.

Specific end use(s): Solvent

SECTION 8: Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Country specific exposure limits have not been established or are not applicable unless listed below.

Chemical name	type	Exposure Limit Values	Source
- acetic acid	TWA	10 ppm	US. ACGIH Threshold Limit Values (01 2010)
- acetic acid	STEL	15 ppm	US. ACGIH Threshold Limit Values (01 2010)
- acetic acid	PEL	10 ppm 25 mg/	m3 US. OSHA Table Z-1 Limits for Air
			Contaminants (29 CFR 1910.1000) (02 2006)

Exposure controls

Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Eye bath. Washing facilities. Safety shower.



150000001138

Eye/face protection: Use safety goggles and face shield in case of splash risk. Wear a full-face

respirator, if needed.

Skin protection

Hand Protection: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

Other: No data available.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Airpurifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and

safety professional or manufacturer for specific information.

Hygiene measures: Observe good industrial hygiene practices.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state:liquidForm:liquidColor:Colorless

Odor: Pungent, vinegar

 Odor Threshold:
 0.48 ppm

 pH:
 2.4 (60 g/l,)

 Freezing Point:
 16.64 °C

 Boiling Point:
 117.9 °C

 Flash Point:
 71 - 91 °C

 Evaporation Rate:
 Not determine

Evaporation Rate:

Flammability (solid, gas):

Flammability Limit - Upper (%)-:

Flammability Limit - Lower (%)-:

4 %(V)

Vapor pressure: 20.79 hPa (25 °C)

Vapor density (air=1): 2.1

Specific Gravity: 1.0446 (25 °C)

Solubility(ies)

Solubility in Water: 602.9 g/l (25 °C)
Solubility (other): No data available.

Partition coefficient (n-octanol/water): log Pow: -0.17



1500000011138

Autoignition Temperature: 463 °C

Decomposition Temperature: Thermal stability not tested. Low stability hazard

expected at normal operating temperatures.

Dynamic viscosity:No data available. **Kinematic viscosity:**1.011 mm2/s

Explosive properties:

Oxidizing properties:

Not classified.

Not classified.

SECTION 10: Stability and reactivity

Reactivity: None known.

Chemical Stability: Stable

Possibility of Hazardous

Reactions:

None known.

Conditions to Avoid: Heat, sparks, flames.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition

Products:

Carbon Dioxide. Carbon Monoxide.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation: Severely irritating to respiratory system.

Ingestion: May cause burns of the gastrointestinal tract if swallowed.

Skin contact: Causes severe skin burns.

Eye contact: Causes serious eye damage.

Information on toxicological effects

Oral

Product: No data available.

Specified substance(s):

acetic acid Oral LD-50: (Rat): 3,320 mg/kg

Dermal

Product: No data available.

Specified substance(s):

acetic acid Dermal LD-50: (Rabbit): 1,060 mg/kg

Inhalation

Product: No data available.

Specified substance(s):

acetic acid LC50 (Rat, 4 h): > 16000 ppm



1500000011138

Repeated dose toxicity

Product: No data available.

Specified substance(s):

acetic acid NOAEL (Rat, Oral Study): 290 mg/kg

NOAEL (Rat, Dermal Study): 30 mg/kg

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

acetic acid (Rabbit, 24 h): Severe

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

acetic acid (Rabbit): Severe

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

acetic acid There is no data available to indicate sensitizing potential for this substance.

Carcinogenicity

Product: This product does not contain any carcinogens or potential carcinogens as

listed by OSHA, IARC or NTP.

Toxicity to reproduction

Product: No data available.

Developmental toxicity

Product: No data available.

Specified substance(s):

acetic acid Rat; NOAEL: 345 mg/kg; Ingestion

Germ Cell Mutagenicity

In vitro

Product: No data available.

Specified substance(s):

acetic acid Salmonella typhimurium assay (Ames test) (Bacterial Reverse Mutation Assay):

negative

Chromosomal aberration (In vitro Mammalian Chromosome Aberration Test):

negative



150000001138

In vivo

Product: No data available.

Specified substance(s):

acetic acid Chromosomal aberration Inhalation - vapor (Rat): Read-across from a similar

material negative

Specific Target Organ Toxicity - Single Exposure
Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

SECTION 12: Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

acetic acid LC-50 (Fathead Minnow, 96 h): 300.82 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

acetic acid EC-50 (daphnid, 48 h): > 300.82 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s):

acetic acid EC-50 (Alga, 72 h): 300.82 mg/l



150000001138

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

acetic acid 96 % (20 d) Readily biodegradable

BOD/COD Ratio

Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

acetic acid Bioconcentration Factor (BCF): 3.16

Partition Coefficient n-octanol / water (log Kow)
Product: Log Kow: -0.17 20 °C

Mobility in Soil: No data available.

Known or predicted distribution to environmental compartments

acetic acid Log Koc: 0.062 (QSAR model)

Other Adverse Effects: No data available.

SECTION 13: Disposal considerations

Waste treatment methods

General information: No data available.

Disposal methods: Dispose of waste and residues in accordance with local authority

requirements. Mix with compatible chemical which is less flammable and incinerate. Since emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on

ignition; do not cut, drill, grind, or weld on or near this container.

SECTION 14: Transport information

DOT

A. UN Number: UN 2790

B. Proper Shipping Name: Acetic acid solution

C. Hazard class: 8
Subsidiary class(es) D. Packing group (if applicable): II

E.Marine Pollutant: Not regulated.



150000001138

F.Special precautions, which a user needs to be aware of, or needs for transportation and transport methods:

IMDG

A. UN Number: UN 2790

B. Proper Shipping Name: ACETIC ACID SOLUTION

C. Hazard class:Subsidiary class(es)D. Packing group (if applicable):II

EmS No.: F-A, S-B E.Marine Pollutant: Not regulated.

F.Special precautions, which a user needs to be aware of, or needs for transportation and transport methods:

IATA

A. UN Number: UN 2790

B. Proper Shipping Name: Acetic acid solution

C. Hazard class:

Subsidiary class(es)

D. Packing Group:

F.Special precautions, which a user needs to be aware of, or needs for transportation and transport methods:

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture.:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

WHMIS (Canada) Status: controlled

WHMIS (Canada) Hazard Classification: B/2, E

SARA 311-312 Hazard Classification(s):

immediate (acute) health hazard fire hazard

US EPCRA (SARA Title III) Section 313 - Toxic Chemical List

NONE

OSHA: hazardous



150000001138

TSCA (US Toxic Substances Control Act): All components of this product are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): All components of this product are listed on the DSL. Any impurities present in this product are exempt from listing.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): All components of this product are listed on AICS or otherwise comply with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): All components of this product are listed in the Handbook or have been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): All components of this product are listed on the Korean inventory or otherwise comply with the Korean Toxic Substances Control Act.

Philippines Inventory (PICCS): All components of this product are listed on the Philippine inventory or otherwise comply with PICCS.

SECTION 16: Other information

HMIS® Hazard Ratings: Health - 3, Flammability - 2, Chemical Reactivity - 0

HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

Revision Information: Not relevant.

Key literature references and

sources for data:

No data available.

Training information: No data available.

Issue Date: 01/11/2016

SDS No.:

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.