

Ester EEP

SDS Preparation Date (mm/dd/yyyy): 03/17/2016

Page 1 of 10

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Ester EEP**

Product Code(s) : Not available.

Recommended use of the chemical and restrictions on use

: Solvent  
Use pattern: Professional Use Only  
Restriction on use: None known

Chemical family : Pure substance

Name, address, and telephone number  
of the supplier:

**Comet Chemical Company Ltd.**

3463 Thomas Street

Innisfill, ON, Canada  
L9S 3W4

Supplier's Telephone # : 705-436-5580

**24 Hr. Emergency Tel #** : TERRRAPURE ENVIRONMENTAL : 800-567-7455

Name, address, and telephone number of  
the manufacturer:

Refer to supplier

### SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear colourless liquid. Ether like odour.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification :

Flammable Liquid - Category 3

Serious eye damage/eye irritation - Category 2B

**Label elements**

*Hazard pictogram(s)*



*Signal Word*

WARNING!

*Hazard statement(s)*

Flammable liquid and vapor.  
Causes eye irritation.



Ester EEP

SDS Preparation Date (mm/dd/yyyy): 03/17/2016

Page 2 of 10

## SAFETY DATA SHEET

### Precautionary statement(s)

Keep away from heat, open flames and hot surfaces. - No smoking.  
Keep container tightly closed.  
Ground and bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting/equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Wash thoroughly after handling.  
Wear protective gloves and eye/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
If eye irritation persists: get medical advice/attention.  
In case of fire: Use water fog, dry chemical, CO<sub>2</sub> or 'alcohol' foam to extinguish.

Store in a well-ventilated place. Keep cool.  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

### Other hazards

Other hazards which do not result in classification: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Ethyl-3-ethoxypropionate	Ethyl beta-ethoxypropionate	763-69-9	100.00

## SECTION 4. FIRST-AID MEASURES

### Description of first aid measures

- Ingestion* : Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.
- Inhalation* : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Get medical attention if symptoms persist.
- Skin contact* : Wash off with soap and plenty of water. If irritation or symptoms develop, seek medical attention. Wash contaminated clothing before re-use.
- Eye contact* : Immediately flush eyes with running water for at least 15 minutes. Obtain medical attention if irritation persists.

### Most important symptoms and effects, both acute and delayed

- : Causes eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis. Direct skin contact may cause slight or mild, transient irritation. May cause respiratory irritation. Symptoms may include upper respiratory irritation, coughing and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Inhalation of high concentrations may cause dizziness, disorientation, incoordination, narcosis, nausea or narcotic effects.

### Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing media

Ester EEP

SDS Preparation Date (mm/dd/yyyy): 03/17/2016

Page 3 of 10

## SAFETY DATA SHEET

### *Suitable extinguishing media*

- : Use water fog or fine spray, foams, carbon dioxide or dry chemical.

### *Unsuitable extinguishing media*

- : Do not use a solid water stream as it may scatter and spread fire.

### **Special hazards arising from the substance or mixture / Conditions of flammability**

- : Flammable liquid and vapour. Vapors may travel considerable distance to a source of ignition and flash back. Vapors are heavier than air and may spread along floors.

### **Flammability classification (OSHA 29 CFR 1910.106)**

- : Flammable Liquids - Category 3

### **Hazardous combustion products**

- : Carbon oxides

### **Special protective equipment and precautions for firefighters**

#### *Protective equipment for fire-fighters*

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### *Special fire-fighting procedures*

- : Fight fires from a safe distance. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

- : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Individuals involved in the cleanup must wear appropriate personal protective equipment. For personal protection see section 8.

### **Environmental precautions**

- : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large spills, dike the area to prevent spreading.

### **Methods and material for containment and cleaning up**

- : Ventilate area of release. Stop spill or leak at source if safely possible. Dike for water control. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with inert, non-combustible absorbent material (e.g. sand, vermiculite), then place material into open, unsealed containers. For waste disposal, see Section 13 of the SDS.

### **Special spill response procedures**

- : In case of transportation accident, contact TERRAPURE ENVIRONMENTAL at 1-800-567-7455.  
US CERCLA Reportable quantity (RQ): None.

## SECTION 7. HANDLING AND STORAGE

### **Precautions for safe handling**

- : Use only in well-ventilated areas. Wear eye/face protection. Keep away from heat, sparks and open flame. - No smoking. Take precautionary measures against static discharges. Ground/Bond container and receiving equipment. Use explosion-proof electrical and ventilating equipment. Use only non-sparking tools. Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contact with incompatible materials. Keep containers tightly closed when not in use.

### **Conditions for safe storage**

- : Store in a cool, dry, well-ventilated area. Store away from incompatible materials. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

### **Incompatible materials**

- : Strong oxidizing agents

Ester EEP

SDS Preparation Date (mm/dd/yyyy): 03/17/2016

Page 4 of 10

## SAFETY DATA SHEET

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure Limits:

<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Ethyl-3-ethoxypropionate	N/Av	N/Av	N/Av	N/Av

#### Exposure controls

##### Ventilation and engineering measures

- : Ensure adequate ventilation, especially in confined areas. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits. Use explosion-proof electrical and ventilating equipment.

##### Respiratory protection

- : Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. Advice should be sought from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

##### Skin protection

- : Wear gloves impervious to this material. Advice should be sought from glove suppliers.

##### Eye / face protection

- : Wear eye/face protection. Safety glasses with side-shields or chemical splash goggles.

##### Other protective equipment

- : An eyewash station and safety shower should be made available in the immediate working area. Depending on conditions of use, an impervious apron should be worn. Other equipment may be required depending on workplace standards.

##### General hygiene considerations

- : Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not ingest. Do not eat, drink or smoke when using this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : Clear colourless liquid.

**Odour** : Ether like odour.

**Odour threshold** : Not available.

**pH** : N/Av

**Melting/Freezing point** : -100°C (-148°F)

#### **Initial boiling point and boiling range**

: 170°C (338°F)

**Flash point** : 58°C (136.4°F)

**Flashpoint (Method)** : Closed cup

**Evaporation rate (BuAe = 1)** : 2.1

**Flammability (solid, gas)** : Not applicable.

#### **Lower flammable limit (% by vol.)**

: 1.05% @ 88°C

#### **Upper flammable limit (% by vol.)**

: 8.7%

**Oxidizing properties** : None.

**Explosive properties** : Not explosive

**Vapour pressure** : 0.9 mmHg

Ester EEP

SDS Preparation Date (mm/dd/yyyy): 03/17/2016

Page 5 of 10

## SAFETY DATA SHEET

Vapour density : 5  
Relative density / Specific gravity : 0.95  
Solubility in water : Slightly soluble.  
Other solubility(ies) : No data available.  
Partition coefficient: n-octanol/water or Coefficient of water/oil distribution : 1.08  
Auto-ignition temperature : 377°C  
Decomposition temperature : Not applicable.  
Viscosity : 1.118 mPa.s  
Volatiles (% by weight) : Not available.  
Volatile organic Compounds (VOC's) : N/Av  
Absolute pressure of container : N/Ap  
Flame projection length : N/Ap  
Other physical/chemical comments : None known or reported by the manufacturer.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.  
Chemical stability : Stable under the recommended storage and handling conditions prescribed.  
Possibility of hazardous reactions : Hazardous polymerization will not occur.  
Conditions to avoid : Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Avoid contact with incompatible materials. Do not use in areas without adequate ventilation. Avoid heat, open flames, sparks, static electricity and electrical equipment.  
Incompatible materials : Strong oxidizing agents  
Hazardous decomposition products : None known, refer to hazardous combustion products in Section 5.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Routes of entry inhalation : YES  
Routes of entry skin & eye : YES  
Routes of entry Ingestion : YES  
Routes of exposure skin absorption : NO

#### Potential Health Effects:

##### Signs and symptoms of short-term (acute) exposure

###### *Sign and symptoms Inhalation*

: May cause irritation of the nose, throat, mucous membranes, and respiratory tract. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.

###### *Sign and symptoms ingestion*

: May cause irritation of mouth, throat, and stomach.

Ester EEP

SDS Preparation Date (mm/dd/yyyy): 03/17/2016

Page 6 of 10

## SAFETY DATA SHEET

*Sign and symptoms skin* : May cause mild skin irritation.

*Sign and symptoms eyes* : Causes eye irritation. Symptoms may include tearing, redness and discomfort.

### Potential Chronic Health Effects

: Prolonged or repeated skin contact may cause drying and irritation. Prolonged overexposure may cause liver and kidney effects.

**Mutagenicity** : Not expected to be mutagenic in humans.

**Carcinogenicity** : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

### Reproductive effects & Teratogenicity

: Not expected to have other reproductive effects.

**Sensitization to material** : Not expected to be a skin or respiratory sensitizer.

**Specific target organ effects** : This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

### Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

**Synergistic materials** : None known or reported by the manufacturer.

**Toxicological data** : See below for toxicological data on the substance.

<u>Chemical name</u>	<u>LC<sub>50</sub>(4hr)</u> <u>inh, rat</u>	<u>LD<sub>50</sub></u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Ethyl-3-ethoxypropionate	> 14.4 mg/L (vapour) (No mortality)	4309 mg/kg	4080 mg/kg

### Other important toxicological hazards

: None known or reported by the manufacturer.

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** : Not expected to be harmful to aquatic organisms. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Do not allow this material to drain into sewers/water supplies. See the following tables for individual ingredient ecotoxicity data.

### Ecotoxicity data:

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Fish</u>		
		<u>LC50 / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Ethyl-3-ethoxypropionate	763-69-9	45.3 mg/L (Fathead minnow)	N/Av	None.

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Daphnia</u>		
		<u>EC50 / 48h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Ethyl-3-ethoxypropionate	763-69-9	> 479.7 mg/L (Daphnia magna)	N/Av	None.



Ester EEP

SDS Preparation Date (mm/dd/yyyy): 03/17/2016

Page 7 of 10

## SAFETY DATA SHEET

Ingredients	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Ethyl-3-ethoxypropionate	763-69-9	N/Av	> 114.86 mg/L/72hr (Green algae)	None.

### Persistence and degradability

: Readily biodegradable.

### Bioaccumulation potential

: Not expected to bioaccumulate.

Components	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Ethyl-3-ethoxypropionate (CAS 763-69-9)	1.08	1.4

**Mobility in soil** : No data is available on the product itself.

### Other Adverse Environmental effects

: No data is available on the product itself.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Handling for Disposal

: See Section 7 (Handling and Storage) for further details. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on or near this container.



### Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

### RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.

## SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1993	FLAMMABLE LIQUID, N.O.S. (ethyl ethoxypropionate)	3	III	
TDG Additional information	May be shipped as a Limited Quantity when transported in containers no larger than 5 L (1.3 gallons); in packages not exceeding 30 kg (66 pounds) gross mass.				
49CFR/DOT	UN1993	FLAMMABLE LIQUID, N.O.S. (ethyl ethoxypropionate)	3	III	
49CFR/DOT Additional information	May be shipped as a Limited Quantity when transported in containers no larger than 5 L (1.3 gallons); in packages not exceeding 30 kg (66 pounds) gross mass.				

**Special precautions for user** : Keep away from heat, sparks and open flame. - No smoking.

**Environmental hazards** : This substance does not meet the criteria for an environmentally hazardous substance according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

: Not available.



Ester EEP

SDS Preparation Date (mm/dd/yyyy): 03/17/2016

Page 8 of 10

## SAFETY DATA SHEET

### SECTION 15 - REGULATORY INFORMATION

#### US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Ethyl-3-ethoxypropionate	763-69-9	Yes	None.	None.	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Fire Hazard; Immediate (Acute) health hazard Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

#### US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Ethyl-3-ethoxypropionate	763-69-9	No	N/Ap	No	No	No	No	No	No

#### Canadian Information:

WHMIS Classification: Refer to Section 2 for a WHMIS Classification for this product.  
All ingredients are present on the DSL.

#### International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Ethyl-3-ethoxypropionate	763-69-9	212-112-9	Present	Present	(3)-1379; (2)-1350	KE-13479	Present	HSR001040

### SECTION 16. OTHER INFORMATION

#### Legend

: ACGIH: American Conference of Governmental Industrial Hygienists  
CA: California  
CAS: Chemical Abstract Services  
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980  
CFR: Code of Federal Regulations  
CNS: Central Nervous System  
CSA: Canadian Standards Association  
DOT: Department of Transportation  
EPA: Environmental Protection Agency  
HMIS: Hazardous Materials Identification System  
HSDB: Hazardous Substances Data Bank



Ester EEP

SDS Preparation Date (mm/dd/yyyy): 03/17/2016

Page 9 of 10

## SAFETY DATA SHEET

IARC: International Agency for Research on Cancer  
Inh: Inhalation  
IUCID: International Uniform Chemical Information Database  
LC: Lethal Concentration  
LD: Lethal Dose  
MA: Massachusetts  
MN: Minnesota  
N/Av: Not Applicable  
N/Av: Not Available  
NFPA: National Fire Protection Association  
NIOSH: National Institute of Occupational Safety and Health  
NJ: New Jersey  
NTP: National Toxicology Program  
OSHA: Occupational Safety and Health Administration  
PA: Pennsylvania  
PEL: Permissible exposure limit  
RCRA: Resource Conservation and Recovery Act  
RI: Rhode Island  
RTECS: Registry of Toxic Effects of Chemical Substances  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short Term Exposure Limit  
TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
TLV: Threshold Limit Values  
TWA: Time Weighted Average  
WHMIS: Workplace Hazardous Materials Identification System

### References

- : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016
- 2. International Agency for Research on Cancer Monographs, searched 2016
- 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2016(Chempendium, HSDB and RTECs).
- 4. Material Safety Data Sheets from manufacturer.
- 5. US EPA Title III List of Lists - 2016 version.
- 6. California Proposition 65 List - 2016 version.
- 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2016.

### Preparation Date (mm/dd/yyyy)

: 03/17/2016

### Other special considerations for handling

: Provide adequate information, instruction and training for operators.

<p><b><u>Prepared for:</u></b> Comet Chemical Company Ltd. 3463 Thomas Street Innisfill, ON L9S 3W4 Information (M-F 8:00-5:00): 705-436-5580 www.cometchemical.com</p>	 <p><b>COMET</b> COMET CHEMICAL COMPANY LTD.</p>
<p><b><u>Prepared by:</u></b> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>	 <p><b>icc</b> ComplianceCenter</p>

### DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from



Comet Chemical Company Ltd.  
3463 Thomas Street  
Innisfill, ON, Canada, L9S 3W4  
Telephone: (705) 436 5580

---

Ester EEP

SDS Preparation Date (mm/dd/yyyy): 03/17/2016

Page 10 of 10

## **SAFETY DATA SHEET**

Comet Chemical Company Ltd. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Comet Chemical Company Ltd. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Comet Chemical Company Ltd.

**END OF DOCUMENT**