MATERIAL SAFETY DATA SHEET

EURO OUICK SET DIE SPACER

All Colors

1 - IDENTIFICATION

Distributor: KerrLab

Address: 1717 West Collins Avenue City, State, Zip: Orange, CA 92867

Telephone: 1-800-KERR-123 **24-Hour Emergency:** Chemtrec 1-800-424-9300

International 1-703-527-3887

Date Prepared: July 18, 2005

2 - COMPOSITION INFORMATION

Hazardous Ingredients

 CAS #
 PEL
 TLV
 %

 Methyl Ethyl Ketone
 78-93-3
 200ppm
 300ppm
 45-75

 Butyl Acetate
 123-86-4
 150ppm
 150ppm
 1-25

3 - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: $79 \,^{\circ}\text{C} (174 \,^{\circ}\text{F})$ Specific Gravity (H₂0 = 1): 1.0

Vapor Pressure (mm Hg): 105 @ 20 °C

Vapor Density (AIR = 1): N/D Freezing/Melting Point: N/A Solubility in Water: Non-soluble

Appearance and Odor: Colored liquid with solvent odor.

4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 30.02 °F Flammability Limits: LEL: 11.5 UEL: 1.2

Extinguishing Media: Foam, CO₂, dry chemical, water fog. Do not

use direct water stream.

Special Fire Fighting Procedures: Wear self-contained breathing apparatus with full facepiece operated in pressure demand or other

positive pressure modes.

Unusual Fire and Explosion Hazards: Keep containers tightly closed. Isolate from heat, sparks, electrical equipment and open flames.

Eruption of containers may occur under fire conditions.

5 - REACTIVITY DATA

Stability: Stable

Conditions to Avoid: Extremely high temperatures Incompatibility (Material to Avoid): Strong oxidizers Hazardous Decomposition Byproducts: Oxides of carbon

Hazardous Polymerization: Will not occur

6 - HEALTH HAZARD DATA

Routes of Entry:

Skin: Prolonged contact can cause moderate irritation, defatting, and

dermatitis.

Eyes: Can cause severe irritation, redness, tearing, and blurred vision. **Inhalation:** Headache, fatigue, weariness, nausea, vomiting, dizziness,

stupor, disturbed vision, coughing, and unconsciousness.

Ingestion: Gastro-intestinal irritation, nausea, diarrhea, drowsiness,

loss of consciousness, state of shock, weak and rapid.

Carcinogenicity - NTP: No

IARC Monographs: No OSHA Regulated Carcinogen: No

7 - EMERGENCY FIRST AID PROCEDURES

Skin: Remove product with alcohol. Get medical attention. **Eyes:** Flush with water for 10-15 minutes. Get medical attention.

Inhalation: Remove to fresh air. Get medical attention.

Ingestion: Do not induce vomiting. Keep victim warm and seek

medical attention

8 - PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be taken in case material is released or spilled: Eliminate all

sources of ignition, and flush small spills with water.

Waste Disposal Method: Incinerate in furnace where permitted or in

accordance with federal, state and local regulations

Precautions to be taken in handling and storing: Keep away from heat, sparks, and flame. Avoid breathing vapors or spray. Use

adequate ventilation. Do not expose to direct sunlight.

9 - CONTROL MEASURES

Respiratory Protection: Self-breathing apparatus in high

concentrations. **VENTILATION:**

Local Exhaust: Adequate, local needed if not vented

Mechanical (General): Suitable

Protective Gloves: Neoprene or other gloves resistant to organic

solvents.

Eye Protection: Safety glasses

10 - TRANSPORTATION INFORMATION

DOT, IATA, IMO:

Proper Shipping Name: Paint-related material

Hazard Class: 3

Identification Number: UN1263 **Packaging Group:** II

Label: Flammable Liquid

11 - SPECIAL INFORMATION

HMIS (Hazardous Material Identification System) Rating:

H2 F4 R0

[HMIS Hazard Index: 4 – Severe Hazard; 3 – Serious Hazard; 2 – Moderate Hazard; 1 – Slight Hazard; 0 – Minimum Hazard]

Note: This MSDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product. The information contained in this MSDS is, to the best of our knowledge, believed to be accurate.