## **HALLIBURTON**

# MATERIAL SAFETY DATA SHEET

Product Trade Name: FE ACID WITH MUSOL A

Revision Date: 03-Jan-2013

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: FE ACID WITH MUSOL A

Synonyms: None
Chemical Family: Blend
Application: Solvent

Manufacturer/Supplier Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	<b>ACGIH TLV-TWA</b>	OSHA PEL-TWA
Oxylated alcohol		1 - 5%	Not applicable	Not applicable
Acetic acid	64-19-7	10 - 30%	10 ppm	10 ppm
Ethylene glycol monobutyl ether	111-76-2	10 - 30%	20 ppm	50 ppm

# 3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory irritation. May cause headache, dizziness, and

other central nervous system effects. May be harmful if swallowed. Combustible.

# 4. FIRST AID MEASURES

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

**Skin** In case of contact, immediately flush skin with plenty of soap and water for at least 15

minutes. Get medical attention. Remove contaminated clothing and launder before

reuse.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water

for at least 15 minutes and get medical attention immediately after flushing.

**Ingestion** Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

### **FIRE FIGHTING MEASURES**

Flash Point/Range (F): Not Determined Flash Point/Range (C): Not Determined Flash Point Method: Not Determined

**Autoignition Temperature (F):** 800 **Autoignition Temperature (C):** 426 Flammability Limits in Air - Lower (%): 5.4 Flammability Limits in Air - Upper (%): 16

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical. **Special Exposure Hazards** Decomposition in fire may produce toxic gases.

**Fire-Fighters** 

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

Health 2, Flammability 2, Reactivity 0 **NFPA Ratings: HMIS Ratings:** Health 2, Flammability 2, Reactivity 0

### **ACCIDENTAL RELEASE MEASURES**

Personal Precautionary Measures Use appropriate protective equipment.

**Environmental Precautionary** 

Measures

Prevent from entering sewers, waterways, or low areas.

**Procedure for Cleaning /** 

**Absorption** 

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials.

Neutralize to pH of 6-8. Scoop up and remove.

### HANDLING AND STORAGE

**Handling Precautions** Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after

use. Launder contaminated clothing before reuse.

**Storage Information** Store away from alkalis. Store away from oxidizers. Store in a cool well ventilated

area. Keep container closed when not in use.

# **EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls** Use in a well ventilated area.

**Respiratory Protection** Not normally needed. But if significant exposures are possible then the following

respirator is recommended:

Organic vapor/acid gas respirator.

**Hand Protection** Impervious rubber gloves.

Rubber apron. **Skin Protection** 

Chemical goggles; also wear a face shield if splashing hazard exists. **Eye Protection** 

**Other Precautions** Eyewash fountains and safety showers must be easily accessible.

## PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid Color: Clear Acrid Odor:

# 9. PHYSICAL AND CHEMICAL PROPERTIES

pH: Not Determined Specific Gravity @ 20 C (Water=1): Not Determined Density @ 20 C (lbs./gallon): Not Determined Not Determined Bulk Density @ 20 C (lbs/ft3): **Boiling Point/Range (F):** Not Determined **Boiling Point/Range (C):** Not Determined Freezing Point/Range (F): Not Determined Freezing Point/Range (C): Not Determined Vapor Pressure @ 20 C (mmHg): Not Determined Vapor Density (Air=1): Not Determined **Percent Volatiles:** Not Determined **Evaporation Rate (Butyl Acetate=1):** Not Determined

Solubility in Water (g/100ml): Soluble

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistokes):

Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Not Determined

Not Determined

## 10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None anticipated

Incompatibility (Materials to

Avoid)

Strong alkalis. Strong oxidizers.

**Hazardous Decomposition** 

**Products** 

Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

# 11. TOXICOLOGICAL INFORMATION

**Principle Route of Exposure** Eye or skin contact, inhalation.

**Inhalation** Causes severe respiratory irritation. May cause central nervous system depression

including headache, dizziness, drowsiness, incoordination, slowed reaction time,

slurred speech, giddiness and unconsciousness.

**Skin Contact**Causes severe skin irritation. May cause skin burns. May be absorbed through the

skin and contribute to the symptoms listed under ingestion.

**Eye Contact** Causes severe eye irritation May cause eye burns.

**Ingestion** Irritation of the mouth, throat, and stomach. May affect the blood and blood system.

Coma, shock and death may occur.

Aggravated Medical Conditions Skin disorders.

**Chronic Effects/Carcinogenicity** Prolonged or repeated exposure may cause fetal damage and testicular effects.

Prolonged or repeated exposure may cause kidney, lung and blood effects.

Other Information None known.

**Toxicity Tests** 

Oral Toxicity: LD50: 3310 mg/kg (Rat)

**Dermal Toxicity:** Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive / Not determined

**Developmental Toxicity:** 

# 12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not determined

Bio-accumulation Not determined

# **Ecotoxicological Information**

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate InformationNot determinedOther InformationNot applicable

# 13. DISPOSAL CONSIDERATIONS

**Disposal Method**Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

### 14. TRANSPORT INFORMATION

# **Land Transportation**

### DOT

UN2790, Acetic Acid Solution, 8, III RQ (Acetic Acid - 15153 kg.) NAERG 153

#### **Canadian TDG**

Acetic Acid Solution, 8, UN2790, III

### **ADR**

UN2790, Acetic Acid Solution, 8, III

# **Air Transportation**

### ICAO/IATA

UN2790, Acetic Acid Solution, 8, III RQ (Acetic Acid - 15153 kg.)

## Sea Transportation

**IMDG** 

UN2790, Acetic Acid Solution, 8, III RQ (Acetic Acid - 15153 kg.) EmS F-A, S-B

# Other Transportation Information

Labels: Corrosive

# 15. REGULATORY INFORMATION

**US Regulations** 

**US TSCA Inventory** All components listed on inventory or are exempt.

**EPA SARA Title III Extremely Hazardous Substances** 

Not applicable

**EPA SARA (311,312) Hazard** 

Class

Acute Health Hazard

**EPA SARA (313) Chemicals**This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity

EPA Reportable Spill Quantity is 3810 Gallons based on Acetic acid (CAS: 64-19-7).

**EPA RCRA Hazardous Waste** 

Classification

If product becomes a waste, it does meet the criteria of a hazardous waste as

defined by the US EPA, because of:

Corrosivity D002

**California Proposition 65** All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

**Canadian Regulations** 

**Canadian DSL Inventory** All components listed on inventory or are exempt.

WHMIS Hazard Class E Corrosive Material

### 16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS Not applicable

FE ACID WITH MUSOL A Page 5 of 6

### **Additional Information**

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

### **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

\*\*\*END OF MSDS\*\*\*