Page: 1
Printed: 04/14/2015
Revision: 04/14/2015

Supersedes Revision: 01/20/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Home Armor House Wash

Company Name: W. M. Barr Phone Number:

2105 Channel Avenue (901)775-0100

Memphis, TN 38113

Web site address: www.wmbarr.com

Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346 **Information:** W.M. Barr Customer Service (800)398-3892

Intended Use: Mold and Mildew Stain Remover

Synonyms: FG511, FG511MT, FG511WS, FG514, FG51125

Additional Information This product is regulated by the United States Consumer Product Safety Commission

and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to

using the product.

2. HAZARDS IDENTIFICATION

Skin Corrosion/Irritation, Category 1A-1C Serious Eye Damage/Eye Irritation, Category 1



GHS Signal Word: Danger

GHS Hazard Phrases: H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

GHS Precaution Phrases: P260: Do not breathe gas/mist/vapors/spray.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

P321: Specific treatment see label.

P363: Wash contaminated clothing before reuse.

GHS Storage and Disposal

P405: Store locked up.

Phrases:

P501: Dispose of contents/container according to local, state and federal regulations.

Page: 2 Printed: 04/14/2015 Revision: 04/14/2015

Supersedes Revision: 01/20/2015

Hazard Rating System:

HEALTH

2
FLAMMABILITY
0
PHYSICAL
0
PPE
C

Flammability Instability
Health
NFPA: Special Hazard

HMIS:

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

Potential Health Effects (Acute and Chronic):

Inhalation Acute Exposure Effects:

Inhalation of fumes or mists may cause irritation of the respiratory tract and mucous membranes. If sodium hypochlorite is mixed with ammonia or other chemicals, evolution

of chlorine or chlorine based compounds results. These gases can produce pulmonary

edema.

Skin Contact Acute Exposure Effects:

This product is a skin irritant. May cause drying of skin, rash, blisters, and cracking.

May cause burns to broken skin.

Eye Contact Acute Exposure Effects:

This material is an eye irritant and may cause burns to the eyes.

Ingestion Acute Exposure Effects:

May be corrosive to the mouth and throat, mucous membranes, and stomach. May cause burns of the tissues, severe abdominal pains, nausea, vomiting, circulatory collapse, confusion, delirium, coma, and collapse. Swallowing large quantities can be

fatal.

Chronic Exposure Effects:

Prolonged or repeated contact may cause irritation and dermatitis. May cause constant

irritation of eyes and respiratory tract.

Medical Conditions Generally Diseases of the skin.

Aggravated By Exposure:

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	Hazardous Components (Chemical Name)	Concentration	RTECS#
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	<10.0 %	NH3486300
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	< 2.0 %	WB4900000
7601-54-9	Sodium phosphate, Tribasic {Phosphoric acid, trisodium salt; Trisodium phosphate}	< 2.0 %	TC9490000

Additional Chemical

Specific percentage of composition is being withheld as a trade secret.

Information

Page: 3
Printed: 04/14/2015
Revision: 04/14/2015
Supersedes Revision: 01/20/2015

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

Inhalation:

If user experiences breathing difficulty, move to air free of vapors. Administer oxygen or

artificial respiration until medical assistance can be rendered.

Skin contact:

Wash with soap and large quantities of water for at least 15 minutes. Seek medical

attention if irritation from contact persists.

Eye contact:

Immediately flush eyes with water, remove any contact lens, continue flushing with water

for at least 15 minutes. Get medical attention.

Ingestion:

Drink one or two glasses of water or milk. Never attempt to give anything by mouth to an

unconscious person. Call your poison control center, hospital emergency room, or

physician immediately.

Signs and Symptoms Of

Exposure:

Primary routes of exposure: Inhalation and dermal.

5. FIRE FIGHTING MEASURES

Non-Combustible

Flash Pt: NA

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Non-combustible liquid - use extinguishing media for underlying cause of fire.

Unsuitable Extinguishing

Media:

None known.

Fire Fighting Instructions: Self-contained respiratory protection should be provided for fire fighters fighting fires in

buildings or confined areas. Storage containers exposed to fire should be kept cool with

water spray to prevent pressure build-up.

Flammable Properties and

Hazards:

No flash to boiling. This material does not exhibit a flashpoint per the Setaflash Closed

Cup test method.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or

Spilled:

Clean-up:

Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind, out

of low areas, and ventilate closed spaces before entering.

Small spills:

Take up the spilled liquid with sand, earth, or other noncombustible absorbent material

and place in a plastic container where applicable.

Large spills:

Dike far ahead of spill for later disposal.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

GHS format

Page: 4
Printed: 04/14/2015
Revision: 04/14/2015

Supersedes Revision: 01/20/2015

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty.

Dispose of empty container according to all regulations. Do not reuse this container.

Precautions To Be Taken in Storing:

Keep container tightly closed when not in use. Store in a cool, dry place. Protect from

freezing. Avoid extreme high or low temperatures.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	No data.	No data.	No data.
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.
7601-54-9	Sodium phosphate, Tribasic {Phosphoric acid, trisodium salt; Trisodium phosphate}	No data.	No data.	No data.

Respiratory Equipment

(Specify Type):

For OSHA controlled work place and other regular users -- Use only with adequate ventilation under engineered air control systems designed to prevent exceeding

appropriate TLV. For occasional use, where engineered air control is not feasible, use properly maintained and properly fitted NIOSH approved respirators. A dust mask does

not provide protection against vapors.

Eye Protection: Safety glasses, chemical goggles or face shields are recommended to safeguard against

potential eye contact, irritation, or injury. Contact lenses should not be worn while

working with chemicals.

Chemical splash goggles or safety glasses with a faceshield are recommended when the

potential for splashing exists.

Protective Gloves: Wear impermeable gloves. Gloves contaminated with product should be discarded.

Promptly remove clothing that becomes soiled with product.

Other Protective Clothing: Various application methods can dictate use of additional protective safety equipment,

such as impermeable aprons, etc., to minimize exposure. Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that cannot be decontaminated, such

as gloves or shoes.

Engineering Controls

(Ventilation etc.):

Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or

eye-watering -- Stop -- ventilation is inadequate. Leave area immediately.

Work/Hygienic/Maintenance

Practices:

A source of clean water should be available in the work area for flushing eyes and skin.

Do not eat, drink, or smoke in the work area. Wash hands thoroughly after use.

Page: 5 Printed: 04/14/2015 Revision: 04/14/2015

Supersedes Revision: 01/20/2015 9. PHYSICAL AND CHEMICAL PROPERTIES [] Solid Physical States: [] Gas [X] Liquid Green/yellow cloudy liquid. Appearance and Odor: Melting Point: No data. > 212.00 F **Boiling Point:** Autoignition Pt: No data. Flash Pt: NA **Explosive Limits:** LEL: No data. UEL: No data. Specific Gravity (Water = 1): 1.09 9.07 LB/GL Density: Vapor Pressure (vs. Air or < 0.1 MM HG mm Hg): Vapor Density (vs. Air = 1): > 1 < 1 Evaporation Rate: Solubility in Water: No data. Solubility Notes: Completely soluble in water. 12.5 - 13 pH: Percent Volatile: N.D. **10. STABILITY AND REACTIVITY** Unstable [] Stable [X] Stability: Conditions To Avoid -No data available. Instability: Incompatibility - Materials To Incompatible with acids, ammonia, or other household chemicals. Do not mix with acids, ammonia, or other household chemicals as dangerous fumes may result. Avoid: Hazardous Decomposition Or Thermal decomposition may produce chlorine gas. Byproducts: Will occur [] Will not occur [X] Possibility of Hazardous Reactions: No data available. **Conditions To Avoid -**Hazardous Reactions:

Page: 6
Printed: 04/14/2015
Revision: 04/14/2015

Supersedes Revision: 01/20/2015

11. TOXICOLOGICAL INFORMATION

Toxicological Information:

This product has not been tested as a whole. Refer to section 2 for acute and chronic

effects.

CAS# 1310-73-2:

Standard Draize Test, Skin, Species: Rabbit, 500.0 MG, 24 H, Severe.

Result:

Blood: Change in clotting factors. Musculoskeletal: Other changes.

- "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho,

Prumyclu Praha Czechoslovakia, Vol/p/yr: -,7, 1972

Standard Draize Test, Eyes, Species: Rabbit, 1.000 %, Severe.

Result:

Blood:Other hemolysis with or withot anemia.

Blood:Other changes.

Biochemical: Metabolism (Intermediary): Other proteins.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave.,

Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	n.a.	n.a.	n.a.	n.a.
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	n.a.	n.a.	n.a.	n.a.
7601-54-9	Sodium phosphate, Tribasic {Phosphoric acid, trisodium salt; Trisodium phosphate}	n.a.	n.a.	n.a.	n.a.

12. ECOLOGICAL INFORMATION

General Ecological

Information:

This product has not been tested as a whole.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose in accordance with applicable local, state, and federal regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated by DOT

DOT Hazard Class: UN/NA Number:

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	No	Yes 100 LB	No
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	No	Yes 1000 LB	No
7601-54-9	Sodium phosphate, Tribasic {Phosphoric acid, trisodium salt; Trisodium phosphate}	No	Yes 5000 LB	No

This material meets the EPA [X] Yes [] No Acute (immediate) Health Hazard **'Hazard Categories' defined** [] Yes [X] No Chronic (delayed) Health Hazard

Page: 7
Printed: 04/14/2015
Revision: 04/14/2015

Supersedes Revision: 01/20/2015

for SARA Title III Sections [] Yes [X] No Fire Hazard

311/312 as indicated: [] Yes [X] No Sudden Release of Pressure Hazard

[] Yes [X] No Reactive Hazard

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

7681-52-9 Sodium hypochlorite {Hypochlorous acid, sodium CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

salt}

1310-73-2 Sodium hydroxide {Caustic soda; Lye solution} CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory; CA PROP.65: No

Inventory; CA PROP.65: No

7601-54-9 Sodium phosphate, Tribasic {Phosphoric acid, CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory; CA PROP.65: No

Regulatory Information

All components of this material are listed on the TSCA Inventory or are exempt.

Statement:

16. OTHER INFORMATION

Revision Date: 04/14/2015

Preparer Name: W.M. Barr EHS Dept (901)775-0100

trisodium salt; Trisodium phosphate}

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.