

SAFETY DATA SHEET

Revision Date 04/29/2015 REVISION NUMBER: 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name FIXTURE CLEAN PLUS, Thickened Bowl Cleaner

Other means of identification

 Product code
 117718

 UN/ID No.
 1789

 Synonyms
 NONE

 Registration Number(s)
 8155-6-527

Recommended use of the chemical and restrictions on use
Recommended Use Cleaning agent. Disinfectant.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Rochester Midland Corporation

155 Paragon Drive

Rochester, New York 14624 USA

Emergency telephone number

EMERGENCY TELEPHONE INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500

CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Label elements

Emergency Overview

DANGER

Hazard statements

Causes severe skin burns and eye damage

May be corrosive to metals



Appearance Green Physical state Liquid Odor Floral scent.

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in corrosive resistant container

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

Unknown Acute Toxicity

2.05% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Hydrochloric Acid	7647-01-0	9.5	*
Ethanol, 2,2'-iminobis-,n-soya alkyl derivatives	73246-96-5	0.9 - 2.5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediately call a POISON CENTER or doctor/physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Product is mostly water and will not burn.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of toxic/corrosive gases and vapors.

Explosion data

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

Protective equipment and precautions for firefighters

Avoid exposure to mist and splashes. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal

Protection. Ventilate affected area. Wash thoroughly after handling.

Environmental precautions

Environmental precautions Keep out of drains, sewers, streams, or other bodies of water.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Small spills may be wiped up and rinsed with water. Dike to collect large liquid spills.

Neutralize with lime, soda ash, or sodium bicarbonate. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer

to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Never use with chlorine products. Can react to give chlorine gas. If this occurs, flush toilet

to remove chemicals and leave area. Do not return for half hour. Ventilate if possible. Never use or mix with other cleaners or chemicals. Do not breathe mist or vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use personal

protection recommended in Section 8.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Do not contaminate water, food, or feed. Keep containers

tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Alkalines. Chlorine containing materials. Oxidizing materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric Acid	Ceiling: 2 ppm	Ceiling: 5 ppm	50 ppm
7647-01-0		Ceiling: 7 mg/m ³	
	(vacated) Ceiling: 5 ppm		
		(vacated) Ceiling: 7 mg/m ³	

Appropriate engineering controls

ENGINEERING CONTROLS Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses are recommended to minimize eye contact.

Skin and body protection Nitrile, neoprene, or other appropriate gloves are recommended to minimize hand skin

contact. Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is

None to boiling.

consistent with safe use of this product.

RESPIRATORY PROTECTION None normally required. Use approved NIOSH respiratory protection if TLV/PEL exceeded

or if over exposure is likely.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid Appearance Green

AppearanceGreenOdorFloral scent.

ColorOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Hq

Melting point/freezing point 0 °C / 32 °F

Boiling point / boiling range 100 °C / 212 °F

Flash point -

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific gravity 1.045

Water solubility

Solubility in other solvents

No information available
No information available

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
No information available

Other Information

Softening point No information available

VOC (EPA METH.24) (G/L): < 5

DensityNo information availableBulk densityNo information available

10. STABILITY AND REACTIVITY

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Extremes of temperature and direct sunlight.

Incompatible materials

Alkalines. Chlorine containing materials. Oxidizing materials.

Hazardous Decomposition Products

Hydrogen chloride gas. Chlorine gas.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Causes severe skin burns and eye damage

Inhalation Causes burns.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contact Causes burns.

Ingestion Causes burns.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Hydrochloric Acid 7647-01-0	= 700 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 3124 ppm (Rat) 1 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.

117718 FIXTURE CLEAN PLUS, Thickened Bowl Cleaner

Revision Date 04/29/2015

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

PRODUCT COMPOSITION	ACGIH	IARC	NTP	OSHA
Hydrochloric Acid	=	Group 3	=	=
7647-01-0				

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 2.05% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 7368 mg/kg
ATEmix (dermal) 52790 mg/kg
ATEmix (inhalation-dust/mist) 5.3 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

11.55% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

DEPT. OF TRANSPORTATION

UN/ID No. 1789

Proper shipping name HYDROCHLORIC ACID SOLUTION

Hazard Class 8
Packing Group ||

Reportable Quantity (RQ) 5000 lbs (HCl)

Description 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies

EINECS/ELINCS
Does not Comply
ENCS
Does not Comply
IECSC
KECL
Does not Comply
Complies
Does not Comply

PICCS Complies
AICS Does not Comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION	SARA 313 - Threshold Values %	
Hydrochloric Acid - 7647-01-0	1.0	

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD

CHRONIC HEALTH HAZARD

FIRE HAZARD

Sudden release of pressure hazard

REACTIVE HAZARD

YES

No

YES

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION	Hazardous Substances RQs (in LBS)	U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Hydrochloric Acid	5000	500
7647-01-0		

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Hydrochloric Acid	1012	Listed	Listed
7647-01-0			

U.S. EPA Label Information

EPA Pesticide Registration Number 8155-6-527

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

DANGER

CORROSIVE.

Causes irreversible eye damage and skin burns. May be fatal if swallowed.

16. OTHER INFORMATION

NFPA

Health hazards 2
Flammability 0
Instability 0
Physical and Chemical Properties ACID
HMIS
Health hazards 2
Flammability 0
Physical hazards 0

Revision Date 04/29/2015

Revision Note Disclaimer

Personal protection C

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***