### **HALLIBURTON**

# MATERIAL SAFETY DATA SHEET

Product Trade Name: FLO-CHEK® LIQUID

Revision Date: 20-Dec-2012

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: FLO-CHEK® LIQUID

Synonyms:NoneChemical Family:SilicateApplication:Resin

Manufacturer/Supplier Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	<b>ACGIH TLV-TWA</b>	OSHA PEL-TWA
Sodium silicate	1344-09-8	30 - 60%	Not applicable	Not applicable

### 3. HAZARDS IDENTIFICATION

Hazard Overview May cause respiratory irritation. May cause eye and skin burns. May be harmful if

swallowed.

#### 4. FIRST AID MEASURES

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

**Skin** In case of contact, immediately flush skin with plenty of soap and water for at least 15

minutes. Get medical attention. Remove contaminated clothing and launder before

reuse.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water

for at least 15 minutes and get medical attention immediately after flushing.

**Ingestion** Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

### **FIRE FIGHTING MEASURES**

Flash Point/Range (F): Not Determined Flash Point/Range (C): Not Determined **Flash Point Method:** Not Determined **Autoignition Temperature (F):** Not Determined **Autoignition Temperature (C):** Not Determined Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Upper (%): Not Determined

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical. **Special Exposure Hazards** Decomposition in fire may produce toxic gases.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

Health 2, Flammability 0, Reactivity 0 **NFPA Ratings: HMIS Ratings:** Health 2, Flammability 0, Reactivity 0

#### **ACCIDENTAL RELEASE MEASURES**

Personal Precautionary Measures Use appropriate protective equipment.

**Environmental Precautionary** 

Measures

Prevent from entering sewers, waterways, or low areas.

**Procedure for Cleaning /** 

**Absorption** 

Isolate spill and stop leak where safe. Neutralize to pH of 6-8. Scoop up and remove.

Do NOT spread spilled product with water.

#### HANDLING AND STORAGE

**Handling Precautions** Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after

use. Launder contaminated clothing before reuse.

**Storage Information** Store away from acids. Store in a cool well ventilated area. Keep container closed

when not in use.

# **EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls** Use in a well ventilated area. Local exhaust ventilation should be used in areas

without good cross ventilation.

**Respiratory Protection** Dust/mist respirator. (N95, P2/P3)

**Hand Protection** Impervious rubber gloves.

Skin Protection Full protective chemical resistant clothing.

Chemical goggles; also wear a face shield if splashing hazard exists. **Eye Protection** 

**Other Precautions** Evewash fountains and safety showers must be easily accessible.

# PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid

Color: Clear to hazy Odor: Slightly soapy

pH: 11.3

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Specific Gravity @ 20 C (Water=1): 1.4

Density @ 20 C (lbs./gallon): 11.66

Bulk Density @ 20 C (lbs/ft3): Not Determined

Boiling Point/Range (F): 213
Boiling Point/Range (C): 100
Freezing Point/Range (F): 30
Freezing Point/Range (C): -2
Vapor Pressure @ 20 C (mmHg): 156

Vapor Density (Air=1):Not DeterminedPercent Volatiles:Not DeterminedEvaporation Rate (Butyl Acetate=1):Not Determined

Solubility in Water (g/100ml): Soluble

Solubility in Vater (g/100ml):

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistokes):

Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Not Determined

Not Determined

#### 10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None anticipated

Incompatibility (Materials to

Avoid)

Strong acids. Amphoteric metals such as aluminum, magnesium, lead, tin, or zinc.

**Hazardous Decomposition** 

**Products** 

Toxic fumes.

Additional Guidelines Not Applicable

### 11. TOXICOLOGICAL INFORMATION

**Principle Route of Exposure** Eye or skin contact, inhalation.

**Inhalation** Causes severe respiratory irritation.

Skin Contact Causes severe burns.

**Eye Contact** May cause eye burns.

**Ingestion** Causes burns of the mouth, throat and stomach.

Aggravated Medical Conditions Skin disorders.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are

chronic health hazards.

Other Information None known.

**Toxicity Tests** 

Oral Toxicity: LD50: 2000-3000 mg/kg (Rat)

Dermal Toxicity: Not determined Inhalation Toxicity: Not determined

FLO-CHEK® LIQUID Page 3 of 5 Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive / Developmental Toxicity:

Not determined

# 12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not determined

Bio-accumulation Not determined

# **Ecotoxicological Information**

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

Other Information Not applicable

### 13. DISPOSAL CONSIDERATIONS

**Disposal Method**Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

### 14. TRANSPORT INFORMATION

# **Land Transportation**

DOT

Not restricted

#### **Canadian TDG**

Not restricted

**ADR** 

Not restricted

### **Air Transportation**

ICAO/IATA

Not restricted

# **Sea Transportation**

**IMDG** 

Not restricted

# Other Transportation Information

Labels: None

#### 15. REGULATORY INFORMATION

### **US Regulations**

**US TSCA Inventory** All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

**EPA SARA (311,312) Hazard** 

**Class** 

Acute Health Hazard

EPA SARA (313) Chemicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

**EPA CERCLA/Superfund Reportable Spill Quantity** 

Not applicable.

**EPA RCRA Hazardous Waste** 

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as

defined by the US EPA.

**California Proposition 65** All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law Does not apply.

NJ Right-to-Know Law Does not apply.

PA Right-to-Know Law Does not apply.

**Canadian Regulations** 

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class E Corrosive Material

### 16. OTHER INFORMATION

# The following sections have been revised since the last issue of this MSDS

Not applicable

**Additional Information** For additional information on the use of this product, contact your local Halliburton

representative.

For guestions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

**Disclaimer Statement** This information is furnished without warranty, expressed or implied, as to accuracy

or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of

the user.

\*\*\*END OF MSDS\*\*\*