

SAFETY DATA SHEET

Preparation Date 04-11-2014 Revision Date 13-10-2015 Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product code 51384

Product name FORMIC ACID 82%

REACH registration number

Contains Formic acid

012119491174-37-0003

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Preparation of ensilage

Pickling of metals pH adjustment

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Taminco Finland Oy a subsidiary of Eastman Chemical Company Typpitie 1 FI-90620 Oulu Finland T: +358 207 108 300

F: +358 207 108 301

For further information, please contact

E-mail address emnmsds@eastman.com

1.4. Emergency telephone number

(+32) 9 254 10 36

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

110941411011 (20) 110 12121200	
Acute Toxicity - Oral	Category 4 - (H302)
Acute toxicity - Inhalation (Vapours)	Category 3 - (H331)
Skin Corrosion/Irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)

2.2. Label Elements

Product Identifier

Contains Formic acid



Signal Word Danger

hazard statements

H302 - Harmful if swallowed

H331 - Toxic if inhaled

H314 - Causes severe skin burns and eye damage

EUH071 - Corrosive to the respiratory tract

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTRE or doctor/physician

2.3. Other Hazards

pungent odor

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical Name	o.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	M-Factor
Formic acid	200-579-1	64-18-6	82-84	Flam. Liq. 3 (H226) Acute oral tox. 4 (H302) Acute inhalation tox. 3 (H331) Skin Corr. 1A (H314) Eye Damage 1 (H318)		1

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice If symptoms persist, call a physician. Show this material safety data sheet to the doctor in

attendance.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. Consult a physician.

Skin contact Take off all contaminated clothing immediately. Wash off immediately with plenty of water

for at least 15 minutes. Consult a physician.

Eye contact Immediate medical attention is required. Remove contact lenses. Rinse immediately with

plenty of water, also under the eyelids, for at least 15 minutes.

Ingestion Do not induce vomiting, drink 1 or 2 glasses of water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Protection of first-aidersUse personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically

SECTION 5: Fire fighting measures

5.1. Extinguishing media

Suitable extinguishing media

carbon dioxide (CO2), water spray, dry chemical, Alcohol-resistant foam

Extinguishing media which must not be used for safety reasons

high volume water jet

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon monoxide

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required. Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes and clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Wear self-contained breathing apparatus and protective suit. rubber gloves.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Should not be released into the environment. Remove immediately adhering matter. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Methods for containment Large spills should be collected mechanically (remove by pumping) for disposal. Keep in

suitable, closed containers for disposal.

Methods for cleaning up

Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste

container. Large spills should be collected mechanically (remove by pumping) for disposal. Keep in suitable, closed containers for disposal. Prevent product from entering drains.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

Use only in area provided with appropriate exhaust ventilation. Keep away from open flames, hot surfaces and sources of ignition. No smoking. Handle and open container with care. wear personal protective equipment. Wash hands after handling. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protective equipment before entering eating areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures

Regular cleaning of equipment, work area and clothing. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. For environmental protection remove and wash all contaminated protective equipment before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Storage

In accordance with local and national regulations. Store in original container. Protect from sunlight and store in well-ventilated place. Keep at temperatures below 30 °C. Keep away from open flames, hot surfaces and sources of ignition. Incompatible with strong acids and oxidizing agents. bases. copper. aluminium. Keep away from combustible material. The product may form CO (carbon monoxide) under prolonged storage. Before entering storage tanks, the CO (carbon monoxide) level should be checked.

7.3. Specific end use(s)

Specific use(s)

Preparation of ensilage Pickling of metals pH adjustment

Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	Eu	United Kingdom	France	Spain	Germany

Formic acid 64-18-6		TWA U	ppm STEL; 28.8 mg/m³ STEL 5 ppm TWA; 9.6 mg/m³ TWA	5 ppm TWA [V (indicative limi mg/m³ TWA [V (indicative lin	it); 9 /ME] nit)	(indicative it is proh partial or commerci use of this as a phytobiocide comg/m³ TW (indicative it is proh partial or commerci use of this as a phytos as a phytos	limit value; bibited the complete alization or substance scanitary or mpound); 9 A [VLA-ED] limit value; bibited the complete	5 p (The the can b value expose mg (The the can b	m TWA MAK; 9.5 n/m³ TWA MAK npm TWA AGW risk of damage to embryo or fetus be excluded when GW and BGW es are observed, sure factor 2); 9.5 n/m³ TWA AGW risk of damage to embryo or fetus be excluded when GW and BGW es are observed, soure factor 2)
Chemical Name	Italy	Portugal	Netherlands	Finland	Sw	eden	Denmar	_	Norway
Formic acid 64-18-6	5 ppm TWA; 9 mg/m³ TWA	5 ppm TWA [VLE-MP] 10 ppm STEL [VLE-CD	5 mg/m ³ STEL	3 ppm TWA; 5 mg/m³ TWA 10 ppm STEL; 19 mg/m³ STEL	mg/r 5 ppm mg/r	n LLV; 5 m³ LLV n STV; 9 m³ STV	5 ppm TW. mg/m³ TV	VA	5 ppm TWA; 9 mg/m³ TWA 10 ppm STEL; 18 mg/m³ STEL
Chemical Name	Austria	Switzerland	Poland	Latvia		uania	Estonia		Ireland
Formic acid 64-18-6	TWA [TMW] 5 ppm STEL [KZW]; 9 mg/m³ STEL [KZW]	Developmental Risk Group C 10 ppm STEL [KZW]; 19 mg/m³ STEL [KZW] 5 ppm TWA [MAK]; 9.5 mg/m³ TWA [MAK]	5 mg/m³ TWA [NDS] 15 mg/m³ STEL [NDSCh]	5 ppm TWA; 9 mg/m³ TWA	[IPRD] TWA	m TWA ; 9 mg/m³ . [IPRD]	5 ppm TW. mg/m³ TV	VÁ	5 ppm TWA; 9 mg/m³ TWA
Chemical Name	Belgium	Luxembourg	Hungary	Slovak Republic	Slo	venia	Czech Rep	ublic	Greece
Formic acid 64-18-6	5 ppm TWA; 9.5 mg/m³ TWA 10 ppm STEL; 19 mg/m³ STEL	5 ppm TWA; 9 mg/m³ TWA	9 mg/m³ TWA [AK]	5 ppm TWA; 9.0 mg/m³ TWA		i TWA; 9 n³ TWA	9 mg/m³ T 18 mg/m³ C Irritant	eiling	5 ppm TWA; 9 mg/m³ TWA

Derived No Effect Level (DNEL) Long term.

Inhalation 9.5 mg/m³

Derived No Effect Level (DNEL) Short term

Inhalation 19 mg/m³

Predicted No Effect Concentration

(PNEC)

Freshwater 2 mg/l

Freshwater sediment 13.4 mg/kg

Marine water 0.2 mg/l

Marine sediment 1.34 mg/l

Soil 1.5 mg/kg

Impact on Sewage Treatment 7.2 mg/l

8.2. Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas.

Page 5/11

Personal protective equipment

Eye protection tightly fitting safety goggles. and. face-shield.

Hand protection impervious gloves. butyl-rubber. Neoprene gloves. The selected protective gloves have to

satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it. The suitability for a specific workplace should be discussed with the producers of the protective gloves. The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves must be disposed of and replaced before the

breakthrough time and when they show signs of degradation.

Skin and body protection Choose body protection according to the amount and concentration of the dangerous

substance at the work place. Chemical resistant apron. boots. Complete suit protecting

against chemicals.

Respiratory protection Short term. a respirator with filter for organic vapor. Filter type:. gas. boiling point. > 65 °C.

Long term. (in case of higher concentration). Self-contained breathing apparatus.

Recommended Filter type: A.

Environmental exposure controls Prevent product from entering drains. Do not contaminate surface water. Avoid subsoil

penetration.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical StateClear liquidOdorpungentColourColorless

Property Values Remarks • Method

PH < 1 -10 °C / -2 - 14 °F - approx 107 °C / 225 °F -

Boiling point/range approx 107 °C / 225 °F Flash point > 70 °C / 158 °F Evaporation rate No information available -

Flammability (solid, gas) Not applicable

Flammability Limit in Air

Upper flammability limit:51 % vol (99%)Lower flammability limit:18 % vol (99%)Vapor Pressure< 4.4 kPa @ 20 °C</th>-Vapor Densityno data available-Specific Gravity-

Water solubility completely soluble -

Partition coefficient log Pow: -2.1 @ 23°C (pH 7) Formic acid

Autoignition temperature > 520 °C / 968 °F

Decomposition temperature 350°C/662°F Formic acid

Kinematic viscosity No data available

Dissociation constantpKa: @ 20 °C 3.7Formic acidSurface tension71.5 mN/m @ 20 °CFormic acidOxidising propertiesThe substance or mixture is not classified as oxidizing

9.2. Other information

Density 1.2 g/cm3 @ 20 °C / 68 °F

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

See Incompatible Materials .

10.2. Chemical stability

Stable under recommended storage conditions. Note:. The product may form CO (carbon monoxide) under prolonged storage.

__

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

polymerization

Hazardous polymerization does not occur.

Possibility of hazardous reactions

Exothermic reaction. :. bases. Amines. Risk of violent reaction. :. Strong oxidizing agents.

10.4. Conditions to avoid

temperatures above 30 °C. To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Strong acids and oxidizing agents. bases. copper. Aluminum. combustible material.

10.6. Hazardous decomposition products

Thermal decomposition. Carbon monoxide. Strong acid decomposes slowly to form CO (carbon monoxide).

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Acute Oral Toxicity Harmful if swallowed

Acute dermal toxicity

Acute Inhalation Toxicity

Not classified
Toxic if inhaled

Eye irritation Corrosive, Causes serious eye damage

Skin irritation Corrosive, Causes burns

Chemical Name
LD50/oral/rat = 730 mg/kg
LC50/inhalation/4h/rat = 7.85 mg/l
Skin irritation
Corrosive
Eye irritation
Sensitisation
Corrosive
negative

Mutagenicity In vivo tests did not show mutagenic effects

In vitro tests did not show mutagenic effects

Reproductive toxicity Did not show teratogenic effects in animal experiments

Information given is based on data obtained from similar substances

Carcinogenicity Did not show carcinogenic effects in animal experiments

Information given is based on data obtained from similar substances

Specific target organ systemic Repeated Dose Toxicity NOAEL Oral Value 142 mg/kg (rat)

toxicity (repeated exposure) Information given is based on data obtained from similar substances

Human experience

Human experience Inhalation may provoke the following symptoms:

Cough Skin

Causes burns

May cause skin irritation and/or dermatitis

Chemical Name	LD50 Oral	LD50/dermal/rat	LC50/inhalation/rat (dust)
Formic acid	730 mg/kg	-	7.85mg/l

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Product Information

Toxicity to fishNo data is available on the product itself

Toxicity to daphniaNo data is available on the product itselfToxicity to AlgaeNo data is available on the product itselfToxicity to bacteriaNo data is available on the product itself

Information given is based on data obtained from similar substances

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Formic acid	EC50/72h: 1240 mg/l	LC50/96h/Danio rerio: 130	EC50/48h/Daphnia Magna:
		mg/l	365 mg/l

12.2. Persistence and degradability

Readily biodegradable, according to appropriate OECD test.

12.3. Bioaccumulative potential

Does not bioaccumulate

Bioconcentration factor (BCF)

3.2

Chemical Name	log Pow
Formic acid	-2.1

12.4. Mobility in soil

Not expected to adsorb on soil Soluble in water

12.5. Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT) This substance is not considered to be very persistent nor very bioaccumulating (vPvB)

12.6. Other adverse effects

None known based on information supplied

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused

products

Dispose of in accordance with local regulations

Classified as hazardous waste according to national equivalent of EC-Dir. 91/689; disposal

of toxic and hazardous waste

Contaminated packaging Empty containers should be transported/delivered using a registered waste carrier for local

recycling or waste disposal.

Other information According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific. Waste codes should be assigned by the user based on the application

for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN-No 14.2 Proper shipping nameUN 3412
Formic acid

 14.3 Hazard Class
 8

 14.4 Packing group
 II

 14.5 Marine pollutant
 No

 Environmental hazard
 No

14.6 Special Provisions Not relevant14.7 Transport in bulk according to not applicable

Annex II of MARPOL 73/78 and the

IBC Code

RID

14.1 UN-No 14.2 Proper shipping nameUN 3412
Formic acid

14.3 Hazard Class814.4 Packing groupII14.5 Environmental hazardNo

14.6 Special Provisions Not relevant

<u>ADR</u>

14.1 UN-No 14.2 Proper shipping nameUN 3412
Formic acid

14.3 Hazard Class814.4 Packing groupII14.5 Environmental hazardNo

14.6 Special Provisions Not relevant

ADN_

14.1 UN-No 14.2 Proper shipping nameUN 3412
Formic acid

14.3 Hazard Class 8
14.4 Packing group II
14.5 Environmental hazard No

14.6 Special Provisions Not relevant

ICAO/IATA

14.1 UN-No 14.2 Proper shipping nameUN 3412
Formic acid

14.3 Hazard Class 8
14.4 Packing group II
14.5 Environmental hazard No

14.6 Special Provisions Not relevant

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies Complies **ENCS** Complies **IECSC** Complies KECL Complies **PICCS AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eve damage

H318 - Causes serious eye damage

H331 - Toxic if inhaled

Legend

SVHC: Substances of Very High Concern for Authorization:

- Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Preparation Date 04-11-2014

Revision Date 13-10-2015

Reason for revision not applicable.

Training Advice

Provide adequate information, instruction and training for operators

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet