Material Safety Data Sheet



Issuing Date: 08-Jul-2013 Revision Date: 08-Jul-2013 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product ID: 96264725

Product name Fekkai Blowout Dry Shampoo

Product Type Finished Product - Consumer (Retail) and Professional Use

Recommended use Personal Beauty Care Product

Synonyms No information available

Manufacturer The Procter & Gamble Company

Sharon Woods Innovation Center 11510 Reed Hartman Highway

Cincinnati OH 45202

E-mail Address pgsds.im@pg.com

Emergency telephone Transportation (24 HR)

CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887

Mexico toll free in country: 01-800-681-9531

2. HAZARDS IDENTIFICATION

Emergency Overview
Extremely flammable

OSHA Regulatory Status Consumer Products as defined by the U.S. Consumer Product Safety Act which are used

as intended (typical consumer duration and frequency) are exempt from the OSHA Hazard Communication Standard. When used in a professional setting (at a much higher frequency and duration than a typical consumer) this material would be considered hazardous by the

OSHA Hazard Communication Standard (29 CFR 1910.1200).

WHMIS Not subject to WHMIS classification.

Principle Routes of Exposure Inhalation.

General Hazards This is a personal care or cosmetic product that is safe for consumers and other users

under normal and reasonably foreseeable use

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Isobutane	75-28-5	30 - 60
Ethanol	64-17-5	15 - 40
Propane	74-98-6	5 - 10
Butane	106-97-8	1 - 5

4. FIRST AID MEASURES

General advice No hazards which require special first aid measures. When symptoms persist or in all cases

of doubt seek medical advice.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. If

Revision Date: 08-Jul-2013

symptoms persist, call a physician.

Skin Contact If skin problems occur, discontinue use. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. If

symptoms persist, call a physician.

Inhalation Move to fresh air.

Protection of First-aidersUse personal protective equipment. Remove all sources of ignition.

Most important symptoms/effects,

acute and delayed

None known.

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties Extremely flammable aerosol.

Flash Point aerosol - not applicable

Suitable extinguishing media Dry chemical, CO₂, water spray or alcohol-resistant foam.

Extinguishing media which shall not No information available

be used for safety reasons

Special Hazard Extremely flammable

The release of the following substances is possible in a fire:

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke)

Nitrous oxides

Containers may explode when heated

Hazardous decomposition products formed under fire conditions

In case aerosols burst, (extremely) flammable propellants will be released with possible risk

of explosion

May form explosive mixtures with air

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Revision Date: 08-Jul-2013

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes and inhalation of vapors.

Environmental precautionsHousehold: Do not discharge product into natural waters without pre-treatment or

adequate dilution. Non-household: Should not be released into the environment.

Methods for Containment Non-household: Prevent further leakage or spillage if safe to do so. Prevent product from

entering drains.

Methods for Cleaning up Non-household: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in

immediate area). Use non-sparking tools and equipment. Contain spillage, and then collect

with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,

vermiculite) and place in container for disposal according to local / national regulations (see

section 13). Do not puncture or incinerate cans.

7. HANDLING AND STORAGE

Advice on safe handling Keep out of the reach of children. Observe label precautions. Keep away from open flames,

hot surfaces and sources of ignition. Avoid breathing vapors or mists.

Technical measures/Storage

conditions

Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition.

Keep away from direct sunlight.

Aerosol Classification Level 3

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSI	1 IDLH	P&G OEL	Mexico OEL
Isobutane	TWA: 1000 ppm	-		ppm TWA: mg/m³		-
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm TWA 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	TWA: 1000 1900	300 ppm) ppm TWA: mg/m³		Mexico: TWA 1000 ppm Mexico: TWA 1900 mg/m ³
Propane	TWA: 1000 ppm	TWA: 1000 ppm TWA 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³	TWA: 1000 1800	100 ppm) ppm TWA: mg/m³		-
Butane	TWA: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m³		ppm TWA: mg/m³		Mexico: TWA 800 ppm Mexico: TWA 1900 mg/m ³
Chemical Name	Alberta	Queb	ес	Onta	rio TWAEV	British Columbia
Isobutane				TWA: 800	ppm TWA: 1000 ppm	TWA: 1000 ppm
Ethanol		TWA: 1000 ppn mg/r		STEL	.: 1000 ppm	STEL: 1000 ppm

Propane		TWA: 1000 ppm TWA: 1800 mg/m ³	TWA: 1000 ppm	TWA: 1000 ppm
Butane	TWA: 1000 ppm	J.	TWA: 800 ppm TWA: 1000	TWA: 600 ppm TWA: 1000
		mg/m³	ppm	ppm STEL: 750 ppm

Engineering Measures Not applicable.

Personal Protective Equipment

Eye Protection No special protective equipment required.

Hand Protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Respiratory protection Maintain adequate ventilation

Thermal hazards Not applicable.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors, mist or gas.

Environmental Exposure Controls See Section 6.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C Aerosol white.
Odor Characteristic

<u>Property</u> <u>Values</u> <u>Note</u>

pH VALUE
 No information available
 aerosol - not applicable
 Evaporation Rate
 No information available
 No information available
 No information available
 No information available

Upper Flammability LimitNo information availablelower flammability limitNo information availablevapor pressureNo information availableVapor DensityNo information available

Relative Density >= 0.865

Water solubility
No information available
Solubility in other solvents
No information available
Partition coefficient: n-octanol/waterNo information available
Autoignition Temperature
No information available
decomposition temperature
No information available

Viscosity of Product <300 cPs

Bulk Density No information available

Chemical Name	Partition Coefficient (n-octanol/water)
Isobutane	2.88
Ethanol	-0.32
Propane	2.3
Butane	2.89

VOC Content Products comply with US state and federal regulations for VOC content in consumer

products.

Oxidizing properties No information available

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions.

Stability Stable under normal conditions.

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Extremes of

temperature and direct sunlight.

Materials to Avoid Strong oxidizing agents.

Hazardous Decomposition Products None under normal use.

11. TOXICOLOGICAL INFORMATION

Product Information

Acute Toxicity

Principle Routes of Exposure Inhalation.

Inhalation Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal.

Skin ContactNo known effect based on information supplied.IngestionNo known effect based on information supplied.Eye ContactNo known effect based on information supplied.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isobutane	-	-	= 658 mg/L (Rat) 4 h
Ethanol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Propane	-	-	= 658 mg/L (Rat) 4 h
Butane	-	-	= 658 mg/L (Rat) 4 h

Chronic toxicity

CorrosivityNo known effect.SensitizationNo known effect.Neurological EffectsNo known effect.

Reproductive toxicity The product contains no substances known to be hazardous to health in concentrations

which need to be taken into account.

Mutagenic Effects There are no known mutagenic chemicals in this product.

Developmental Toxicity No known effect. TeratogenicityNo known effect.

Carcinogenicity Contains no ingredients above reportable quantities listed as a carcinogen.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Acute Toxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates	Toxicity to other organisms
Ethanol	-	LC50 96 h 12.0 - 16.0	-	LC50 48 h 9268 -	-
		mL/L Oncorhynchus		14221 mg/L Daphnia	
		mykiss static LC50 96		magna EC50 24 h =	
		h > 100 mg/L		10800 mg/L Daphnia	
		Pimephales promelas		magna EC50 48 h = 2	
		static LC50 96 h		mg/L Daphnia magna	
		13400 - 15100 mg/L		Static	
		Pimephales promelas			
		flow-through			

Persistence and degradability

No information available.

Bioaccumulative potential

Chemical Name	Bioconcentration factor (BCF)
Isobutane	1.97

Mobility No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste from Residues / Unused

Products

Household: Do not discharge product into natural waters without pre-treatment or adequate dilution. **Non-household:** Should not be released into the environment. Dispose

of in accordance with local regulations.

Contaminated packaging Dispose of in accordance with local regulations.

California Hazardous Waste Codes

(non-household setting)

561

Other disposal recommendations

Non-household: Products covered by this MSDS, in their original form, when disposed from a commercial facility as waste, are ignitable hazardous waste, D001, according to Federal RCRA regulations(40 CFR 261). Disposal should be in accordance with Local, State and Federal regulations. Aerosol cans, when disposed as waste, are regulated as D003 reactive hazardous waste in some States because of their potential to explode when

heated. Check with your State environmental agency for guidance

14. TRANSPORT INFORMATION

DOT

UN/ID no UN1950

Proper shipping name Aerosols, flammable

Hazard Class 2.1

Description UN1950, Aerosols, flammable, 2.1, Ltd. Qty.

Emergency Response Guide 126

Number

TDG

UN/ID no UN1950
Proper shipping name Aerosols
Hazard Class 2.1

Description UN1950, Aerosols, 2.1, Ltd. Qty.

MEX

UN/ID no UN1950
Proper shipping name Aerosols
Hazard Class 2.1

Description UN1950, Aerosols, 2.1, Ltd. Qty.

IATA

UN/ID no UN1950

Proper shipping name Aerosols, flammable

Hazard Class2.1ERG Code10L

Description UN1950, Aerosols, flammable, 2.1, Ltd. Qty.

IATA comment Can also be shipped as ID8000 Consumer Commodity

<u>ICAO</u>

UN/ID no UN1950
Proper shipping name Aerosols
Hazard Class 2.1

Description UN1950, Aerosols, 2.1, Ltd. Qty.

ICAO Comment Can also be shipped as ID8000 Consumer Commodity

IMDG/IMO

UN/ID no UN1950
Proper shipping name Aerosols
Hazard Class 2

Subsidiary hazard class See SP63 EmS No. See SP63

Description UN1950, Aerosols, 2.1 (See SP63), Ltd. Qty.

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard yes
Sudden Release of Pressure Hazard yes
Reactive Hazard No

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Food and Drug Administration (FDA)

The product described in this Material Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

U.S. State Regulations

California Proposition 65

This product is not subject to warning labeling under California Proposition 65

Chemical Name	New Jersey
Isobutane	X
Ethanol	X
Propane	X
Butane	X

Chemical Name	Massachusetts
Isobutane	X
Ethanol	X
Propane	X
Starch	X
Butane	X

Chemical Name	Pennsylvania
Isobutane	X
Ethanol	X
Propane	X
Starch	X
Butane	X

Chemical Name	Rhode Island
Ethanol	X

International Regulations

Canada

WHMIS Hazard Class

Not subject to WHMIS classification

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR. This product is regulated by the Food and Drug Administration of Health Canada and is therefore exempt from the requirements of CEPA.

International Inventories

TSCA Product is a personal care product and regulated under FDA

DSL Exempt
NDSL Exempt

Perfumes contained with the products comply with appropriate IFRA guidance.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

16. OTHER INFORMATION

 Issuing Date:
 08-Jul-2013

 Revision Date:
 08-Jul-2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of MSDS