

1. Product and Company Identification

Product identifier FLEETGUARD DCA-4 LIQUID

Other means of identification

MSDS number LT16571

Product code DCA 60L (1 Pint / 470 mL); DCA 65L (64 ounce / 1.89 L); DCA 70L (1 gallon / 3.785 L); DCA

75L (5 gallon / 18.9 L Pail); DCA 80L (55 gallon / 208 L Drum); 391412663 (Bulk)

Product use Cooling system additive

Chemical family Mixture of: Water; Mixture of inorganic compounds and organic acid.

Manufacturer

Company name

Address

Cummins Filtration

1200 Fleetguard Road
Cookeville, TN, U.S.A.

38506

Telephone (931) 526 9551

Website www.cumminsfiltration.com

E-Mail fleetmaster.us@cummins.com

Supplier information Refer to Manufacturer

Emergency phone number Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887 (Outside

U.S.).

2. Hazard(s) Identification

Emergency overview Blue liquid. Little or no odour.

DANGER! Contains a strong oxidizer. Contact with combustible material may cause fire. Harmful if inhaled or swallowed. May cause respiratory irritation. May cause severe irritation and corrosive damage in the mouth, throat and stomach. Possible severe eye irritation and tissue damage. May cause skin irritation. Contains material which may cause adverse blood

system effects. Repeated or prolonged exposure may result in kidney effects.

Potential health effects

Routes of exposure

Routes of entry skin & eye YES
Routes of entry skin

absorption

YES

Routes of entry inhalation YES
Routes of entry ingestion YES

Target organs

Eyes, skin, respiratory system, central nervous system, blood system, liver, brain and

kidneys.

Chronic effects Chronic skin contact with low concentrations may cause dermatitis. Repeated or prolonged

overexposure may cause anemia and kidney effects.

Most important

symptoms/effects, acute and

delayed

Causes skin irritation. Contact may cause redness, swelling and a painful sensation. Direct eye contact may produce severe irritation with possible eye damage. Symptoms may include severe pain, tearing, redness, swelling and blurred vision. May cause irreversible eye damage.

May cause respiratory irritation. Symptoms may include upper respiratory irritation, coughing and breathing difficulties.

May cause severe irritation and corrosive damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns, perforations and bleeding. Repeated or prolonged overexposure may cause anemia and kidney effects.

Contains: Potassium nitrate; Sodium nitrite. Ingestion of large amounts of nitrites or nitrates may affect oxygen transport in the blood and blood system, causing methemoglobinemia. Methemoglobinema, characterized by blue-black coloration of the lips, tongue, and the

mucous membranes, with the skin becoming slate gray in color.

Material name: FLEETGUARD DCA-4 LIQUID

MSDS No. LT16571 Version #: 1 Issue date: 06-01-2015

1 / 10



Potential environmental effects Harmful to aquatic life. Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12.

3. Composition/information on ingredients

Mixture

Chemical name	CAS#	Percent
Potassium nitrate	7757-79-1	1.0 - 5.0
Sodium nitrite	7632-00-0	1.0 - 5.0
Dipotassium adipate	19147-16-1	1.0 - 5.0
Sodium tolytriazole	64665-57-2	1.0 - 3.0
Potassium silicate	1312-76-1	0.1 - 0.8
Sodium 2-mercaptobenzothiazole	2492-26-4	0.1 - 0.3

4. First Aid Measures

First aid procedures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. If breathing is

difficult, give oxygen by qualified medical personnel only. If breathing stopped, apply artificial

respiration. Get medical attention.

Immediately flush skin with running water for at least 15 minutes, while removing Skin contact

contaminated clothing. Get medical attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with running water for at least 20 minutes. Seek immediate medical

attention/advice.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to Ingestion

a person who is unconscious or is having convulsions Get medical attention immediately.

Notes to physician Immediate medical attention is required. Causes serious eye damage.

Provide general supportive measures and treat symptomatically.

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

Flammable properties Not flammable by WHMIS criteria.

Extinguishing media

Suitable extinguishing Use water spray to fight fires.

media

media

Unsuitable extinguishing Use chemical extinguishing agents with caution. Some chemical extinguishing agents may

react with this material.

Protection of firefighters

Specific hazards arising The pressure in sealed containers can increase under the influence of heat.

from the chemical

Protective equipment for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face

piece operated in positive pressure mode.

Fire fighting

water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for equipment/instructions

Move containers from fire area if safe to do so. Cool closed containers exposed to fire with

water control.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

MSDS CANADA Material name: FLEETGUARD DCA-4 LIQUID MSDS No. LT16571 Version #: 1 Issue date: 06-01-2015 2/10



Explosion data

Sensitivity to static discharge

Not expected to be sensitive to static discharge.

Sensitivity to mechanical

impact

Not expected to be sensitive to mechanical impact.

Hazardous combustion

products

Nitrogen oxides (NOx); Sodium oxides; Oxygen; Carbon oxides; phosphorus oxides;

Sulphur oxides.

General fire hazards Not classified as flammable. However, substance may be considered a strong oxidizer. This

product contains Sodium nitrite / Potassium nitrate, which enhance the burning rate of other

materials. Contact with combustible material may cause fire.

6. Accidental Release Measures

Personal precautions Keep people away from and upwind of spill/leak. Restrict access to area until completion of

clean-up. Wear appropriate protective equipment. Refer to protective measures listed in

sections 7 and 8.

Environmental precautions

Methods and materials for
containment and cleaning up

Prevent product from entering drains, sewers, waterways and soil.

Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. For spilled liquids: absorb spill with inert, non-combustible material such as sand, then place into suitable containers. Pick up and transfer to properly labelled containers. Contaminated absorbent material may pose the same hazards as the spilled product. For large spills on surfaces other than pavement (e.g. soil or sand), spills may be handled by digging up and removing the affected surface and placing it in approved containers. Contact

the proper local authorities.

Do not use combustible absorbents, such as sawdust. Clean up in accordance with all applicable regulations.

7. Handling and Storage

Other information

HandlingUse only outdoors or in a well-ventilated area. Wear suitable protective equipment during

handling. Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and direct flame. Keep away from incompatibles. Keep away from combustible material. Keep containers tightly closed when not in use. Wash thoroughly after handling. Empty containers retain residue (liquid and/or vapour) and can be dangerous.

Storage Storage area should be clearly identified, clear of

obstruction and accessible only to trained and authorized personnel. Inspect periodically for

damage or leaks. Do not store near any incompatible materials (see Section 10).

8. Exposure Controls / Personal Protection

Occupational exposure limits

No exposure limits noted for the ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Engineering controlsUse only outdoors or in a well-ventilated area. Apply technical measures to comply with the

occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient

ventilation wear suitable respiratory equipment.

Personal protective equipment

Eye / face protection Wear eye/face protection. Chemical splash goggles are recommended. A full face shield

may also be necessary.

Skin protection Wear protective gloves. The suitability for a specific workplace should be discussed with the

producers of the protective gloves. Wear a chemically resistant apron and long sleeves

3 / 10

when dispensing, to prevent skin contact.

Material name: FLEETGUARD DCA-4 LIQUID MSDS CANADA



Respiratory protection If airbourne concentrations are above the permissible exposure limit or are not known, use

> NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with CSA Z94.4-02. Advice should

be sought from respiratory protection specialists.

Hand protection Ensure that eyewash stations and safety showers are close to the workstation location.

Other equipment may be required depending on workplace standards.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Thin liquid. Colour blue

Odour Little or no odour.

Odour threshold N/Av рΗ 10.0 - 11.0 Melting point /freezing point N/Av Initial boiling point and boiling range

100°C (212°F)

Flash point N/Av

Cleveland Open Cup

Evaporation rate N/Av

Flammability (solid, gas) Not applicable.

Lower flammability/explosive limitN/Av

Upper flammability/explosive

limit

Vapour pressure 760 mmHg @ 100°C (212°F)

N/Av

Vapour density N/Av Relative density 1.13 - 1.15

Solubility(ies)

Other solubility(ies) N/Av Solubility (water) Complete Partition coefficient N/Av

(n-octanol/water)

Auto-ignition temperature N/Av **Decomposition temperature** N/Av N/Av Viscosity

Other information

Explosive properties Not explosive

This product was tested in accordance with Test O.2 - Test for Oxidizing liquids, in Oxidizing properties

accordance with the UN Manual on Tests and Criteria. At a 1:1 ratio of sample/cellulose (2.5 g of the liquid and 2.5 g of dried cellulose) tested, the maximum pressure rise was < 2070 kPa (300 psi) or the pressure rise time was > the mean pressure rise time for the PGIII reference standard. The material is therefore, not considered to be an oxidizing liquid.

Specific gravity 1.13 - 1.15 VOC N/Av Volatilities % N/Av

Other physical/chemical

data

No additional information.

10. Stability and reactivity

Reactivity Not normally reactive. However, substance may be considered a strong oxidizer. Contact

with combustible material may cause fire.

Material name: FLEETGUARD DCA-4 LIQUID MSDS No. LT16571 Version #: 1 Issue date: 06-01-2015 4 / 10



Chemical stability Possibility of hazardous reactions

Conditions to avoid

Incompatible materials

Stable under the recommended storage and handling conditions prescribed. No dangerous reaction known under conditions of normal use. Hazardous polymerization

Direct sources of heat. Do not use in areas without adequate ventilation. Avoid contact with

incompatible materials.

does not occur.

Strong acids, strong oxidizing agent (e.g. Chlorides, peroxides), reducing agents (e.g.

cyanides, metal hydrides). Avoid organic materials. Combustible material.

Hazardous decomposition

products

None known, refer to hazardous combustion products in Section 5.

11. Toxicological information

Toxicological data

Potassium nitrate	Components	Species	Test Results
Dermal LD50	Potassium nitrate		
LD50	Acute		
Inhalation LC50	Dermal		
LC50	LD50	Rabbit	> 5000 mg/kg
Oral LD50	inhalation		
LD50		Rat	N/Av
Sodium nitrite Acute Dermal LD50 Rabbit inhalation LC50 Rat Doral LD50 Rat Doral LD50 Rat LD50 Rat Babit Rat S.5 mg/L (dust) Oral Rat S.5 mg/L (dust) Oral Rat Sodium nitrite Doral LD50 Rat Dermal LD50 Rabbit Solium nitrite Rat Solium	Oral		
Acute Dermal LD50 Rabbit N/Av		Rat	3540 mg/kg
Dermal LD50	Sodium nitrite		
LD50			
inhalation LC50 Rat 5.5 mg/L (dust) Oral LD50 Rat 180 mg/kg Dipotassium adipate Acute Parmal P			
LC50 Rat 5.5 mg/L (dust) Oral LD50 Rat 180 mg/kg Dipotassium adipate Acute Dermal LD50 Rabbit > 5010 mg/kg (No mortality) LD50 Rat > 7.7 mg/L (dust) (No mortality) (Read-across); Oral LD50 Rat 5560 mg/kg (Read-across); Sodium tolytriazole Acute Dermal LD50 Rabbit > 2000 mg/kg (No mortality) LC50 Rat N/Av Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg LD50 Rabbit > 5000 mg/kg Inhalation LD50 Rabbit > 5000 mg/kg		Rabbit	N/Av
Dral		_	
LD50		Rat	5.5 mg/L (dust)
Dipotassium adipate		Det	400 4
Acute Dermal LD50 Rabbit > 5010 mg/kg (No mortality) inhalation LC50 Rat > 7.7 mg/L (dust) (No mortality) (Read-across); Oral LD50 Rat 5560 mg/kg (Read-across); Sodium tolytriazole Acute Pormal LD50 Rabbit > 2000 mg/kg (No mortality) inhalation LC50 Rat N/Av Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg LD50 Rabbit > 5000 mg/kg (dust) (No mortality)		Rat	180 mg/kg
Dermal			
LD50 Rabbit > 5010 mg/kg (No mortality) inhalation LC50 Rat > 7.7 mg/L (dust) (No mortality) (Read-across); Oral LD50 Rat 5560 mg/kg (Read-across); Sodium tolytriazole Acute Dermal LD50 Rabbit > 2000 mg/kg (No mortality) inhalation LC50 Rat N/Av Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat 735 - 1980 mg/kg (50% solution)			
inhalation LC50 Rat > 7.7 mg/L (dust) (No mortality) (Read-across); Oral LD50 Rat 5560 mg/kg (Read-across); Sodium tolytriazole Acute Dermal LD50 Rabbit > 2000 mg/kg (No mortality) inhalation LC50 Rat N/Av Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg inhalation LD50 Rabbit > 2000 mg/kg		B. H. S	
LC50 Rat > 7.7 mg/L (dust) (No mortality) (Read-across); Oral LD50 Rat 5560 mg/kg (Read-across); Sodium tolytriazole Acute Dermal LD50 Rabbit > 2000 mg/kg (No mortality) inhalation LC50 Rat N/Av Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)		Rabbit	> 5010 mg/kg (No mortality)
Oral LD50 Rat 5560 mg/kg (Read-across); Sodium tolytriazole Acute Dermal LD50 Rabbit > 2000 mg/kg (No mortality) inhalation LC50 Rat N/Av Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)		Det	
LD50 Rat 5560 mg/kg (Read-across); Sodium tolytriazole Acute Dermal LD50 Rabbit > 2000 mg/kg (No mortality) LD50 Rat N/Av Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)		Rai	> /./ mg/L (dust) (No mortality) (Read-across);
Sodium tolytriazole Acute Dermal LD50 Rabbit > 2000 mg/kg (No mortality) inhalation LC50 Rat N/Av Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg LD50 Rabbit > 5000 mg/kg > 2.06 mg/L (dust) (No mortality)		Pat	5560 ma/ka (Pead-across):
Acute Dermal LD50 Rabbit > 2000 mg/kg (No mortality) inhalation LC50 Rat N/Av Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)		Nat	3300 mg/kg (Read-across),
Dermal LD50 Rabbit > 2000 mg/kg (No mortality) inhalation LC50 Rat N/Av Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)	i i		
LD50 Rabbit > 2000 mg/kg (No mortality) inhalation LC50 Rat N/Av Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)			
inhalation LC50 Rat N/Av Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg LD50 Rabbit > 5000 mg/kg inhalation > 2.06 mg/L (dust) (No mortality)		Rahhit	2000 mg/kg (No mortality)
LC50 Rat N/Av Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)		Rabbit	> 2000 mg/kg (No mortality)
Oral LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)		Rat	N/Av
LD50 Rat 735 - 1980 mg/kg (50% solution) Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)			147.4
Potassium silicate Acute Dermal LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)		Rat	735 - 1980 mg/kg (50% solution)
Dermal LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)	1		
Dermal LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)	Acute		
LD50 Rabbit > 5000 mg/kg inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)			
inhalation LC50 Rat > 2.06 mg/L (dust) (No mortality)		Rabbit	> 5000 mg/kg
, , , , , , , , , , , , , , , , , , ,	LC50	Rat	> 2.06 mg/L (dust) (No mortality)
O1GI	Oral		

MSDS CANADA Material name: FLEETGUARD DCA-4 LIQUID

MSDS No. LT16571 Version #: 1 Issue date: 06-01-2015



Rat 5700 mg/kg LD50

Sodium 2-mercaptobenzothiazole

Acute Dermal

LD50 Rabbit > 7940 mg/kg

inhalation

LC50 Rat N/Av

Oral

Rat 2100 mg/kg LD50

Acute effects Causes skin irritation. Causes serious eye damage. Severe respiratory irritant. May cause

severe irritation and corrosive damage in the mouth, throat and stomach.

See data above for individual ingredient acute toxicity data.

Senitization Not expected to be a skin or respiratory sensitizer.

Chronic effects Chronic skin contact with low concentrations may cause dermatitis. Repeated or prolonged

overexposure may cause anemia and kidney effects.

Carcinogenicity Not known to be carcinogenic.

No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Skin corrosion/irritation May cause moderate skin irritation.

Serious eye damage/irritation Causes eye damage.

Mutagenicity Contains no ingredient above reportable levels that is known to cause mutations in

reproductive (germ) and/or non-reproductive cells (somatic).

Reproductive effects Not expected to cause reproductive effects.

Teratogenicity Not expected to be a teratogen.

Most important symptoms/effects, acute and

delayed

Causes skin irritation. Contact may cause redness, swelling and a painful sensation.

Direct eye contact may produce severe irritation with possible eye damage. Symptoms may include severe pain, tearing, redness, swelling and blurred vision. May cause irreversible

eye damage.

May cause respiratory irritation. Symptoms may include upper respiratory irritation,

coughing and breathing difficulties.

May cause severe irritation and corrosive damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns, perforations and bleeding.

Repeated or prolonged overexposure may cause anemia and kidney effects.

Contains: Potassium nitrate; Sodium nitrite. Ingestion of large amounts of nitrites or nitrates may affect oxygen transport in the blood and blood system, causing methemoglobinemia. Methemoglobinema, characterized by blue-black coloration of the lips, tongue, and the

mucous membranes, with the skin becoming slate gray in color.

Further information None known or reported by the manufacturer.

12. Ecological information

			Toxicity to Fish	
Components	CAS No	LC50 / 96h	NOEC / 21 day	M Factor
Potassium nitrate	7757-79-1	3000 mg/L (Bluegill sunfish)	N/Av	None.
Sodium nitrite	7632-00-0	0.54 mg/L (Rainbow trout)	N/Av	1
Dipotassium adipate	19147-16-1	> 1000 mg/L (Zebra fish) (Read-across);	N/Av	None.
Sodium tolytriazole	64665-57-2	25 mg/L (Rainbow trout)	N/Av	None.
Potassium silicate	1312-76-1	> 146 mg/L (Golden orfe)	N/Av	None.
Sodium 2-mercaptobenzothiazole	2492-26-4	0.73 mg/L (Rainbow trout)	N/Av	1

MSDS CANADA Material name: FLEETGUARD DCA-4 LIQUID

MSDS No. LT16571 Version #: 1 Issue date: 06-01-2015



Components	CAS No	Toxicity to Daphnia			
	CAS NO	EC50 / 48h	NOEC / 21 day	M Factor	
Potassium nitrate	7757-79-1	3581 mg/L (Daphnia magna)	N/Av	None.	
Sodium nitrite	7632-00-0	15.4 mg/L (Daphnia magna)	N/Av	None.	
Dipotassium adipate	19147-16-1	46 mg/L (Daphnia magna) (Read-across);	6.3 mg/L (Read-across);		
Sodium tolytriazole	64665-57-2	280 mg/L (Daphnia magna)	18.4 mg/L	None.	
Potassium silicate	1312-76-1	> 146 mg/L/24hr (Daphnia magna)	N/Av	None.	
Sodium 2-mercaptobenzothiazole	2492-26-4	19 mg/L (Daphnia magna)	0.08 mg/L (Read-across);	1	

Components	CAS No	T	Toxicity to Algae			
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor		
Potassium nitrate	7757-79-1	N/Av	N/Av	None.		
Sodium nitrite	7632-00-0	≥ 100 mg/L/72hr (Green algae)	100 mg/L/72hr	None.		
Dipotassium adipate	19147-16-1	59 mg/L/72hr (Read-across); (Green algae)	41 mg/L/72hr (Read-across);	None.		
Sodium tolytriazole	64665-57-2	26.2 mg/L/72hr (Green algae)	10 mg/L/72hr	None.		
Potassium silicate	1312-76-1	> 345.4 mg/L/72hr (Green algae) (Read-across);	N/Av	None.		
Sodium 2-mercaptobenzothiazole	2492-26-4	0.4 mg/L/72hr (Green algae)	0.066 mg/L/72hr (Read-across);	1		

Ecotoxicity

Harmful to aquatic life. The product contains the following substances which are hazardous for the environment: Sodium nitrite; Sodium mercaptobenzothiazole.

See above for individual ingredient ecotoxicity data.

Environmental effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

Aquatic toxicity

Persistence and degradability

No data is available on the product itself.

No data is available on the product itself.

Contains the following chemicals which are not readily biodegradable: Potassium nitrate;

Potassium silicate; Sodium mercaptobenzothiazole; Sodium tolyltriazole.

The following ingredients are considered to be readily biodegradable: sodium nitrite;

Disodium adipate.

Note: Although Sodium nitrite is an inorganic material, in the environment, bacteria oxidise nitrites to Nitrogen. Nitrites are reduced to nitrogen by and are therefore considered rapidly

Bioaccumulation / accumulation

No data is available on the product itself. See the following data for ingredient information.

Material name: FLEETGUARD DCA-4 LIQUID MSDS No. LT16571 Version #: 1 Issue date: 06-01-2015



<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Potassium nitrate (CAS 7757-79-1)	- 0.79	N/Av
Sodium nitrite (CAS 7632-00-0)	- 3.7	3.162 (estimated)
Dipotassium adipate (CAS 19147-16-1)	- 4.2	3.162 (estimated)
Sodium tolytriazole (CAS 64665-57-2)	1.083	N/Av
Sodium 2-mercaptobenzothiazole (CAS 2492-26-4)	e - 0.46	< 8 (common carp)

Mobility in soil

The product itself has not been tested.

13. Disposal consideration

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This

> material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.

Waste from residues / unused

products

Dispose in accordance with all applicable federal, provincial, state and local regulations.

Contaminated packaging Empty containers should be taken for local recycling or waste disposal. Since emptied

containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

TDG

Not regulated as dangerous goods

ICAO/IATA

Not regulated as dangerous goods

IMDG

Not regulated as dangerous goods

General information Appropriate advice on safety must accompany the package.

This product does not meet the criteria for an environmentally hazardous mixture, according

to the IMDG Code. See Section 12 for more environmental information.

15. Regulatory information

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on Canadian regulations

the Domestic Substances List (DSL).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this MSDS contains all the information required by the

CPR.

WHMIS status Controlled

WHMIS classification Class C (Oxidizing Material)

Class D2B (Materials Causing Other Toxic Effects, Toxic Material)

WHMIS labeling





Material name: FLEETGUARD DCA-4 LIQUID MSDS No. LT16571 Version #: 1 Issue date: 06-01-2015 8 / 10



International Inventories

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

Components listed below are present on the following International Inventory lists:

<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Potassium nitrate	7757-79-1	231-818-8	Present	Present	(1)-449	KE-29163	Present	HSR001338
Sodium nitrite	7632-00-0	231-555-9	Present	Present	(1)-483	KE-31546	Present	HSR001286
Dipotassium adipate	19147-16-1	242-838-1	Not listed	Not listed	(2)-859	Not listed	Present	Not listed
Sodium tolytriazole	64665-57-2	265-004-9	Present	Present	(5)-3601	KE-23499	Present	May be used as a single component chemical under an appropriate group standard
Potassium silicate	1312-76-1	215-199-1	Present	Present	(1)-459	KE-31000	Present	HSR004068
Sodium 2-mercaptobenzothiazole	2492-26-4	219-660-8	Present	Present	(5)-243	KE-02725	Present	HSR004677

16. Other information, including date of preparation or last revision

NFPA Rating

0 - Minimal 1 - Slight 2 - Moderate 3 - Serious

i Health: 2 Flammability:0 Instability: 1 Special Hazards: None.

HMIS Rating : *- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious

Health: *3 Flammability: 0 Reactivity: 1

Issue date 06/01/2015 **Version #** 1

Legend ACGIH: American Conference of Governmental Industrial Hygienists

AICS: Australian Inventory of Chemical Substances

CAS: Chemical Abstract Services CSA: Canadian Standards Association EC50: Effective Concentration 50%.

EINECS: European Inventory of Existing Commercial chemical Substances

ENCS: Existing and New Chemical Substances
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer

IBC: Intermediate Bulk Container

IECSC: Inventory of Existing Chemical Substances IMDG: International Maritime Dangerous Goods

IOC: Inventory of Chemicals

KECI: Korean Existing Chemicals Inventory KECL: Korean Existing Chemicals List

LC: Lethal Concentration

LD: Lethal Dose N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NOEC: No observable effect concentration

NTP: National Toxicology Program

OECD: Organisation for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

PICCS: Philippine Inventory of Chemicals and Chemical Substances

RTECS: Registry of Toxic Effects of Chemical Substances

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

Material name: FLEETGUARD DCA-4 LIQUID

MSDS No. LT16571 Version #: 1 Issue date: 06-01-2015

9 / 10



TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TSCA: Toxic Substance Control Act TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2015.

2. International Agency for Research on Cancer Monographs, searched 2015.

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2015 (Chempendium, HSDB and RTECs).

4. Material Safety Data Sheets from manufacturer.

5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.

Disclaimer

Bibliography

Prepared by: ICC The Compliance Center Inc. http://www.thecompliancecenter.com

The information in this MSDS was obtained from sources, which we believe are reliable. However, since the conditions of handling and use are beyond our control, we assume no liability for damages incurred by use of this material. This MSDS was prepared, and is to be used, for this product only. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that may exist. If the product is used as a component in another product, this information may not be applicable. Users of this product should satisfy themselves that the conditions and methods of use assure the product is used safely. No representations or warranties, either expressed or implied, of any nature are made hereunder with respect to the information contained herein. It is the responsibility of the user to comply with any and all federal, state, or local laws and Nothing contained herein is to be construed as a regulations that may exist. recommendation for use in violation of any applicable laws or regulations.

MSDS CANADA Material name: FLEETGUARD DCA-4 LIQUID MSDS No. LT16571 Version #: 1 Issue date: 06-01-2015