

# Safety Data Sheet

Revision Date: 01-12-2016  
Product Code: 3030

## 1. IDENTIFICATION

Product Name	RUST-NOT HP HIGH GLOSS WHITE BASE
Product Code	3030
Document ID	G3030
Revision Number	2
Prior Version Date	01-08-2016
Intended Use	Industrial Maintenance Coating
Restrictions On Use	For Industrial Use Only
Chemical Family	Acrylic Latex Coating
Chemical Manufacturer / Importer	JONES-BLAIR® Company, LLC 2728 Empire Central Dallas, TX 75235 1-214-353-1600
Emergency Telephone Number:	ChemTrec Center 1-800-424-9300 International: 703-527-3887

## 2. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

### Hazard Pictograms



**GHS Classification** Carcinogenicity Category 2

**Hazard Statements** Suspected of causing cancer.

### Precautionary Statements

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

**Response** IF exposed or concerned: Get medical attention.

**Storage** Store locked up.

**Disposal** Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Hazards Not Otherwise Classified (HNOC)** Not applicable

### Additional Information

Not applicable

# Safety Data Sheet

Revision Date: 01-12-2016  
Product Code: 3030

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Component</u>	<u>CAS #</u>	<u>%</u>
Titanium dioxide	13463-67-7	10 - 30
Aluminum oxide	1344-28-1	0.5 - 1.5

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST-AID MEASURES

<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
<b>Eye Contact</b>	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.
<b>Skin Contact</b>	Wash with soap and water. Get medical attention if irritation develops or persists.
<b>Ingestion</b>	If swallowed, do not induce vomiting. Get medical attention immediately.
<b>Most Important Acute Symptoms and Effects</b>	Not Available
<b>Most Important Delayed Symptoms and Effects</b>	Not Available
<b>Special treatment needed:</b>	No additional first aid information available

## 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.
<b>Unsuitable Extinguishing Media</b>	No data available
<b>Fire and/or Explosion Hazards</b>	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
<b>Special Protective Equipment and Precautions for Fire-Fighters</b>	Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Will not burn, no special instructions available. Use methods appropriate for surrounding materials.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions, Protective Equipment and Emergency Procedures</b>	Follow personal protective equipment recommendations found in Section VIII of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including the material spilled, the quantity of the spill, the area in which the spill occurred. See MSDS sections III, XIII and XV for disposal considerations.
<b>Methods and Material for Containment and Cleaning Up</b>	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Dike with suitable absorbent material. Gather and store in a sealed container pending disposal.

## 7. HANDLING AND STORAGE

<b>Precautions for Safe Handling</b>	Overexposure may be harmful. As with all chemicals, good industrial hygiene practices should be followed when handling this material.
<b>Conditions for Safe Storage</b>	Store in a cool dry place. Keep container(s) closed.
<b>Materials to Avoid/Chemical Incompatibility</b>	Chlorinated compounds, Ethylene oxide

# Safety Data Sheet

Revision Date: 01-12-2016  
Product Code: 3030

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Limits

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Titanium dioxide	15 mg/m <sup>3</sup> TWA (total dust)	10 mg/m <sup>3</sup> TWA	
Aluminum oxide	15 mg/m <sup>3</sup> TWA (total dust); 5 mg/m <sup>3</sup> TWA (respirable fraction)	10 mg/m <sup>3</sup> TWA	

<b>Appropriate Engineering Controls</b>	Local exhaust ventilation or other engineering controls may be required when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910.
<b>Respiratory Protection</b>	General or local exhaust ventilation is the preferred means of protection. In cases where ventilation is inadequate, respiratory protection may be required to avoid overexposure. Follow respirator manufacturer's directions for respirator use.
<b>Eye Protection</b>	Wear safety glasses with side shields when handling this product.
<b>Skin Protection</b>	Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Clothing suitable to prevent skin contact.
<b>General Hygiene Conditions</b>	As with all chemicals, good industrial hygiene practices should be followed when handling this material.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	
Physical State	Liquid
Color	White
<b>Odor</b>	No data available
<b>Odor Threshold</b>	No data available
<b>pH</b>	8.70
<b>Melting Point/Freezing Point (°F/°C)</b>	No data available / No data available
<b>Initial Boiling Point and Boiling Range</b>	
Low (°F)	No data available
<b>Flash Point (°F/°C)</b>	212 / 100
<b>Flammability (solid, gas)</b>	No data available
<b>Upper Flammable/Explosive Limit</b>	No data available
<b>Lower Flammable/Explosive Limit</b>	No data available
<b>Vapor Density</b>	No data available
<b>Relative Density</b>	1.228
<b>Solubility in Water</b>	Complete; 100%
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Auto-ignition Temperature</b>	No data available
<b>Decomposition Temperature:</b>	No data available
<b>Viscosity</b>	80 - 90 KU
<b>Volatiles, % by volume</b>	62.58
<b>Volatiles, % by weight</b>	50.52
<b>Volatile Organic Chemicals (g/L)</b>	
(Regulatory, Calculated)	80.96
(Actual, Calculated)	33.10
<b>Density</b>	10.05 - 10.45 lbs./Gal

## 10. STABILITY AND REACTIVITY

# Safety Data Sheet

Revision Date: 01-12-2016

Product Code: 3030

**Chemical stability**  
**Possibility of Hazardous Reactions**  
**Conditions to Avoid**

Stable under normal conditions.  
No data available  
Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Contamination.  
Chlorinated compounds, Ethylene oxide

**Incompatible Materials**

## 11. TOXICOLOGICAL INFORMATION

**Routes of Exposure**  
Inhalation  
Skin contact  
Eye contact  
Ingestion

### Immediate (Acute) Health Effects by Route of Exposure

**Inhalation Irritation** Inhalation of dusts produced during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.  
**Skin Contact** Can cause minor skin irritation.  
**Eye Contact** Can cause mechanical irritation if dusts are generated.

### Long-Term (Chronic) Health Effects

**Carcinogenicity** Contains Titanium Dioxide which is listed by IARC as possibly carcinogenic to humans (Group 2B). This listing is based on inadequate evidence with respect to humans and sufficient evidence in experimental animals.

### Product Toxicology Data

**Inhalation Dust/Mist Acute Toxicity Estimate (ATE)** 127.68 mg/L

### Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	Oral LD50 Rat > 25,000 mg/kg	Dermal LD50 Rabbit > 10,000 mg/kg	Inhalation LC50 (4h) Rat > 6.82 mg/L
Aluminum oxide	Oral LD50 Rat > 10,000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	Inhalation LC50 (4h) Rat > 2.60 mg/L

### Carcinogen Information

Chemical Name	IARC Carcinogen	OSHA Carcinogen	NTP Carcinogen
Titanium dioxide	2B		

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity (aquatic and terrestrial, where available)** No data available  
**Mobility in soil** No data available

## 13. DISPOSAL CONSIDERATIONS

**Safe Handling of Waste** Refer to other sections of this SDS to determine the toxicity and physical characteristics of the material to determine the proper waste identification and disposal in compliance with applicable regulations.

## 14. TRANSPORT INFORMATION

This section provides basic shipping classification information and does not contain all regulatory transportation details. Refer to all applicable regulations for domestic, international, air, vessel and ground transportation requirements and restrictions.

# Safety Data Sheet

Revision Date: 01-12-2016  
Product Code: 3030

DOT Basic Description: Paint, Not-Regulated

Marine Pollutant: No

## 15. REGULATORY INFORMATION

**TSCA Status** All components of this product are either listed on the TSCA Inventory; or, are not subject to the inventory notification requirements.

### Regulated Components

#### SARA EHS Chemicals

	<u>CAS #</u>	<u>%</u>
Ammonia	7664-41-7	0.1 - 1

#### CERCLA

Not applicable

#### SARA 313

Aluminum oxide	1344-28-1	0.5 - 1.5

#### SARA 311/312

Health (Acute):	Y
Health (chronic):	Y
Fire (Flammable):	N
Pressure:	N
Reactivity:	N

### U. S. State Regulations:

#### California Prop 65 Chemicals

##### Cancer

	<u>CAS #</u>	<u>%</u>
Titanium dioxide	13463-67-7	10 - 30

##### Reproductive

Not applicable

### Canadian Regulations:

#### CEPA DSL:

The components of this product ARE listed on the Canadian Domestic Substances List.

#### WHMIS Hazard Class:

D2A

## 16. OTHER INFORMATION

**Revision Date** 01-12-2016

#### **Disclaimer**

This SDS has been prepared in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada's Controlled Product Regulations (CPR). To the best of our knowledge the information contained herein is accurate. Determination of safe handling, application and use of this material is the responsibility of the end user. This information is furnished without warranty, expressed or implied.