
SAFETY DATA SHEET

SECTION 1 Identification of the substance or preparation and of the company/undertaking**1.1 Product identifier**

- Product Name: GAMAZYME FC
- Product Part Number: 659391 (4 x 5 liter)

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/preparation: Cleaning agent

1.3 Details of the supplier of the safety data sheet

Name of Supplier:

Head Office:

Wilhelmsen Ships Service AS
Strandveien 20, N1324 Lysaker,
Norway Tel: (47) 6349 440 35

Supplier:

Wilhelmsen Ships Service AS
Willem Barentszstraat 50
3165AB Rotterdam
Telephone: +31 4877 777
Fax: +31 4877 888
The Netherlands

Other suppliers SEE SECTION 16!!!

For quotations contact your local Customer Services

-
- Responsible Person: Product HSE Manager,
- Email: Email: WSS.GLOBAL.SDSINFO@wilhelmsen.com
- Telephone: Tel.: +31 10 4877775

1.4 Emergency telephone number

Emergency Telephone: -ONLY TO BE USED IN CASE OF AN INCIDENTNCEC:+

44 1865 407333, CHEMTREC (800) 424 9300

American Chemistry Council +1 703 527 3887,

Greece +30 210 7793777Australia: +61 3 9630 0998

Giftinformasjonsentralen in Norway Tel.: +47 22591300

Wilhelmsen Ships Service, Melbourne, AUSTRALIA Emergency 24hrs: +61 3 9630 0998

****FOR QUOTATIONS PLEASE CONTACT YOUR LOCAL CUSTOMER SERVICES****

SECTION 2 Hazards identification**2.1 Classification of the substance or mixture**

- Council Directive 1999/45/EEC Classification, packing and labelling of dangerous preparations.
- Refer to current The Dangerous Substances Directive (67/548/EEC)
- Symbols: Xi
- Irritating to eyes (R36)
- May cause sensitisation by skin contact (R43)
-
- Regulations 1272/2008/EEC. Classification, labeling and packing of dangerous substances and preparations
- Symbols: GHS05
- Signal Word:

SECTION 2 Hazards identification (....)

- Eye Dam. 1
- Causes serious eye damage (H318).

2.2 Label elements



- Signal Word:
- Eye Dam. 1
-
- Contains:
- Polyethoxylated alcohols
- Lipase
- 1,2-benzisothiazol-3(2H)-one
-
- Hazard phrases
- Causes serious eye damage (H318).
- Precautionary Phrases
- Wear protective gloves/protective clothing/eye protection/face protection (P280).
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305+P351+P338).
- If eye irritation persists: Get medical advice/attention (P337+P313).

2.3 Other hazards

- Not applicable
- Not a PBT according to REACH Annex XIII
- Appearance: Liquid, clear, brown, soluble in water
- Odour: Characteristic odour

SECTION 3 Composition/information on ingredients

3.1 Mixtures

- Polyethoxylated alcohols
Concentration: <5%
CAS Number: 68439-46-3
EC Number: Not applicable
R/H Phrases: R22, R41 - H302 - H318
Symbols: Xn, GHS07, GHS05
Categories: Acute Tox. 4, Eye Dam. 1
- Lipase, triacyl glycerol
Concentration: <1%
CAS Number: 9001-62-1
EC Number: 232-619-9
R/H Phrases: R42 - H334
Symbols: Xn, GHS08
Categories: Resp. Sens. 1
- 1,2-benzisothiazol-3(2H)-one
Concentration: 0-1%
CAS Number: 2634-33-5
EC Number: 220-120-9
R/H Phrases: R22, R38, R41, R43, R50 - H302, H318, H315, H317, H400
Symbols: Xn, N, GHS05, GHS09, GHS07
Categories: Acute Tox. 4, Eye Dam. 1, Skin Irrit. 2, Skin Sens. 1, Aquatic Acute 1

SECTION 4 First aid measures

4.1 Description of first aid measures

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305+P351+P338).
- If eye irritation persists: Get medical advice/attention (P337+P313).
-
- IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P341).
-
- IF ON SKIN: Wash with plenty of soap and water (P302+P352).
-
- IF SWALLOWED: rinse mouth. Do NOT induce vomiting (P301+P330+P331).
- Give plenty of water to drink

4.2 Most important symptoms and effects, both acute and delayed

- Severely irritating to eyes

4.3 Indication of any immediate medical attention and special treatment needed

- No information available
-

SECTION 5 Fire-fighting measures

5.1 Extinguishing media

- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions

5.2 Special hazards arising from the substance or mixture

- Not applicable

5.3 Advice for firefighters

- Wear Positive-Pressure Breathing Apparatus
-

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- No special precautions are required for this product

6.2 Environmental Precautions

- Do not allow to enter public sewers and watercourses

6.3 Methods and material for containment and cleaning up

- Absorb spillage in suitable inert material
- Flush spill area with copious amounts of water

6.4 Reference to other sections

- See Section 13
-

SECTION 7 Handling and storage

7.1 Precautions for safe handling

- The usual precautions for handling chemicals should be observed
- No special precautions are required for this product

7.2 Conditions for safe storage, including any incompatibilities

- Store in a dry place (P402).
- Store in a well-ventilated place. Keep container tightly closed (P403+P233).

7.3 Specific end use(s)

- Contact supplier for further information
-

SECTION 8 Exposure controls/personal protection

8.1 Control parameters

- There are no recommended or established controls for this product

8.2 Exposure controls

- No special precautions are required for this product

8.3 Occupational exposure controls



- Wear plastic or rubber gloves
 - No respiratory protection is required unless subject to contact with substance mist
 - Wear goggles giving complete eye protection
-

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Odour: Characteristic odour
- Appearance: Liquid, clear, brown, soluble in water
- pH 8 - 9,5 at 100 % concentration
- Boiling point ~ 100 °C to 760 °C
- Vapour pressure - not known
- Density: Density

9.2 Other information

- No information available
-

SECTION 10 Stability and reactivity

10.1 Reactivity

- This article is considered stable under normal conditions

10.2 Chemical stability

- Considered stable under normal conditions

10.3 Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

10.4 Conditions to avoid

- No special requirements

10.5 Incompatible materials

- Incompatible with strong oxidizing substances
- Incompatible with acids and alkalis

10.6 Hazardous Decomposition Products

- In case of fire: (P370)
 - Decomposition products may include carbon oxides
 - Decomposition products may include nitrogen oxides
-

SECTION 11 Toxicological information

11.1 Information on toxicological effects

- LD50 (oral, rat) (Alcoholethoxylate) >300 mg/kg

11.2 Contact with eyes

- May cause redness and irritation
-

SECTION 11 Toxicological information (....)

11.3 Contact with skin

- In cases of severe exposure, redness and irritation may develop

11.4 Ingestion

- The ingestion of significant quantities may cause gastro-intestinal disturbances

11.5 Inhalation

- Mildly irritating to respiratory system
-

SECTION 12 Ecological information

12.1 Toxicity

- LC50 (fish) (Fatty alcoholetoxylate) 10-100 mg/l (96 hr)
- This product does not contain ingredients which are classified in the EU as dangerous for the environment.

12.2 Persistence and degradability

- The components in this product are readily biodegradable.

12.3 Bioaccumulation Potential

- Bioaccumulation of the components in this product is insignificant.

12.4 Mobility in soil

- Completely soluble in water

12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

12.6 Other Adverse Effects

- No information available
-

SECTION 13 Disposal considerations

13.1 Waste treatment methods

- No special precautions are required for this product

13.2 Classification

- EU Waste class: -
-

SECTION 14 Transport information

Not classified as hazardous for transport

14.1 UN

- UN No.: Not applicable
- Proper Shipping Name: Not applicable
- Hazard Class: Not applicable
- Packing Group: Not applicable

Not classified as hazardous for transport

14.2 Environmental hazards

- Not Classified

14.3 Special precautions for user

- Not Classified

14.4 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

- Not applicable

14.5 Road/Rail (ADR/RID)

- ADR UN No.: Not applicable
-

SECTION 14 Transport information (....)

- Proper Shipping Name: Not applicable
- ADR Hazard Class: Not applicable
- ADR Packing Group: Not applicable

14.6 Sea (IMDG)

- IMDG UN No.: Not applicable
- Proper Shipping Name: Not applicable
- IMDG Hazard Class: Not applicable
- IMDG Pack Group.: Not applicable
- IMDG EmS: Not applicable

14.7 Air (ICAO/IATA)

- ICAO Un No.: Not applicable
- Proper Shipping Name: Not applicable
- ICAO Hazard Class: Not applicable
- ICAO Packing Group: Not applicable

14.8 DOT / CFR (US Department of Transportation)

- Identification Number: Not applicable
 - DOT Proper Shipping Name: Not applicable
 - DOT Labels: Not applicable
 - Product RQ (lbs): Not applicable
-

SECTION 15 Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- This Safety Data Sheet has been prepared in accordance with article 31 and annex II in REACH and Directive 453/2010/EU.
- This Safety Data Sheet is provided in compliance with The Dangerous Substances Directive (67/548/EEC)
- Council Directive 1999/45/EEC Classification, packing and labelling of dangerous preparations.
- Regulations 1272/2008/EEC. Classification, labeling and packing of dangerous substances and preparations
-
- Norwegian Productregistration no: 54316
- Does not contain phosphate.
-
- Composition information in accordance with EC Regulation 648/2004 of the European Parliament and of the Council of 31st March 2004 on detergents:

- Anionic surfactants	<5	%
- Nonionic surfactants	<5	%

15.2 Chemical Safety Assessment

- None
-

SECTION 16 Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H302: Harmful if swallowed. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. H400: Very toxic to aquatic life. R22: Harmful if swallowed. R38: Irritating to skin. R41: Risk of serious damage to eyes. R42: May cause sensitisation by inhalation. R43: May cause sensitisation by skin contact. R50: Very toxic to aquatic organisms.

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents

SECTION 16 Other information (....)

The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer

The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties

The most up-to-date version of this MSDS can be found on www.wilhelmsen.com/shipsservice

OTHER CONTACT INFORMATION MAJOR CHEMICAL OFFICES

Wilhelmsen Ships Service Level 17, 636 St Kilda Road Melbourne Vic 3004 AUSTRALIA

Tel: +61 3 9630 0900 Emergency 24hrs: +61 3 9630 0998

Wilhelmsen Ships Service INC 210 Edgewater Street US-10305 Staten Island New York United States

Telephone daytime: (+1) 718 815 1310 Fax: (+1) 718 233 3268

Wilhelmsen Ships Service INC 2200 W. Pacific Coast Highway US-90810 Long Beach California, United States Tel (+1) 562 624 8888 Fax (+1) 562 624 1011

Wilhelmsen Ships Service INC 701 Ashland Ave. Ashland Center Two, Bay 12 US- 19032 Folcroft Pennsylvania United States Tel (+1) 610 586 7801 Fax (+1) 215 701 0646

Wilhelmsen Ships Service INC. 9400 New Century Drive US-77507 Pasadena Texas United States Telephone daytime: (+1) 281 867 2000 Fax: (+1) 281 867 2800

Wilhelmsen Ships Service Ltd. Unit 3A NewtonsCourt Crossways DA2 6QL Dartford, Kent United Kingdom Tel (+44) 1322 282 412 Fax (+44) 1322 284 774

Wilhelmsen Ships Service Ltda Rua Bispo Lacerda nos.61/67 Del Catilho BR 21051120 Rio de Janeiro Brazil Tel (+55) 21 25 82 8000 Fax (+55) 21 25 82 8001

Wilhelmsen Ships Service (S) Pte Ltd 186 Pandan Loop Singapore 128376 Tel (+65) 6395 4545

Wilhelmsen Ships Service Co., Ltd 12-31 Torihama-cho Kanazawa-ku Yokohama-shi JP-236 0002, Japan Tel (+81) 45 775 0012 Fax (+81) 45 775 0070

Wilhelmsen Ships Service Hellas SA 100, D. Moutsopoulou & Serifou str GR-185 41 Piraeus Greece Tel (+ 30) 210 4239100 Fax (+ 30) 210 4212480

Wilhelmsen Ships Service AS U.A.E . Fl 24 Executive Heights, Tecom C Sheikh Zayed Road (East) Dubai United Arab Emirates Tel (+971) 4 382 3888

Wilhelmsen Ships Service AS, Willem Barentszstraat 50 3165 AB Rotterdam-Albrandswaard, the Netherlands. Tel (+31) 10 4877 777

