# #RSC Chemical Solutions

# SAFETY DATA SHEET

#### 1. Identification

Product identifier Gunk Safe Care Truck & Equipment Wash

Other means of identification

SDS number GB15-1G

**Part No.** GB15-1G, GB15-5G, GB15-55G

Recommended use Cleaner
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name RSC Chemical Solutions Address 600 Radiator Road

Indian Trail, NC 28079

**United States** 

**Telephone** Customer Service: (704) 821-7643

Technical: (704) 684-1811

Website www.rscbrands.com

**E-mail** Not available.

**Emergency phone number** Emergency Telephone: (303) 623-5716

Emergency Contact: RMPDC (877-740-5015)

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazardsSerious eye damage/eye irritationCategory 1Environmental hazardsHazardous to the aquatic environment, acuteCategory 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes serious eye damage. Harmful to aquatic life. Harmful to aquatic life with long lasting

effects.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid release to the

environment. Wear protective gloves/eye protection/face protection.

**Response** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center/doctor. In case of fire: Use

appropriate media to extinguish.

**Storage** Store in a well-ventilated place. Keep cool.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** 9.35% of the mixture consists of component(s) of unknown acute hazards to the aquatic

environment. 9.4% of the mixture consists of component(s) of unknown long-term hazards to the

aquatic environment.

Material name: Gunk Safe Care Truck & Equipment Wash GB15-1G, GB15-5G, GB15-55G Version #: 01 Issue date: 04-30-2015

## 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name                        | Common name and synonyms | CAS number | %        |
|--------------------------------------|--------------------------|------------|----------|
| 2-(2-butoxyéthoxy) Éthanol           |                          | 112-34-5   | 5 - < 10 |
| Tetrasodium Edta                     |                          | 64-02-8    | 1 - < 3  |
| Other components below reportable le | evels                    |            | 90 - 100 |

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact

vision. Permanent eye damage including blindness could result.

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed **General information** 

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

## 7. Handling and storage

**Precautions for safe handling**Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke.

Provide adequate ventilation. Do not get this material in contact with eyes. Avoid prolonged

Provide adequate ventilation. Do not get this material in contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment.

Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

| US. A | ACGIH | <b>Threshold</b> | <b>Limit Values</b> |
|-------|-------|------------------|---------------------|
|-------|-------|------------------|---------------------|

| Components                                   | Туре | Value  | Form                          |
|--|------|--------|-------------------------------|
| 2-(2-butoxyéthoxy) Éthanol<br>(CAS 112-34-5) | TWA  | 10 ppm | Inhalable fraction and vapor. |

No biological exposure limits noted for the ingredient(s).

**Biological limit values** 

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

Appearance Clear. Liquid.

Physical state Liquid.
Form Liquid.
Color Colorless
Odor Soapy
Odor threshold Not available.

pH 9 - 10.5

Melting point/freezing point -90.58 °F (-68.1 °C) estimated Initial boiling point and boiling 446.72 °F (230.4 °C) estimated

range

Flash point > 237.0 °F (> 113.9 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.002 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 442 °F (227.78 °C) estimated

Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 8.45 lbs/gal **Explosive properties** Not explosive.

Flammability class Combustible IIIB estimated

Oxidizing properties Not oxidizing.

Percent volatile 95.6 % estimated

Specific gravity 1.01 VOC (Weight %) 0 %

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

#### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** No adverse effects due to skin contact are expected.

**Eye contact** Causes serious eye damage.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

#### Information on toxicological effects

#### **Acute toxicity**

| Components                | Species          | Test Results |  |
|---------------------------|------------------|--------------|--|
| 2-(2-butoxyéthoxy) Éthano | I (CAS 112-34-5) |              |  |
| <u>Acute</u>              |                  |              |  |
| Dermal                    |                  |              |  |
| LD50                      | Rabbit           | 2700 mg/kg   |  |
| Oral                      |                  |              |  |
| LD50                      | Guinea pig       | 2000 mg/kg   |  |
|                           | Mouse            | 2400 mg/kg   |  |
|                           | Rabbit           | 2200 mg/kg   |  |
|                           | Rat              | 4500 mg/kg   |  |

Components Species Test Results

Tetrasodium Edta (CAS 64-02-8)

Acute Oral

LD50 Rat > 2000 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

us eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

| Components           |                      | Species                        | Test Results        |  |
|----------------------|----------------------|--------------------------------|---------------------|--|
| 2-(2-butoxyéthoxy) [ | Éthanol (CAS 112-34- | 5)                             |                     |  |
| Aquatic              |                      |                                |                     |  |
| Fish                 | LC50                 | Bluegill (Lepomis macrochirus) | 1300 mg/l, 96 hours |  |

Tetrasodium Edta (CAS 64-02-8)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) 472 - 500 mg/l, 96 hours

**Persistence and degradability** No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

2-(2-butoxyéthoxy) Éthanol 0.56

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

2-(2-butoxyéthoxy) Éthanol (CAS 112-34-5)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

| Chemical name              | CAS number | % by wt. |
|----------------------------|------------|----------|
| 2-(2-butoxyéthoxy) Éthanol | 112-34-5   | 5 - < 10 |

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

2-(2-butoxyéthoxy) Éthanol (CAS 112-34-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

**US state regulations** 

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a)

2-(2-butoxyéthoxy) Éthanol (CAS 112-34-5)

**US. Massachusetts RTK - Substance List** 

Not regulated.

#### US. New Jersey Worker and Community Right-to-Know Act

2-(2-butoxyéthoxy) Éthanol (CAS 112-34-5)

#### US. Pennsylvania Worker and Community Right-to-Know Law

2-(2-butoxyéthoxy) Éthanol (CAS 112-34-5)

#### **US. Rhode Island RTK**

2-(2-butoxyéthoxy) Éthanol (CAS 112-34-5)

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Australian Inventory of Chemical Substances (AICS)

#### **International Inventories**

Australia

Country(s) or region

| Canada      | Domestic Substances List (DSL)   | Yes |
|-------------|--|-----|
| Carlada     | Domestic Substances List (DSL)   | 163 |
| Canada      | Non-Domestic Substances List (NDSL)                                    | No  |
| China       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes |
| Europe      | European Inventory of Existing Commercial Chemical Substances (EINECS) | No  |
| Europe      | European List of Notified Chemical Substances (ELINCS)                 | No  |
| Japan       | Inventory of Existing and New Chemical Substances (ENCS)               | Yes |
| Korea       | Existing Chemicals List (ECL)  | Yes |
| New Zealand | New Zealand Inventory  | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

## 16. Other information, including date of preparation or last revision

Inventory name

04-30-2015 Issue date

Version # 01

United States & Puerto Rico

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

Toxic Substances Control Act (TSCA) Inventory

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: Gunk Safe Care Truck & Equipment Wash GB15-1G, GB15-5G, GB15-55G Version #: 01 Issue date: 04-30-2015 On inventory (yes/no)\*

Yes

Yes

country(s).