HALLIBURTON

SAFETY DATA SHEET GELTONE® V

Revision Date: 21-Jan-2016 Revision Number: 27

1. Product and Company Identification

Product Name

Product Trade Name: GELTONE® V

Other Names

Synonyms: None Product Code: HM003657

Recommended Use

Recommended Use Viscosifier

Uses Advised Against No information available

Company Name, Address and Contact Details

Manufacturer/Supplier Halliburton New Zealand

1 Paraite Rd,

Bell Block, New Plymouth

New Zealand Registration No.: 824207

E-Mail address: fdunexchem@halliburton.com

Emergency Telephone Number +64 800 451719

New Zealand National Poisons

Centre

0800 764 766 (24 hours)

2. Hazard(s) Identification

Statement of Hazardous Nature

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulation 2001; Not Classified as dangerous good according to NZS 5433:2012, UN, IMDG or IATA

Classification

6.7A Known or presumed human carcinogens

6.9B Harmful to human target organs or systems

9.1B Ecotoxic in the aquatic environment

Hazard and Precautionary Statements

Hazard Pictograms



Signal Word Danger

Hazard Statements H350 - May cause cancer by inhalation

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

H401 - Toxic to aquatic life

Precautionary Statements

Prevention P103 - Read label before use

P104 - Read Safety Data Sheet before use. P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray P281 - Use personal protective equipment as required

Response P308 + P313 - IF exposed or concerned: Get medical advice/attention

P314 - Get medical attention/advice if you feel unwell

P391 - Collect spillage

Storage P405 - Store locked up

Disposal P501 - Dispose of contents/container to an approved landfill

Contains

Substances	CAS Number	Substance HSNO Classification
Crystalline silica, quartz	14808-60-7	6.7A
		6.9A
Crystalline silica, cristobalite	14464-46-1	6.7A
		6.9A
Crystalline silica, tridymite	15468-32-3	6.7A
		6.9A

2.3. Other Hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

3. Composition and Information on Ingredients

Substances	CAS Number	PERCENT (w/w)
Crystalline silica, quartz	14808-60-7	1 - 5%
Crystalline silica, cristobalite	14464-46-1	0.1 - 1%
Crystalline silica, tridymite	15468-32-3	0.1 - 1%

4. First-Aid Measures

Requirements for First Aid or Medical Care

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15 minutes

and get medical attention if irritation persists.

Skin Wash with soap and water. Get medical attention if irritation persists. **Ingestion** Under normal conditions, first aid procedures are not required.

Workplace Facilities Required

None

Relation to Health Effect

Most Important Symptoms/Effects

Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease. Carcinogen. Prolonged or repeated exposure may cause damage to organs.

Medical Attention and Special Treatment

Notes to Physician

Treat symptomatically

5. Fire-fighting measures

Type of Hazard

Flammability Hazard

None known

5.1. Extinguishing media

Suitable Extinguishing Media

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

HAZCHEM Code

Hazchem Code: None Allocated

Special Protective Equipment and Precautions for Fire Fighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

Special Exposure Hazards

Not applicable.

6. Spillage, Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

7. Handling and storage

7.1. Precautions for Safe Handling

Handling Precautions

This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is slippery when wet.

Handling Practices

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

Approved Handlers

If more than 10 kg (Class 6) is present, then an approved handler must be present when the substance is being handled and when not in use, the substance must be locked away.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry location. Store in a well ventilated area. Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use. Keep container closed when not in use. Store locked up. Do not reuse empty container. Product has a shelf life of 24 months.

Store Site Requirements

No special controls required

Packaging

No special packaging required

8. Exposure Controls and Personal Protection

Workplace Exposure Standards

Exposure Limits

Substances	CAS Number	New Zealand WES	ACGIH TLV-TWA
Crystalline silica, quartz	14808-60-7	TWA: 0.2 mg/m ³	TWA: 0.025 mg/m ³
Crystalline silica, cristobalite	14464-46-1	TWA: 0.1 mg/m ³	TWA: 0.025 mg/m ³

Crystalline silica, tridymite 15468-32-3 TWA: 0.1 mg/m³ TWA: 0.05 mg/m³

Engineering Controls

Engineering Controls

Use approved industrial ventilation and local exhaust as required to maintain exposures

below applicable exposure limits.

Personal Protective Equipment (PPE)

Respiratory Protection Wear a NIOSH certified, European Standard EN 149 (FFP2/FFP3), AS/NZS 1715, or

equivalent respirator when using this product.

Hand Protection Normal work gloves.

Skin Protection Wear clothing appropriate for the work environment. Dusty clothing should be laundered

before reuse. Use precautionary measures to avoid creating dust when removing or

laundering clothing.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Powder Color: Tan

Odor: Mild Odor Threshold: No information available

<u>Property</u> <u>Values</u>

Remarks/ - Method

pH: No data available Freezing Point/Range No data available Melting Point/Range No data available **Boiling Point/Range** No data available Flash Point No data available **Evaporation rate** No data available **Vapor Pressure** No data available No data available **Vapor Density**

Specific Gravity 1.6
Water Solubility Insoluble

Solubility in other solventsNo data availablePartition coefficient: n-octanol/waterNo data availableAutoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data availableExplosive PropertiesNo information available

Oxidizing Properties No information available No information available

9.2. Other information

VOC Content (%) No data available

10. Stability and Reactivity

10.2. Chemical Stability

Stable

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Hydrofluoric acid.

10.6. Hazardous Decomposition Products

Amorphous silica may transform at elevated temperatures to tridymite (870 C) or cristobalite (1470 C).

Hazardous Reactions

Hazardous Polymerization: Will Not Occur

11. Toxicological Information

Health Effect from Likely Routes of Exposure Acute Toxicity

Inhalation

Inhaled crystalline silica in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC, Group 1). There is sufficient evidence in experimental animals for the carcinogenicity of tridymite (IARC, Group 2A).

Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health effects (See "Chronic Effects/Carcinogenicity" subsection below).

Eye Contact Skin Contact Ingestion May cause mild eye irritation. May cause mild skin irritation.

Irritation of the mouth, throat, and stomach.

Chronic Effects/Carcinogenicity

Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

Cancer Status: The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2). There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

Toxicity Data

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica, quartz	14808-60-7	>15,000 mg/kg (Human)	No data available	No data available
Crystalline silica,	14464-46-1	>15,000 mg/kg (Human)	No data available	No data available
cristobalite				
Crystalline silica,	15468-32-3	>15,000 mg/kg (Human)	No data available	No data available
tridymite				

Substances	CAS	Skin corrosion/irritation
	Number	
Crystalline silica, quartz	14808-60-7	Non-irritating to the skin
Crystalline silica,	14464-46-1	Non-irritating to the skin
cristobalite		
Crystalline silica, tridymite	15468-32-3	Non-irritating to the skin

	CAS Number	Eye damage/irritation
		Mechanical irritation of the eyes is possible.
Crystalline silica,		Mechanical irritation of the eyes is possible.
cristobalite		, '
Crystalline silica, tridymite	15468-32-3	Mechanical irritation of the eyes is possible.

Substances	CAS	Skin Sensitization

	Number	
Crystalline silica, quartz	14808-60-7	No information available.
Crystalline silica,	14464-46-1	No information available
cristobalite		
Crystalline silica, tridymite	15468-32-3	No information available

Substances	CAS Number	Respiratory Sensitization
Crystalline silica, quartz	14808-60-7	No information available
Crystalline silica,	14464-46-1	No information available
cristobalite		
Crystalline silica, tridymite	15468-32-3	No information available

Substances	CAS Number	Mutagenic Effects
Crystalline silica, quartz	14808-60-7	Not regarded as mutagenic.
Crystalline silica,	14464-46-1	Not regarded as mutagenic.
cristobalite		
Crystalline silica, tridymite	15468-32-3	Not regarded as mutagenic.

Substances	CAS Number	Carcinogenic Effects
Crystalline silica, quartz	14808-60-7	Contains crystalline silica which may cause silicosis, a delayed and progressive lung disease. The IARC and NTP have determined there is sufficient evidence in humans of the carcinogenicity of crystalline silica with repeated respiratory exposure. Based on available scientific evidence, this substance is a threshold carcinogen with a mode of action involving indirect genotoxicity secondary to lung injury.
Crystalline silica, cristobalite	14464-46-1	Contains crystalline silica which may cause silicosis, a delayed and progressive lung disease. The IARC and NTP have determined there is sufficient evidence in humans of the carcinogenicity of crystalline silica with repeated respiratory exposure. Based on available scientific evidence, this substance is a threshold carcinogen with a mode of action involving indirect genotoxicity secondary to lung injury.
Crystalline silica, tridymite	15468-32-3	Contains crystalline silica which may cause silicosis, a delayed and progressive lung disease. The IARC and NTP have determined there is sufficient evidence in humans of the carcinogenicity of crystalline silica with repeated respiratory exposure. Based on available scientific evidence, this substance is a threshold carcinogen with a mode of action involving indirect genotoxicity secondary to lung injury.

Substances		Reproductive toxicity
	Number	
Crystalline silica, quartz	14808-60-7	No information available
Crystalline silica,	14464-46-1	No information available
cristobalite		
Crystalline silica, tridymite	15468-32-3	No information available

Substances	CAS Number	STOT - single exposure
Crystalline silica, quartz	14808-60-7	No significant toxicity observed in animal studies at concentration requiring classification.
Crystalline silica, cristobalite	14464-46-1	No significant toxicity observed in animal studies at concentration requiring classification.
Crystalline silica, tridymite	15468-32-3	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS	STOT - repeated exposure	
	Number		
Crystalline silica, quartz	14808-60-7	Causes damage to organs through prolonged or repeated exposure if inhaled: (Lungs)	
Crystalline silica, cristobalite	14464-46-1	Causes damage to organs through prolonged or repeated exposure if inhaled: (Lungs)	
Crystalline silica, tridymite	15468-32-3	Causes damage to organs through prolonged or repeated exposure if inhaled: (Lungs)	

Substances	CAS Number	Aspiration hazard
		Not applicable
Crystalline silica, quartz	14808-60-7	Not applicable
Crystalline silica,	14464-46-1	Not applicable
cristobalite		
Crystalline silica, tridymite	15468-32-3	Not applicable

12. Ecological Information

12.1. Toxicity Ecotoxicity Effects

Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Crystalline silica, quartz	14808-60-7	No information available	LL0 (96h) 10,000 mg/L (Danio rerio) (similar substance)	No information available	LL50 (24h) > 10,000 mg/L (Daphnia magna) (similar substance)
Crystalline silica, cristobalite	14464-46-1	No information available	LL0 (96h) 10,000 mg/L (Danio rerio) (similar substance)	No information available	LL50 (24h) > 10,000 mg/L (Daphnia magna) (similar substance)
Crystalline silica, tridymite	15468-32-3	No information available	LL0 (96h) 10,000 mg/L(Danio rerio) (similar substance)	No information available	LL50 (24h) > 10,000 mg/L (Daphnia magna) (similar substance)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Crystalline silica, quartz	14808-60-7	The methods for determining
		biodegradability are not applicable to
		inorganic substances.
Crystalline silica, cristobalite	14464-46-1	The methods for determining
		biodegradability are not applicable to
		inorganic substances.
Crystalline silica, tridymite	15468-32-3	The methods for determining
		biodegradability are not applicable to
		inorganic substances.

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Crystalline silica, quartz	14808-60-7	No data available
Crystalline silica, cristobalite	14464-46-1	No data available
Crystalline silica, tridymite	15468-32-3	No data available

12.4. Mobility in soil

Substances	CAS Number	Mobility
Crystalline silica, quartz	14808-60-7	No information available
Crystalline silica, cristobalite	14464-46-1	No information available
Crystalline silica, tridymite	15468-32-3	No information available

Ecotoxicity Hazard Statements

Toxic to aquatic life

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations

13.1. Waste treatment methods

Disposal Method Contaminated Packaging Bury in a licensed landfill according to federal, state, and local regulations.

Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

14. Transport Information

IMDG/IMO

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

Environmental Hazards: Not applicable

NZ 5433.1999

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Not restricted
Not applicable
Not applicable

IATA/ICAO

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

Special Precautions for User: None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

15. Regulatory Information

New Zealand Inventory of

Chemicals

All components are listed on the AICS or are subject to a relevant exemption, permit, or

assessment certificate.

HSNO Approval Number HSR002512

Group Name Additives, Process Chemicals and Raw Materials (Toxic 6.7 HSR002512)

HSNO Controls Refer to the NZ EPA website for more information: http://www.epa.govt.nz

Approved Handlers If more than 10 kg (Class 6) is present, then an approved handler must be present when

the substance is being handled and when not in use, the substance must be locked

away.

Poisons Schedule: None Allocated

16. Other information

The following sections have been revised since the last issue of this SDS

Not applicable

Additional information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact

Chemical Stewardship at 1-580-251-4335.

Key or legend to abbreviations and acronyms

bw – body weight CAS – Chemical Abstracts Service EC50 – Effective Concentration 50% LC50 – Lethal Concentration 50% LD50 – Lethal Dose 50% LL50 – Lethal Loading 50% MARPOL – International Convention for the Prevention of Pollution from Ships mg/kg – milligram/kilogram mg/L – milligram/liter NOEC – No Observed Effect Concentration OEL – Occupational Exposure Limit ppm – parts per million TWA – Time-Weighted Average VOC – Volatile Organic Carbon C - Celsius IATA/ICAO - International Air Transport Association / International Civil Aviation Organization IMDG/IMO - International Maritime Dangerous Goods / International Maritime Organization mg/m³ - milligram/cubic meter mm - millimeter mmHg - millimeter mercury w/w - weight/weight d - day

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date: 21-Jan-2016

Revision Note SDS sections updated:

2

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet