Safety Data Sheet

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Material Name : Shell Spirax S5 ATE 75W-90

Product Code : 001D8288

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use : Transmission oil.

Uses Advised Against : This product must not be used in applications other than those

recommended in Section 1, without first seeking the advice of

the supplier.

1.3 Details of the Supplier of the safety data sheet

Manufacturer/Supplier : Shell UK Oil Products Limited

Shell Centre London SE1 7NA United Kingdom

Telephone : (+44) 08708500939

Email Contact for : If you have any enquiries about the content of this SDS please

Safety Data Sheet email lubricantSDS@shell.com

1.4 Emergency Telephone Number

: +44-(0) 151-350-4595

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

1999/45/EC	
Hazard Characteristics	R-phrase(s)
Not classified as dangerous under EC criteria.;	

Sensitiser not sufficient to

classify

: Contains dialkylpolysulphide. Contains amine phosphate. May

produce an allergic reaction.

1/18

Print Date 07.12.2012

Regulation 1907/2006/EC

Safety Data Sheet

2.2 Label Elements

Labeling according to Directive 1999/45/EC

EC Symbols : No Hazard Symbol required

EC Classification : Not classified as dangerous under EC criteria.

EC Risk Phrases : Not classified. EC Safety Phrases : Not classified.

2.3 Other Hazards

Health Hazards : Not expected to be a health hazard when used under normal

conditions. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful

impurities.

Safety Hazards : Not classified as flammable but will burn.

Environmental Hazards : Not classified as dangerous for the environment.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance

Material Name : Not applicable.

3.2 Mixtures

Mixture Description : Blend of severely hydrotreated slack wax, synthetic esters,

polyolefins and additives. Highly refined mineral oil.

Hazardous Components

Classification of components according to Regulation (EC) No 1272/2008

Chemical Name	CAS No.	EC Number	REACH Registration No.	Conc.
Olefin sulphide	68937-96-2	273-103-3	Not available / Not	1.00 - 5.00%

Safety Data Sheet

			applicable.	
Amine phosphate	91745-46-9	294-716-2	01-2119493620-38	1.00 - 2.40%
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	*	*	*	0.00 - 90.00%

Chemical Name	Hazard Class & Category	Hazard Statement
Olefin sulphide	Skin Sens., 1; Aquatic Chronic, 4;	H317; H413;
Amine phosphate	Flam. Liq., 3; Acute Tox., 4; Eye Dam.,	H226; H302; H318; H317;
	1; Skin Sens., 1; Aquatic Chronic, 2;	H411;
Interchangeable low	Asp. Tox., 1;	H304;
viscosity base oil		
(<20,5 cSt @40°C) *		

Classification of components according to 67/548/EEC

Chemical Name	CAS No.	EC Number	REACH Registration No.	Symbol(s)	R-phrase(s)	Conc.
Olefin sulphide	68937-96-2	273-103-3	Not available / Not applicable.	Xi	R43; R53	1.00 - 5.00%
Amine phosphate	91745-46-9	294-716-2	01- 2119493620- 38	Xn, Xi, N	R22; R41; R43; R51/53	1.00 - 2.40%

Additional Information

The highly refined mineral oil contains <3% (w/w) DMSO-extract, according to IP346. The highly refined mineral oil is only present as additive diluent.

Refer to Ch 16 for full text of R- and H- phrases.

* contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65-0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69-9 (01-0000020164-80).

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Safety Data Sheet

SECTION 4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Information : Not expected to be a health hazard when used under normal

conditions.

Inhalation : No treatment necessary under normal conditions of use. If

symptoms persist, obtain medical advice.

Skin Contact : Remove contaminated clothing. Flush exposed area with water

and follow by washing with soap if available. If persistent

irritation occurs, obtain medical attention.

Eye Contact : Flush eye with copious quantities of water. If persistent

irritation occurs, obtain medical attention.

Ingestion : In general no treatment is necessary unless large quantities

are swallowed, however, get medical advice.

Self-protection of the first

aider

When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the

incident, injury and surroundings.

4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical

attention and special treatment needed

: Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.

: Notes to doctor/physician: Treat symptomatically.

SECTION 5. FIRE FIGHTING MEASURES

Clear fire area of all non-emergency personnel.

5.1 Extinguishing Media : Foam, water spray or fog. Dry chemical powder, carbon

dioxide, sand or earth may be used for small fires only.

Unsuitable Extinguishing

Media

Do not use water in a jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic

compounds.

5.3 Advice for firefighters : Proper protective equipment including chemical resistant

gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to

Safety Data Sheet

relevant Standards (e.g. Europe: EN469).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Avoid contact with spilled or released material. For guidance on selection of personal protective equipment see Chapter 8 of this Material Safety Data Sheet. Observe the relevant local and international regulations.

6.1 Personal Precautions, Protective Equipment and Emergency Procedures 6.1.1 For non emergency personnel: Avoid contact with skin

and eyes.

6.1.2 For emergency responders: Avoid contact with skin and

eyes.

6.2 Environmental Precautions

Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate

barriers.

6.3 Methods and Material for Containment and Cleaning Up

Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.

Additional Advice

: Local authorities should be advised if significant spillages

cannot be contained.

6.4 Reference to other sections

: For guidance on selection of personal protective equipment see Chapter 8 of this Material Safety Data Sheet. For guidance on disposal of spilled material see Chapter 13 of this Material Safety Data Sheet.

SECTION 7. HANDLING AND STORAGE

General Precautions

Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.

7.1 Precautions for Safe Handling

: Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires. Keep container tightly closed and in a cool, well-ventilated place. Use properly

labelled and closeable containers.

Product Transfer : This material has the potential to be a static accumulator.

5/18

Print Date 07.12.2012 000000020089

MSDS GB

Version 3.0

Effective Date 03.12.2012

Regulation 1907/2006/EC

Safety Data Sheet

Proper grounding and bonding procedures should be used

during all bulk transfer operations.

7.2 Conditions for safe storage, including any incompatibilities

Store at ambient temperature.

Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.

The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guidance may be obtained from the local environmental

agency office.

Recommended Materials : For containers or container linings, use mild steel or high

density polyethylene.

Unsuitable Materials :

7.3 Specific end use(s) Additional Information

Not applicable

PVC.

Polyethylene containers should not be exposed to high

temperatures because of possible risk of distortion.

Exposure to this product should be reduced as low as reasonably practicable. Reference should be made to the Health and Safety Executive's publication "COSHH Essentials".

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

If the American Conference of Governmental Industrial Hygienists (ACGIH) value is provided on this document, it is provided for information only.

8.1 Control Parameters

Occupational Exposure Limits

Material	Source	Туре	ppm	mg/m3	Notation
Oil mist, mineral	ACGIH	TWA(Inhala		5 mg/m3	
		ble fraction.)			

Biological Exposure Index (BEI)

No biological limit allocated.

PNEC related information : Data not available

Monitoring Methods : Monitoring of the concentration of substances in the breathing

6/18

Print Date 07.12.2012 00000020089

MSDS GB

Safety Data Sheet

zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate. Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory. Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany. http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

8.2 Exposure Controls General Information

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances.

Appropriate measures include: Adequate ventilation to control airborne concentrations. Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation. Drain

Safety Data Sheet

down system prior to equipment break-in or maintenance. Retain drain downs in sealed storage pending disposal or for subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Occupational Exposure Controls

Personal Protective Equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards. Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye Protection

Wear safety glasses or full face shield if splashes are likely to

occur. Approved to EU Standard EN166.

Hand Protection

Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.

For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognise that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time may be acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material.

Body protection

Skin protection not ordinarily required beyond standard issue

work clothes.

Respiratory Protection

No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene

Version 3.0

Effective Date 03.12.2012 Regulation 1907/2006/EC

Safety Data Sheet

practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point

>65 °C (149 °F)] meeting EN14387.

Thermal Hazards Not applicable.

Environmental Exposure Controls

Environmental exposure

control measures

: Minimise release to the environment. An environmental assessment must be made to ensure compliance with local environmental legislation. Information on accidental release

measures are to be found in section 6.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : Amber. Liquid at room temperature.

Odour Slight hydrocarbon. Odour threshold Data not available Not applicable.

Initial Boiling Point and > 280 °C / 536 °F estimated value(s)

Boiling Range

Pour point : Typical -45 °C / -49 °F Flash point : Typical 205 °C / 401 °F (COC)

Upper / lower Flammability : Typical 1 - 10 %(V)

or Explosion limits

Auto-ignition temperature $: > 320 \, ^{\circ}\text{C} / 608 \, ^{\circ}\text{F}$

Vapour pressure : < 0.5 Pa at 20 °C / 68 °F (estimated value(s))

Relative Density : Typical 0.879 at 15 °C / 59 °F Density : Typical 879 kg/m3 at 15 °C / 59 °F

Water solubility : Nealiaible.

Solubility in other solvents : Data not available

n-octanol/water partition coefficient (log Pow)

: > 6 (based on information on similar products)

Dynamic viscosity Data not available

Typical 81 mm2/s at 40 °C / 104 °F Kinematic viscosity

Vapour density (air=1) > 1 (estimated value(s))

9/18

00000020089 Print Date 07.12.2012 MSDS GB

Shell Spirax S5 ATE 75W-90

Version 3.0

Effective Date 03.12.2012

Regulation 1907/2006/EC

Safety Data Sheet

Evaporation rate (nBuAc=1) : Data not available Decomposition : Data not available

Temperature

Flammability : Data not available Oxidizing Properties : Data not available

Explosive Properties : Not classified

9.2 Other Information

Electrical conductivity : This material is not expected to be a static accumulator.

Other Information : not a VOC

Volatile organic compound : 0 %

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity : The product does not pose any further reactivity hazards in

addition to those listed in the following sub-paragraph.

10.2 Chemical stability : No hazardous reaction is expected when handled and stored

according to provisions.

10.3 Possibility of

Hazardous Reactions

10.4 Conditions to Avoid

10.5 Incompatible

Materials

10.6 Hazardous

Decomposition Products

Reacts with strong oxidising agents.

: Extremes of temperature and direct sunlight.

: Strong oxidising agents.

: Hazardous decomposition products are not expected to form

during normal storage.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological effects

Basis for Assessment : Information given is based on data on the components and the

toxicology of similar products.

Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for

individual component(s).

Likely Routes of

Exposure

Acute Oral Toxicity
Acute Dermal Toxicity
Acute Inhalation Toxicity

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Expected to be of low toxicity: LD50 > 5000 mg/kg, Rat Expected to be of low toxicity: LD50 > 5000 mg/kg, Rabbit Not considered to be an inhalation hazard under normal

Regulation 1907/2006/EC

Safety Data Sheet

conditions of use.

Skin corrosion/irritation : Expected to be slightly irritating. Prolonged or repeated skin

Expected to be slightly irritating.

contact without proper cleaning can clog the pores of the skin

resulting in disorders such as oil acne/folliculitis.

Serious eye damage/irritation Respiratory Irritation Respiratory or skin

sensitisation

Inhalation of vapours or mists may cause irritation.

For skin sensitisation: Experimental data has shown that the concentration of potentially sensitising components present in this product does not induce skin sensitisation. May cause an

allergic skin reaction in sensitive individuals. (Dialkyl

polysulphide, Amine phosphate)

For respiratory sensitisation: Not expected to be a sensitiser.

Aspiration Hazard

Not considered an aspiration hazard.

Germ cell mutagenicity Carcinogenicity

Not considered a mutagenic hazard. Not expected to be carcinogenic.

Material	:	Carcinogenicity Classification
Highly refined mineral oil (IP346 <3%)	:	ACGIH Group A4: Not classifiable as a human carcinogen.
Highly refined mineral oil (IP346 <3%)	:	IARC 3: Not classifiable as to carcinogenicity to humans.
Highly refined mineral oil (IP346 <3%)	:	GHS / CLP: No carcinogenicity classification

Reproductive and **Developmental Toxicity** : Not expected to be a hazard.

Summary on evaluation of the CMR properties

Carcinogenicity : This product does not meet the criteria for classification in

categories 1A/1B.,

Mutagenicity This product does not meet the criteria for classification in

categories 1A/1B.

Reproductive Toxicity

(fertility)

This product does not meet the criteria for classification in

categories 1A/1B.

Specific target organ toxicity - single exposure

Not expected to be a hazard.

Specific target organ

toxicity - repeated exposure

Not expected to be a hazard.

Additional Information

Used oils may contain harmful impurities that have

accumulated during use. The concentration of such impurities

Safety Data Sheet

will depend on use and they may present risks to health and the environment on disposal. ALL used oil should be handled with caution and skin contact avoided as far as possible. Classifications by other authorities under varying regulatory frameworks may exist.

SECTION 12. ECOLOGICAL INFORMATION

Basis for Assessment Ecotoxicological data have not been determined specifically for

> this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).

12.1 Toxicity **Acute Toxicity**

Poorly soluble mixture. May cause physical fouling of aquatic organisms. Expected to be practically non toxic: LL/EL/IL50 >

100 mg/l (to aquatic organisms) LL/EL50 expressed as the nominal amount of product required to prepare aqueous test

extract.

12.2 Persistence and

degradability

: Expected to be not readily biodegradable. Major constituents are expected to be inherently biodegradable, but the product contains components that may persist in the environment. : Contains components with the potential to bioaccumulate.

12.3 Bioaccumulative **Potential**

12.4 Mobility in Soil

: Liquid under most environmental conditions. If it enters soil, it

will adsorb to soil particles and will not be mobile. Floats on

water.

12.5 Result of PBT and vPvB assesment

: This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

12.6 Other Adverse Effects

Product is a mixture of non-volatile components, which are not expected to be released to air in any significant quantities. Not expected to have ozone depletion potential, photochemical

ozone creation potential or global warming potential.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

12/18

00000020089 Print Date 07.12.2012 MSDS GB

Safety Data Sheet

Material Disposal : Recover or recycle if possible. It is the responsibility of the

waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in

drains or in water courses.

Container Disposal : Dispose in accordance with prevailing regulations, preferably to

a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.

Local Legislation : Disposal should be in accordance with applicable regional,

national, and local laws and regulations.

EU Waste Disposal Code (EWC): 13 02 06 synthetic engine, gear and lubricating oils. Classification of waste is always the

responsibility of the end user.

SECTION 14. TRANSPORT INFORMATION

Land transport (ADR/RID): ADR

This product is not classified as dangerous for this mode of transport. Therefore 14.1 UN Number, 14.2 UN Proper Shipping name, 14.3 Transport hazard class(es), 14.4 Packing group, 14.5 Environmental hazards, 14.6 Special precautions for user do not apply.

RID

This product is not classified as dangerous for this mode of transport. Therefore 14.1 UN Number, 14.2 UN Proper Shipping name, 14.3 Transport hazard class(es), 14.4 Packing group, 14.5 Environmental hazards, 14.6 Special precautions for user do not apply.

Inland waterways transport (ADN):

This product is not classified as dangerous for this mode of transport. Therefore 14.1 UN Number, 14.2 UN Proper Shipping name, 14.3 Transport hazard class(es), 14.4 Packing group, 14.5 Environmental hazards, 14.6 Special precautions for user do not apply.

Sea transport (IMDG Code):

This product is not classified as dangerous for this mode of transport. Therefore 14.1 UN Number, 14.2 UN Proper Shipping name, 14.3 Transport hazard class(es), 14.4 Packing group, 14.5 Environmental hazards, 14.6 Special precautions for user do not apply.

Air transport (IATA):

This product is not classified as dangerous for this mode of transport. Therefore 14.1 UN Number, 14.2 UN Proper Shipping name, 14.3 Transport hazard class(es), 14.4 Packing group, 14.5 Environmental hazards, 14.6 Special precautions for user do not apply.

13/18
Print Date 07.12.2012 000000020089

Safety Data Sheet

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Pollution Category : Not applicable.
Ship Type : Not applicable.
Product Name : Not applicable.
Special Precaution : Not applicable.

Additional Information: MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15. REGULATORY INFORMATION

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulatory Information

Authorisations and/or

restrictions on use

Product is not subject to Authorisation under REACh.

Recommended Restrictions on Use (Advice Against) This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of

the supplier.

Chemical Inventory Status

EINECS : All components

listed or polymer

exempt.

TSCA : All components

listed.

Other Information : Environmental Protection Act 1990 (as amended).

Health and Safety at Work etc. Act 1974.

Consumers Protection Act 1987.

Pollution Prevention and Control Act 1999.

Environment Act 1995. Factories Act 1961.

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply)

Regulations 2009.

Control of Substances Hazardous to Health Regulations 2002

Regulation 1907/2006/EC

Safety Data Sheet

(as amended).

Merchant Shipping (Dangerous Goods and Marine Pollutants)

Regulations 1997.

Reporting of Injuries, Diseases and Dangerous Occurrences

Regulations 1995 (as amended).

Personal Protective Equipment Regulations 2002.

Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as

amended).

Control of Major Accident Hazards Regulations 1999 (as

amended).

Renewable Transport Fuel Obligations Order 2007 (as

amended).

Energy Act 2011.

Environmental Permitting (England and Wales) Regulations

2010 (as amended).

Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated

regulations.

The Environmental Protection (Controls on Ozone-Depleting

Substances) Regulations 2011.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this

substance/mixture by the supplier.

SECTION 16. OTHER INFORMATION

R-phrase(s)

Not classified.

R22 Harmful if swallowed.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R53 May cause long-term adverse effects in the aquatic environment.

Regulation 1907/2006/EC

Safety Data Sheet

CLP Hazard Statements

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Additional Information : No Exposure Scenario annex is attached to this safety data

sheet. It is a non-classified mixture containing hazardous substances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS.

Other Information

Abbreviations and Acronyms

: Acute Tox. = Acute toxicity Asp. Tox. = Aspiration hazard

Aquatic Acute = Acute hazards to the aquatic environment Aquatic Chronic = Hazardous to the aquatic environment -

Long-term Hazard

Eye Dam. = Serious eye damage/eye irritation

Flam. Liq. = Flammable liquids
Skin Corr. = Skin corrosion/irritation
Skin Sens. = Skin sensitizer

STOT SE = Specific target organ toxicity - single exposure STOT RE = Specific target organ toxicity - repeated exposure

The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.

ACGIH = American Conference of Governmental Industrial

Hygienists

ADR = European Agreement concerning the International

Carriage of Dangerous Goods by Road

AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials

BEL = Biological exposure limits

BTEX = Benzene, Toluene, Ethylbenzene, Xylenes

CAS = Chemical Abstracts Service

16/18

Print Date 07.12.2012 000000020089 MSDS_GB

Safety Data Sheet

CEFIC = European Chemical Industry Council

CLP = Classification Packaging and Labelling

COC = Cleveland Open-Cup

DIN = Deutsches Institut fur Normung

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

DSL = Canada Domestic Substance List

EC = European Commission

EC50 = Effective Concentration fifty

ECETOC = European Center on Ecotoxicology and Toxicology

Of Chemicals

ECHA = European Chemicals Agency

EINECS = The European Inventory of Existing Commercial

Chemical Substances

EL50 = Effective Loading fifty

ENCS = Japanese Existing and New Chemical Substances

Inventory

EWC = European Waste Code

GHS = Globally Harmonised System of Classification and

Labelling of Chemicals

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IC50 = Inhibitory Concentration fifty

IL50 = Inhibitory Level fifty

IMDG = International Maritime Dangerous Goods

INV = Chinese Chemicals Inventory

IP346 = Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables

KECI = Korea Existing Chemicals Inventory

LC50 = Lethal Concentration fifty

LD50 = Lethal Dose fifty per cent.

LL/EL/IL = Lethal Loading/Effective Loading/Inhibitory loading

LL50 = Lethal Loading fifty

MARPOL = International Convention for the Prevention of

Pollution From Ships

NOEC/NOEL = No Observed Effect Concentration / No

Observed Effect Level

OE_HPV = Occupational Exposure - High Production Volume

PBT = Persistent, Bioaccumulative and Toxic

PICCS = Philippine Inventory of Chemicals and Chemical

Substances

PNEC = Predicted No Effect Concentration

REACH = Registration Evaluation And Authorisation Of

Chemicals

Regulation 1907/2006/EC

Safety Data Sheet

RID = Regulations Relating to International Carriage of

Dangerous Goods by Rail
SKIN_DES = Skin Designation
STEL = Short term exposure limit
TRA = Targeted Risk Assessment

TSCA = US Toxic Substances Control Act

TWA = Time-Weighted Average

vPvB = very Persistent and very Bioaccumulative

SDS Distribution : The information in this document should be made available to

all who may handle the product.

SDS Version Number : 3.0

SDS Effective Date : 03.12.2012

SDS Revisions : A vertical bar (|) in the left margin indicates an amendment

from the previous version.

SDS Regulation : Regulation 1907/2006/EC as amended by Regulation (EU)

453/2010

Disclaimer : This information is based on our current knowledge and is

intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property

of the product.