# SAFETY DATA SHEET



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

**CEFTIN TABLETS** 

Registration number

**Synonyms** CEFTIN TABLETS 125 MG \* CEFTIN TABLETS 250 MG \* CEFTIN TABLETS 500 MG \* CEFTUM

TABLETS \* CEFUROX TABLETS \* CUROCEF TABLETS \* ELOBACT TABLETS \* ORACEF TABLETS \* ZINADOL TABLETS \* ZINAT TABLETS \* ZINNAT TABLETS \* ZIPOS TABLETS \* ZOREF TABLETS \* NDC NO 0173-0387-00 \* NDC NO 0173-0394-00 \* CEFUROXIME AXETIL,

FORMULATED PRODUCT

Issue date 30-September-2013

Version number

**Revision date** 30-September-2013

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Medicinal Product

> This safety data sheet is written to provide health, safety and environmental information for people handling this formulated product in the workplace. It is not intended to provide information relevant

to medicinal use of the product. In this instance patients should consult prescribing

information/package insert/product label or consult their pharmacist or physician. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate

safety data sheet for each ingredient.

Uses advised against No other uses are advised.

1.3. Details of the supplier of the safety data sheet

GlaxoSmithKline UK 980 Great West Road

Brentford, Middlesex TW8 9GS UK

UK General Information (normal business hours): +44-20-8047-5000

msds@gsk.com Fmail Address: Website: www.gsk.com

1.4. Emergency telephone

number

TRANSPORT EMERGENCIES::

+(44)-870-8200418 UK In-country toll call: International toll call: +1 703 527 3887

available 24 hrs/7 days; multi-language response

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

# Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

#### Classification according to Regulation (EC) No 1272/2008 as amended

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Supplemental label information Not applicable.

2.3. Other hazards May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic

skin reaction.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

Material name: CEFTIN TABLETS 1 / 11

**General information** 

Chemical name CAS-No. / EC No. REACH Registration No. INDEX No. **Notes CEFUROXIME AXETIL** 51.6 - < 64544-07-6 54.9 Classification: **DSD:** R42/43 CLP: Skin Sens. 1;H317, Resp. Sens. 1;H334 HYDROXYPROPYL METHYL 10 - < 20 9004-65-3 **CELLULOSE** Classification: DSD: -CLP: -MICROCRYSTALLINE CELLULOSE 9004-34-6 10 - < 20 232-674-9 Classification: DSD: -CLP: -DODECYL SODIUM SULFATE < 1 151-21-3 205-788-1 Classification: DSD: F;R11, Xn;R22, Xi;R36/38 Flam. Sol. 1;H228, Acute Tox. 4;H302, Skin Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335 SILICON DIOXIDE COLLOIDAL < 0.3 7631-86-9 231-545-4 Classification: **DSD:** Xi;R36/37 Eye Irrit. 2;H319, STOT SE 3;H335 METHYL PARABEN < 0.2 99-76-3 202-785-7 Classification: **DSD:** Xi;R36, R43 Skin Sens. 1;H317, Eye Irrit. 2;H319 PROPYL PARABEN < 0.1 94-13-3 202-307-7 Classification: DSD: Xi;R36 CLP: Eye Irrit. 2;H319

Propylene glycol < 0.1 57-55-6 - - - - 200-338-0

Classification: DSD: -

CLP: -

Other components below reportable levels 10 - < 20

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

**Composition comments** The full text for all R- and H-phrases is displayed in section 16.

# **SECTION 4: First aid measures**

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

#### 4.1. Description of first aid measures

**Inhalation** If dust from the material is inhaled, remove the affected person immediately to fresh air. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a POISON CENTRE

or doctor/physician.

Skin contact Wash off with soap and plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. For minor skin contact, avoid spreading material on unaffected skin.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Get medical attention if symptoms occur. Rinse mouth.

4.2. Most important symptoms and effects, both acute and

delayed

May cause allergic skin reaction. May cause allergic respiratory reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

# **SECTION 5: Firefighting measures**

**General fire hazards** No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

In the event of fire, cool tanks with water spray.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. For personal protection, see section 8.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

MSDS.

**6.2. Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other

sections

For personal protection, see section 8. For waste disposal, see section 13.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10

of the MSDS).

7.3. Specific end use(s) Medicinal Product

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### Occupational exposure limits

#### GSK

Components	Туре	Value	Note
CEFUROXIME AXETIL (CAS 64544-07-6)	15 MIN STEL	100 mcg/m3	
(	OHC	3	SKIN SENSITISER
		3	RESPIRATORY SENSITISER

Components	Туре	Value	Note
DODECYL SODIUM SULFATE (CAS 151-21-3)	OHC	2	
HYDROXYPROPYL METHYL CELLULOSE (CAS 9004-65-3)	ОНС	1	
MICROCRYSTALLINE CELLULOSE (CAS 9004-34-6)	OHC	1	
PROPYL PARABEN (CAS 94-13-3)	8 HR TWA	5000 mcg/m3	
,	OHC	1	
UK. EH40 Workplace Exposure Limit	ts (WELs)		
Components	Туре	Value	Form

Components	Type	Value	Form
MICROCRYSTALLINE CELLULOSE (CAS 9004-34-6)	STEL	20 mg/m3	Inhalable dust.
,	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
Propylene glycol (CAS 57-55-6)	TWA	474 mg/m3	Total vapour and particulates.
		10 mg/m3	Particulate.
		150 ppm	Total vapour and particulates.
SILICON DIOXIDE COLLOIDAL (CAS 7631-86-9)	TWA	6 mg/m3	Inhalable dust.
,		2.4 mg/m3	Respirable dust.

Recommended monitoring

procedures

Follow standard monitoring procedures.

**Derived No Effect Level (DNEL)** Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

An Exposure Control Approach (ECA) is established for operations involving this material based upon the OEL/Occupational Hazard Category and the outcome of a site- or operation-specific risk

assessment.

#### Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment. Follow all local regulations if

personal protective equipment (PPE) is used in the workplace.

Eye/face protection

Skin protection

Not normally needed.

- Hand protection The choice of an appropriate glove does not only depend on its material but also on other quality

features and is different from one producer to the other. Glove selection must take into account any solvents and other hazards present. Select suitable chemical resistant protective gloves (EN

374) with a protective index 6 (>480min permeation time).

- Other Not normally needed.

**Respiratory protection**No personal respiratory protective equipment normally required. **Thermal hazards**Wear appropriate thermal protective clothing, when necessary.

Hygiene measures An occupational/industrial hygiene monitoring method has been developed for this material. For

advice on suitable monitoring methods, seek guidance from a qualified environment, health and

safety professional.

**Environmental exposure controls** 

Hazard guidance and control recommendations

Not available.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Solid.

**Form** Tablet.

Colour Not available. Odour Not available. Not available. **Odour threshold** Not available. pН

Initial boiling point and boiling

Melting point/freezing point

range

Not available. Not available.

Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Vapour pressure Not available. Vapour density Not available. Relative density Solubility(ies) Not available. Not available. Partition coefficient

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature Viscosity** Not available **Explosive properties** Not available. Oxidizing properties Not available.

9.2. Other information No relevant additional information available.

# **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials. 10.5. Incompatible materials Strong oxidising agents. Fluorine.

10.6. Hazardous decomposition products Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.

# **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects. This material is

an antibiotic, a cephalosporin.

Information on likely routes of exposure

Not expected to be toxic following ingestion. Ingestion

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Inhalation of dusts may

cause respiratory irritation.

Skin contact May cause an allergic skin reaction. Dust in the eyes will cause irritation. Eye contact

**Symptoms** Not available.

11.1. Information on toxicological effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin Acute toxicity

reaction.

Material name: CEFTIN TABLETS

**Test results** Components **Species** 

CEFUROXIME AXETIL (CAS 64544-07-6)

Acute

Oral

LD50 Rat > 2000 g/kg

DODECYL SODIUM SULFATE (CAS 151-21-3)

Acute

Oral

LD50 Rat 1288 mg/kg

HYDROXYPROPYL METHYL CELLULOSE (CAS 9004-65-3)

Oral

LD50 Rat > 2000 mg/kg

METHYL PARABEN (CAS 99-76-3)

Acute

Oral

LD50 Mouse > 8 g/kg

MICROCRYSTALLINE CELLULOSE (CAS 9004-34-6)

**Acute** 

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat > 2000 mg/kg

PROPYL PARABEN (CAS 94-13-3)

**Acute** 

Oral LD50

Rat > 2000 mg/kg

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Corrosivity

**CEFUROXIME AXETIL** Read across

> Result: Mild irritant Species: Human

Serious eye damage/eye Dust in the eyes will cause irritation.

irritation

Eye

**CEFUROXIME AXETIL** 

Read across

Result: Mild irritant Species: Human

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Respiratory sensitisation

**CEFUROXIME AXETIL** 

Read Across Result: positive Species: Human

Skin sensitisation May cause an allergic skin reaction.

Maximisation assay (Magnusson and Kligman)

HYDROXYPROPYL METHYL CELLULOSE Result: negative

Species: Guinea pig

Sensitisation

**CEFUROXIME AXETIL** Read Across

> Result: positive Species: Human

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Mutagenicity

**CEFUROXIME AXETIL** Ames

Result: negative

Chromosomal Aberration Assay In Vitro

Result: positive

Mouse Lymphoma Cell Assay

Result: negative

Mutagenicity

CEFUROXIME AXETIL in vitro micronucleus assay

Result: negative Species: Rat

**Carcinogenicity** Due to lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICON DIOXIDE COLLOIDAL (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

Reproductive toxicity

Reproductivity

CEFUROXIME AXETIL Embryofetal Development Result: No known effects

Species: Human

Specific target organ toxicity -

single exposure

Due to lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to lack of data the classification is not possible.

**Aspiration hazard** Due to lack of data the classification is not possible.

Mixture versus substance

Material name: CEFTIN TABLETS

information

Not available.

Other information Not available.

# **SECTION 12: Ecological information**

12.1. Toxicity

No information is available about the potential of this product to produce adverse environmental

effects.

Components **Species Test results** CEFUROXIME AXETIL (CAS 64544-07-6) Aquatic Acute IC50 Activated Sludge > 100 mg/l, 3 hours, OECD 209 Residential sludge Respiration EC50 Algae Green algae (Selenastrum > 91 mg/l, 72 hours, Static test, OECD capricornutum) **NOEC** Green algae (Selenastrum 91 mg/l, 72 hours, Static test capricornutum) Crustacea EC50 Water flea (Daphnia magna) > 1000 mg/l, 48 hours, Static test, OECD 202 NOEC Water flea (Daphnia magna) > 1000 mg/l, 48 hours, Static test Fish EC50 Rainbow trout (Adult Oncorhyncus > 120 mg/l, 96 hours, Static test, OECD mykiss) NOEC Rainbow trout (Adult Oncorhyncus 120 mg/l, 96 hours, Static test mykiss) Microtox MIC Azotobacter beijerinckii 0.2 mg/l Other MIC > 1 mg/l Aspergillus niger Nostoc commune 0.2 mg/l Pseudomonas aeruginosa > 1 mg/l Trichoderma harzianum > 1 mg/l HYDROXYPROPYL METHYL CELLULOSE (CAS 9004-65-3) Aquatic Acute EC50 Fish > 100 mg/l, 96 hours Propylene glycol (CAS 57-55-6) Acute IC50 Activated sludge > 1000 mg/l, 3 hours

omponents		Species	Test results
Aquatic			
Acute			
Algae	EC50	Green algae (Selenastrum capricornutum)	19000 mg/l, 14 days
	NOEC	Green algae (Selenastrum capricornutum)	15000 mg/l, 14 days
Crustacea	EC50	Daphnia	43500 mg/l, 48 hours
	NOEC	Daphnia	28500 mg/l, 48 hours
Fish	EC50	Fathead minnow (Adult Pimephales promelas)	51400 mg/l, 96 hours, Static test
		Rainbow trout (Adult Oncorhyncus mykiss)	51600 mg/l, 96 hours, Static test
	NOEC	Fathead minnow (Adult Pimephales promelas)	41000 mg/l, 96 hours, Static test
		Rainbow trout (Adult Oncorhyncus mykiss)	42000 mg/l, 96 hours, Static test
Microtox	EC50	Microtox	51400 mg/l, 30 minutes
ICON DIOXIDE COLLO	DIDAL (CAS 7631-8	6-9)	
Aquatic			
Acute			
Algae	EC50	Green algae (Selenastrum capricornutum)	440 mg/l, 72 hours
	NOEC	Green algae (Selenastrum capricornutum)	60 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 24 hours, Static test
Fish	EC50	Common carp (Juvenile Cyprinus carpio)	> 10000 mg/l, 72 hours
		Zebra fish (Adult Brachydanio rerio)	5000 mg/l, 96 hours, Static test
Microtox	EC50	Microtox	8700 mg/l, 15 minutes

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

# 12.2. Persistence and degradability

#### Persistence and degradability

#### **Photolysis**

Half-life (Photolysis-aqueous)

Propylene glycol 1.3 - 2.3 years Estimated

Half-life (Photolysis-atmospheric)

Propylene glycol 32 Hours Estimated

UV/visible spectrum wavelength

CEFUROXIME AXETIL 290 nm

**Hydrolysis** 

Half-life (Hydrolysis-acidic)

CEFUROXIME AXETIL 299 Hours

Half-life (Hydrolysis-basic)

CEFUROXIME AXETIL 1.05 Hours

Half-life (Hydrolysis-neutral)

CEFUROXIME AXETIL 30.2 Hours

Biodegradability

Percent degradation (Aerobic biodegradation-inherent)

CEFUROXIME AXETIL 74 %, < 1 day Modified Zahn-Wellens, primary

biodegradation, loss of parent., Activated sludge

Propylene glycol 62 %, 5 days BOD5, Activated sludge

79 %, 20 Days BOD20, Activated sludge

Percent degradation (Aerobic biodegradation-ready)

CEFUROXIME AXETIL

28 %, 28 days Modified Sturm test. 42 %, 64 days Modified Sturm test.

Percent degradation (Aerobic biodegradation-soil)

CEFUROXIME AXETIL

42.8 - 80 %, 64 days

Percent degradation (Anaerobic biodegradation)

Propylene glycol 100 %, 9 days

# 12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

 CEFUROXIME AXETIL
 0.8 - 1.24

 DODECYL SODIUM SULFATE
 1.6

 HYDROXYPROPYL METHYL CELLULOSE
 -5

 METHYL PARABEN
 1.96

 PROPYL PARABEN
 3.04

 Propylene glycol
 -0.92

 -1.35

**Bioconcentration factor (BCF)** 

HYDROXYPROPYL METHYL CELLULOSE 3.2 Estimated Propylene glycol < 1 Estimated

12.4. Mobility in soil

Adsorption

Soil/sediment sorption - log Koc

CEFUROXIME AXETIL 1.09 - 1.19

Mobility in general

Volatility

Henry's law

CEFUROXIME AXETIL 0 atm m^3/mol, 25 C Estimated HYDROXYPROPYL METHYL CELLULOSE 0 atm m3/mol Estimated Propylene glycol 0 atm m^3/mol Estimated

Distribution

Octanol/water distribution coefficient log DOW

PROPYL PARABEN 3.04

12.5. Results of PBT

and vPvB assessment

Not available.

**12.6. Other adverse effects** Not available.

**SECTION 13: Disposal considerations** 

13.1. Waste treatment methods

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

**EU waste code**The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

**Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Special precautions**Dispose in accordance with all applicable regulations.

**SECTION 14: Transport information** 

**ADR** 

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of

MARPOL Annex II applies to liquids used in a ship's operation that pose a threat to the marine

environment. These materials may not be transported in bulk.

MARPOL73/78 and the IBC Code

**SECTION 15: Regulatory information** 

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Material name: CEFTIN TABLETS SDS UK

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

# Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws.

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations Young people under 18 years old are not allow to work with this product according to the EU

Directive 94/33/EC on the protection of young people at work. Follow national regulation for work

with chemical agents.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

# **SECTION 16: Other information**

**List of abbreviations** Not available.

**References** GSK Hazard Determination

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements or R-phrases and H-statements

Material name: CEFTIN TABLETS

under Sections 2 to 15

R11 Highly flammable.

R22 Harmful if swallowed. R36 Irritating to eyes.

R36/37 Irritating to eyes and respiratory system.

R36/38 Irritating to eyes and skin.

R42/43 May cause sensitization by inhalation and skin contact.

R43 May cause sensitization by skin contact.

H228 Flammable solid. H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

**Revision information** Product and Company Identification: Business Units

Composition / Information on Ingredients: Ingredients EXPOSURE CONTROLS/PERSONAL PROTECTION:

Physical & Chemical Properties:

Transport Information: Agency Name and Packaging Type/Transport Mode Selection

Regulatory Information: United States

**GHS: Classification** 

**Training information** 

Follow training instructions when handling this material.

**Disclaimer** 

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and

the suitability of the material or product for any particular purpose.