

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Trade name or designation of the mixture SPECTRO ACNE CARE DAILY CLEANSING PADS SENSITIVE SKIN

Registration number -

Synonyms SPECTRO ACNE CARE DAILY CLEANSING PADS SENSITIVE SKIN (CANADA) * SPECTRO ACNE CARE CLEANSING PADS - SENSITIVE * FORMULA NO: 21021-03-0203 * SALICYLIC ACID, FORMULATED PRODUCT * SPECTRO ACNE CLEANSING PADS (CONTAINING ETHANOL)

Issue date 06-June-2014

Version number 02

Revision date 06-June-2014

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cosmetic Product

This safety data sheet is written to provide health, safety and environmental information for people handling this formulated product in the workplace. It is not intended to provide information relevant to medicinal use of the product. In this instance patients should consult prescribing information/package insert/product label or consult their pharmacist or physician. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate safety data sheet for each ingredient.

Uses advised against No other uses are advised.

1.3. Details of the supplier of the safety data sheet

GlaxoSmithKline UK
980 Great West Road
Brentford, Middlesex TW8 9GS UK
UK General Information (normal business hours): +44-20-8047-5000
Email Address: msds@gsk.com
Website: www.gsk.com

1.4. Emergency telephone number

TRANSPORT EMERGENCIES::
UK In-country toll call: +(44)-870-8200418
International toll call: +1 703 527 3887
available 24 hrs/7 days; multi-language response

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Directive 67/548/EEC or 1999/45/EC as amended**

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Classification according to Regulation (EC) No 1272/2008 as amended

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

2.2. Label elements**Label according to Regulation (EC) No. 1272/2008 as amended**

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Supplemental label information Not applicable.

2.3. Other hazards

This product is flammable.
See section 11 for additional information on health hazards.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
---------------	---	------------------	------------------------	-----------	-------

ETHANOL	27.0 - 29.0	64-17-5 200-578-6	-	603-002-00-5	
---------	-------------	----------------------	---	--------------	--

Classification:	DSD: F;R11, Xi;R36
	CLP: Flam. Liq. 2;H225, Eye Irrit. 2;H319

Salicylic acid	<1.0	69-72-7 200-712-3	-	-	
----------------	------	----------------------	---	---	--

Classification:	DSD: Xn;R22, Xi;R41
	CLP: Acute Tox. 4;H302, Eye Dam. 1;H318

Triethanolamine	<1.0	102-71-6 203-049-8	-	-	
-----------------	------	-----------------------	---	---	--

Classification:	DSD: Xi;R36
	CLP: Eye Irrit. 2;H319

Other components below reportable levels >70.0

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
----------------------------	---

4.1. Description of first aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Vapours have a narcotic effect and may cause headache, fatigue, dizziness and nausea.
---	--

4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
--	---

SECTION 5: Firefighting measures

General fire hazards	Flammable liquid and vapour.
-----------------------------	------------------------------

5.1. Extinguishing media

Suitable extinguishing media	Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Water.

5.2. Special hazards arising from the substance or mixture	Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back.
---	--

5.3. Advice for firefighters

Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
--	---

Special fire fighting procedures	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapours or mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.

For emergency responders Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil etc) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Vapours may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not smoke. Avoid breathing mist or vapour. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities Keep away from heat and sources of ignition. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Cosmetic Product

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

GSK

Components

Type

Value

Salicylic acid (CAS 69-72-7)	8 HR TWA	3000 mcg/m3
	OHC	1
Triethanolamine (CAS 102-71-6)	8 HR TWA	4000 mcg/m3
	OHC	1

UK. EH40 Workplace Exposure Limits (WELs)

Components

Type

Value

ETHANOL (CAS 64-17-5)	TWA	1920 mg/m3 1000 ppm
-----------------------	-----	------------------------

Recommended monitoring procedures Follow standard monitoring procedures.

Derived No Effect Level (DNEL) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Wear safety glasses with side shields (or goggles). (eg. EN 166)
Skin protection	
- Hand protection	Wear protective gloves. With respect to the above precautions select suitable chemical resistant protective gloves (EN 374) with a protective index 6 (>480min permeation time).
- Other	Wear suitable protective clothing. (EN 14605 for splashes, EN ISO 13982 for dust)
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Where breathable aerosols/dust are formed, use suitable combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (eg. EN 14387).
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	
Hazard guidance and control recommendations	Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid impregnated pad.
Colour	Not available.
Odour	Not available.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	30 - 32 °C (86 - 89.6 °F) Closed cup (Estimation based on components).
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not available.

9.2. Other information

Percent volatile	97.5 % estimated
-------------------------	------------------

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
-------------------------	---

10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Inhalation	Vapours have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Symptoms	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

11.1. Information on toxicological effects

Acute toxicity Narcotic effects. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components	Species	Test results
ETHANOL (CAS 64-17-5)		
Acute		
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg
Chronic		
<i>Oral</i>		
LOAEL	Monkey	40 %, 48 months % ingested calories
Subacute		
<i>Oral</i>		
LOEL	Rat	16.9 g/kg, 4 weeks Dietary - Dose given as g/kg/day 6 %, 4 weeks percent in diet - continuous
Subchronic		
<i>Inhalation</i>		
LOEL	Rat	2 ml, 36 weeks haematological parameters
NOAEL	Guinea pig	3000 ppm No adverse effects
	Rat	86 mg/m3, 90 Day Daily dosing
<i>Oral</i>		
LOAEL	Rat	5000 mg/kg/day, 10 weeks Liver toxicity 80 ml/kg, 85 Day Daily dose - Liver toxicity 10.2 g/kg, 12 weeks Dosed in drinking water - Continuous 7.7 g/kg, 12 weeks Dosed in drinking water - continuous
Salicylic acid (CAS 69-72-7)		
Acute		
<i>Oral</i>		
LD50	Rat	891 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Corrosivity		
ETHANOL		OECD 404 Result: Negative; not considered a significant irritant Species: Rabbit
Serious eye damage/eye irritation	Causes serious eye irritation.	
Eye		
ETHANOL		OECD 405 Result: Severe Species: Rabbit
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.	
Skin sensitisation	Due to partial or complete lack of data the classification is not possible.	
Sensitisation		
ETHANOL		OECD 406 Result: negative Species: Guinea pig
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.	
Mutagenicity		
ETHANOL		Ames Result: negative Chromosomal Aberration Assay In Vitro, CHO cells Result: negative Dominant lethal assay Result: positive Species: Mouse Dominant lethal assay Result: positive Species: Rat Gene mutation and repair Result: negative Species: Bacteria Gene mutation and repair Result: positive Species: Bacteria In vitro cytogenetics assay Result: positive In vitro cytogenetics assay Result: positive Species: Aspergillus niger L5178Y mouse lymphoma thymidine kinase locus assay Result: Weakly positive Yeast mutation Result: negative Yeast mutation Result: positive in vitro micronucleus assay Result: negative in vivo cytogenetics assay Result: negative Species: Hamster in vivo cytogenetics assay Result: negative Species: Rat in vivo cytogenetics assay Result: positive Species: Mouse sister chromatid exchange Result: positive
Carcinogenicity	Due to partial or complete lack of data the classification is not possible. Contains a material (ethanol) classified as a carcinogen by external agencies.	
ETHANOL		Epidemiology, causation linked to excessive consumption. Species: Human Organ: oral cavity, larynx, pharynx, oesophagus, liver Neonatal, inadequate study Result: negative Species: Rat inadequate study Result: Increase in liver sarcomas Species: Mouse

Carcinogenicity
ETHANOL

inadequate study
Result: Time to tumour reduced
Species: Mouse
Test Duration: 80 weeks
inadequate study
Result: negative
Species: Hamster
Test Duration: 807 Day
inadequate study
Result: negative
Species: Mouse
Test Duration: 1020 Day
inadequate study
Result: negative
Species: Rat
inadequate study
Result: negative
Species: Rat
Test Duration: 78 weeks

IARC Monographs. Overall Evaluation of Carcinogenicity

Triethanolamine (CAS 102-71-6)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible. Components in this product have been shown to cause birth defects and reproductive disorders in laboratory animals.

Reproductivity

ETHANOL

0.3 - 4.1 g/kg Embryo-foetal development - Oral, daily dose
Species: Monkey
Organ: facial anomalies, nervous system dysfunction
1 - 2 g/kg Embryo-foetal development - Oral, daily dose
Result: embryoletality
Species: Rat
1.8 g/kg Embryo-foetal development - Oral, daily dose
Result: Increased abortion
Species: Monkey
5 g/kg Embryo-foetal development - Oral, daily dose - intravenous
Result: reduced foetal body weight; no malformations or other variations
Species: Monkey
7 - 17 g/kg Embryo-foetal development - Oral, daily dose - gavage
Species: Rat
Organ: skeletal malformations, dilated renal pelves
Embryo-foetal development - Oral, 15-30% in diet
Result: resorptions, neural defects, cardiac malformations
Species: Mouse
Embryo-foetal development - Oral, Causation is linked to excessive consumption.
Species: Human
Organ: growth deficiency, CNS dysfunction, facial defects, major organ malformation
Embryofetal Development, in utero - 36% total calories
Species: Rat
Organ: gonadal growth and development
Fertility, Female, 10% in drinking water
Result: negative
Species: Rat
Fertility, Female, 20-25% total calories
Result: negative
Species: Rat
Fertility, Male, 5-6% v/v liquid diet
Species: Mouse
Organ: significant effects on testes and seminal vesicles
Test Duration: 70 Day

Specific target organ toxicity - single exposure

Narcotic effects.

Specific target organ toxicity - repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance information	No information available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test results
ETHANOL (CAS 64-17-5)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Blue-green algae (Microcystis aeruginosa)	1450 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	9190 mg/l, 48 hours Static test
Fish	EC50	Fathead minnow (Adult Pimephales promelas)	14200 mg/l, 96 hours Flow-through test
		Rainbow trout (Adult Salmo gairdneri)	13000 mg/l, 96 hours Static test
Salicylic acid (CAS 69-72-7)			
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	> 1450 mg/l, 48 hours Static test

* Estimates for product may be based on additional component data not shown.

12.2. Persistence and degradability

Photolysis

Half-life (Photolysis-aqueous)

ETHANOL	1 - 36.6 years Measured
Salicylic acid	30 - 142 Days Estimated

Half-life (Photolysis-atmospheric)

ETHANOL	4 - 5.9 Days Estimated
Salicylic acid	1.2 Days Estimated

Biodegradability

Percent degradation (Aerobic biodegradation-inherent)

ETHANOL	37 - 86 %, 5 days BOD5, Activated sludge
---------	--

Percent degradation (Aerobic biodegradation-ready)

Salicylic acid	90 %, 28 days Modified Zahn-Wellens, Activated sludge
----------------	---

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

ETHANOL	-0.31
Salicylic acid	2.24
	2.26
Triethanolamine	-1

Bioconcentration factor (BCF)

Salicylic acid	8.32 - 30.9 Calculated
----------------	------------------------

12.4. Mobility in soil

Adsorption

Soil/sediment sorption - log Koc

ETHANOL	1.2 Calculated
Salicylic acid	2.6 Calculated

Mobility in general

Volatility

Henry's law

ETHANOL	0.000005 atm m3/mol Measured
Salicylic acid	0 atm m3/mol Calculated

12.5. Results of PBT and vPvB assessment Not available.

12.6. Other adverse effects Not available.


SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR	
14.1. UN number	UN3175
14.2. UN proper shipping name	Solids containing flammable liquid, n.o.s. (SPECTRO ACNE CLEANSING PADS (CONTAINING ETHANOL))
14.3. Transport hazard class(es)	
Class	4.1
Subsidiary risk	-
Label(s)	4.1
Hazard No. (ADR)	Not available.
Tunnel code	Not available.
14.4. Packing group	II
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not available.
Additional information:	
Special Provisions	47, IB6, IP2, T3, TP33
IATA	
14.1. UN number	UN3175
14.2. UN proper shipping name	Solids containing flammable liquid, n.o.s. (SPECTRO ACNE CLEANSING PADS (CONTAINING ETHANOL))
14.3. Transport hazard class(es)	4.1
Subsidiary class(es)	-
14.4. Packing group	II
Labels required	4.1
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not available.
Other information	
Cargo aircraft only	Forbidden.
IMDG	
14.1. UN number	UN3175
14.2. UN proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (SPECTRO ACNE CLEANSING PADS (CONTAINING ETHANOL))
14.3. Transport hazard class(es)	
Class	4.1
Subsidiary risk	-
Label(s)	3
14.4. Packing group	II
14.5. Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-I
14.6. Special precautions for user	Not available.
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	MARPOL Annex II applies to liquids used in a ship's operation that pose a threat to the marine environment. These materials may not be transported in bulk.



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

ETHANOL (CAS 64-17-5)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

ETHANOL (CAS 64-17-5)

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations

Follow national regulation for work with chemical agents.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

Not available.

References

GSK Hazard Determination

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

R11 Highly flammable.
R22 Harmful if swallowed.
R36 Irritating to eyes.
R41 Risk of serious damage to eyes.
H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

Revision information

Product and Company Identification: Product and Company Identification
Composition / Information on Ingredients: Undisclosed Ingredient Statement
Physical & Chemical Properties:
Transport Information: Material Transportation Information
GHS: Classification

Training information

Follow training instructions when handling this material.

Disclaimer

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.