



SAFETY DATA SHEET

1. Identification

Product identifier DENTURE ADHESIVE CREAM

Other means of identification
Synonyms

DENTURE FIXATIVE * POLIDENT DENTURE ADHESIVE * SUPER POLIGRIP ORIGINAL DENTURE ADHESIVE CREAM * POLIGRIP/COREGA DENTURE ADHESIVE CREAM * SUPER POLIGRIP LOW GANTREZ DENTURE ADHESIVE CREAM * MFC 50937 * MFC 50880 * MFC 50885 * MFC 50886 * ULTRA POLIGRIP REGULAR (CANADA) * FORMULA NUMBER IB1380 * ULTRA POLIGRIP, DENTURE ADHESIVE CREAM * ULTRA POLIGRIP DENTURE FIXATIVE * FORMULA IB1544 * POLIGRIP ULTRA FRESH, DENTURE ADHESIVE CREAM FIXATIVE * POLIGRIP TOTAL CARE (UK) * DENTURE ADHESIVE CREAM FIXATIVE * FORMULA IB1649 * COREGA FREE, DENTURE ADHESIVE CREAM * FORMULA IB1688 * COREGA FRESH, DENTURE ADHESIVE CREAM * COREGA FRESH DENTURE FIXATIVE * FORMULA IB1689 * COREGA CREAM, DENTURE ADHESIVE CREAM * COREGA CREAM DENTURE FIXATIVE * FORMULA IB1690 * POLIGRIP ULTRA FRESH, DENTURE ADHESIVE CREAM * POLIGRIP ULTRA FRESH DENTURE FIXATIVE * FORMULA IB1742 * DENTURE ADHESIVE CREAM DENTURE FIXATIVE * FORMULA IB1967 * POLIGRIP FRESH GEL, DENTURE ADHESIVE CREAM * POLIGRIP FRESH GEL DENTURE FIXATIVE * FORMULA IB2115 * PROJECT DOUBLE * DENTURE ADHESIVE FIXATIVE, FORMULATED PRODUCT

Recommended use of the chemical and restrictions on use

Recommended use Cosmetic Product

This safety data sheet is written to provide health, safety and environmental information for people handling this formulated product in the workplace. It is not intended to provide information relevant to medicinal use of the product. In this instance patients should consult prescribing information/package insert/product label or consult their pharmacist or physician. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate safety data sheet for each ingredient.

Restrictions on use No other uses are advised.

Details of manufacturer or importer

Manufacturer

GlaxoSmithKline Australia
1061 Mountain Highway
Melbourne, Victoria 3155
Australia
Australia General Information (Normal Business Hours): (03) 9721 6000

TRANSPORTATION EMERGENCY NUMBERS
(available 24hrs/7days: multi-language response)
Australia Toll Free +(61) 2 9037 2994
International Toll Call +(1) 703 527 3887

2. Hazard(s) identification

Classification of the hazardous chemical

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Label elements, including precautionary statements

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Other hazards which do not result in classification

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

3. Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
PHARMACEUTICAL GRADE PETROLATUM PETROLEUM JELLY VASELINE WHITE PETROLEUM JELLY WHITE PETROLEUM USP PETROLATO (PETROLIO) Petrolatum PRETOLATO PÉTROLATUM VASELIN	8009-03-8	25.0 - 30.0
LIGHT MINERAL OIL OHS12791 RTECS PY8047000	8042-47-5	15.0 - 30.0
SODIUM CARBOXYMETHYL CELLULOSE CELLULOSE, CARBOXYMETHYL ETHER, SODIUM SALT CELLULOSE SODIUM GLYCOLATE SODIUM CELLULOSE GLYCOLATE SODIUM GLYCOLATE CELLULOSE CARBOXYMETHYLCELLULOSE SODIUM CARBOXYMETHYLCELLULOSE SODIUM SALT ALMELOSE CMC-NA CMC CARBOXYMETHYL CELLULOSE SODIUM CARBOXYMETHYLCELLULOSE AQUALON(R) CELLULOSE GUM AQUACIDE II OHS80080 RTECS FJ5950000 CELLULOSE CARBOXY METHYL ETHER, SODIUM SALT	9004-32-4	0 - 34.0
MALEIC ACID, POLYMER WITH METHYL VINYL ETHER 2-BUTENEDIOIC ACID (Z)-, POLYMER WITH METHOXYETHENE METHYL VINYL ETHER/MALEIC ACID COPOLYMER GANTREZ HY-H OHS62348	25153-40-6	0 - 30.0
METHYL VINYL ETHER-MALEIC ANHYDRIDE COPOLYMER 2,5-FURANDIONE, POLYMER WITH METHOXYETHENE MALEIC ANHYDRIDE, POLYMER WITH METHYL VINYL ETHER POLY(VINYL METHYL ETHER/MALEIC ANHYDRIDE) GAFTEX PT GANTREZ 119 GANTREZ 149 GANTREZ 169 PVM/MA COPOLYMER VISCOFAS OHS69586	9011-16-9	0 - 30.0

CARBOXYMETHYLCELLULOSE	9000-11-7	0 - 24.0
CARBOXYMETHYLATED CELLULOSE PULP		
CARBOXYMETHYL CELLULOSE ETHER		
CELLULOSE CARBOXYMETHYLATE		
CELLULOSEGLYCOLIC ACID		
GLYCOLIC ACID CELLULOSE ETHER		
CELLULOSE, CARBOXYMETHYL ETHER		
CELLULOSE CARBOXYMETHYLATE ETHER		
CMC		
CARBOSE		
CM-CELLULOSE		
COLLORESINE		
THYLOSE		
CARBOXYMETHYL CELLULOSE		
OHS84039		
RTECS FJ5700000		
OIL OF SPEARMINT	8008-79-5	0 - 1.0
OILS, SPEARMINT		
CURLED MINT OIL		
SPEARMINT OIL		
Other components below reportable levels		0 - <7.0

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret. #: This substance has been assigned Community workplace exposure limit(s).

4. First-aid measures

Description of necessary first aid measures

Inhalation	Move to fresh air. If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Rinse with water. Flush eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Personal protection for first-aid responders	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Symptoms caused by exposure	Irritation of eyes and mucous membranes. Direct contact with eyes may cause temporary irritation.
Medical attention and special treatment	Treat symptomatically. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Water spray. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for fire fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In the event of fire, cool tanks with water spray. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Hazchem Code	Not available.
General fire hazards	Assume that this product is capable of sustaining combustion.
Specific methods	Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Keep out of low areas. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Dike far ahead of spill for later disposal. Use water spray to reduce vapours or divert vapour cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Other issues relating to spills and releases Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities Store locked up. Keep away from heat and sources of ignition. Store in original tightly closed container. Keep container tightly closed. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls and personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits

GSK

Components	Type	Value
------------	------	-------

CARBOXYMETHYLCELLULOSE (CAS 9000-11-7)	OHC	1
--	-----	---

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Type	Value
------------	------	-------

LIGHT MINERAL OIL (CAS 8042-47-5)	TWA	5 mg/m3
-----------------------------------	-----	---------

PHARMACEUTICAL GRADE PETROLATUM (CAS 8009-03-8)	TWA	5 mg/m3
---	-----	---------

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

Components	Type	Value	Form
------------	------	-------	------

LIGHT MINERAL OIL (CAS 8042-47-5)	TWA	5 mg/m3	Mist.
-----------------------------------	-----	---------	-------

PHARMACEUTICAL GRADE PETROLATUM (CAS 8009-03-8)	TWA	5 mg/m3	Mist.
---	-----	---------	-------

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
------------	------	-------	------

LIGHT MINERAL OIL (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
-----------------------------------	-----	---------	---------------------

US. ACGIH Threshold Limit Values		Type	Value	Form
Components				
PHARMACEUTICAL GRADE PETROLATUM (CAS 8009-03-8)		TWA	5 mg/m3	Inhalable fraction.
Biological limit values	No biological exposure limits noted for the ingredient(s).			
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.			
Individual protection measures, for example personal protective equipment (PPE)				
Eye/face protection	Use personal protective equipment as required. Chemical goggles are recommended.			
Skin protection				
Hand protection	For prolonged or repeated skin contact use suitable protective gloves. Use personal protective equipment as required. Not normally needed.			
Other	Wear suitable protective clothing. Use personal protective equipment as required.			
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. In case of insufficient ventilation, wear suitable respiratory equipment.			
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.			
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Cream.
Colour	Not available.
Odour	Not available.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.

Decomposition temperature Not available.

Viscosity Not available.

10. Stability and reactivity

Reactivity Not available.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition products Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.

11. Toxicological information

Information on possible routes of exposure

Inhalation Prolonged inhalation may be harmful. No adverse effects due to inhalation are expected.

Skin contact Not available.

Eye contact Causes eye irritation. Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to exposure Direct contact with eyes may cause temporary irritation.

Components	Species	Test results
CARBOXYMETHYLCELLULOSE (CAS 9000-11-7)		
Acute		
<i>Oral</i>		
LD	Rat	> 5 g/kg
LIGHT MINERAL OIL (CAS 8042-47-5)		
Acute		
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg
OIL OF SPEARMINT (CAS 8008-79-5)		
Acute		
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg
PHARMACEUTICAL GRADE PETROLATUM (CAS 8009-03-8)		
Acute		
<i>Oral</i>		
LD50	Rat	> 15 g/kg
Chronic		
<i>Oral</i>		
NOAEL	Rat	>= 3000 mg/kg, 2 years

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/irritation Causes eye irritation. None known. Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitisation

Skin sensitisation None known. This product is not expected to cause skin sensitisation.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

PHARMACEUTICAL GRADE PETROLATUM
 >= 3000 mg/kg/day 2 year bioassay, oral administration
 Result: NOAEL
 Species: Rat

Carcinogenicity

PHARMACEUTICAL GRADE PETROLATUM

Dermal application

Result: negative

Species: Mouse

ACGIH Carcinogens

LIGHT MINERAL OIL (CAS 8042-47-5)

A4 Not classifiable as a human carcinogen.

PHARMACEUTICAL GRADE PETROLATUM (CAS 8009-03-8)

A2 Suspected human carcinogen.

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

LIGHT MINERAL OIL (CAS 8042-47-5)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

Not classified. Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure

Not classified. Due to partial or complete lack of data the classification is not possible.

Aspiration hazard

Not likely, due to the form of the product.

Chronic effects

Prolonged inhalation may be harmful. Not expected to be hazardous by WHMIS criteria.

12. Ecological information**Ecotoxicity**

Contains a substance which causes risk of hazardous effects to the environment. Not expected to be harmful to aquatic organisms. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species		Test results
CARBOXYMETHYLCELLULOSE (CAS 9000-11-7)			
Acute			
	IC50	Activated sludge	> 1000 mg/l, 3 hours
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	> 100 mg/l, 48 hours Static test
	NOEC	Water flea (Daphnia magna)	100 mg/l, 48 hours Static test
Fish	EC50	Rainbow trout (Adult Oncorhyncus mykiss)	> 20000 mg/l, 96 hours Static test
SODIUM CARBOXYMETHYL CELLULOSE (CAS 9004-32-4)			
Acute			
	IC50	Activated sludge	> 1000 mg/l, 3 hours
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	> 100 mg/l, 48 hours Static test
	NOEC	Water flea (Daphnia magna)	100 mg/l, 48 hours Static test
Fish	EC50	Rainbow trout (Adult Oncorhyncus mykiss)	> 20000 mg/l, 96 hours Static test

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

Photolysis**Half-life (Photolysis-atmospheric)**

LIGHT MINERAL OIL

< 1 Days Estimated

Biodegradability**Percent degradation (Aerobic biodegradation-inherent)**

CARBOXYMETHYLCELLULOSE

7 %, 28 days Zahn-Wellens, Activated sludge

SODIUM CARBOXYMETHYL CELLULOSE

7 %, 28 days Zahn-Wellens, Activated sludge

Percent degradation (Aerobic biodegradation-ready)

LIGHT MINERAL OIL

24 %, 28 days Modified Sturm test., Activated sludge

Bioaccumulative potential

No data available.

Mobility in soil	No data available.
Other adverse effects	Not available.

13. Disposal considerations

Disposal methods	Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose in accordance with all applicable regulations. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with manifests for industrial waste.
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not available.

15. Regulatory information

Safety, health and environmental regulations

National regulations This Material Safety Data Sheet was prepared in accordance with the Australia National Code of Practice for the Preparation of Material Safety Data Sheets (NOHSC: 2011.)

Australia Medicines & Poisons Appendix A

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix B

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix C

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix D

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix E

LIGHT MINERAL OIL (CAS 8042-47-5)

PHARMACEUTICAL GRADE PETROLATUM (CAS 8009-03-8)

For advice, contact a Poisons information Centre (Phone eg Australia 131 - 126; New Zealand 03 - 4747 - 000) or a doctor (at once)., If swallowed, do NOT induce vomiting.

For advice, contact a Poisons information Centre (Phone eg Australia 131 - 126; New Zealand 03 - 4747 - 000) or a doctor (at once)., If swallowed, do NOT induce vomiting.

Australia Medicines & Poisons Appendix F

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix G

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix H

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix I

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix J

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix K

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 2

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 3

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 4

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 5

LIGHT MINERAL OIL (CAS 8042-47-5)
 PHARMACEUTICAL GRADE PETROLATUM (CAS 8009-03-8)

Exception may apply, see the regulation for relevance.

Exception may apply, see the regulation for relevance.

Australia Medicines & Poisons Schedule 6

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 7

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 8

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 9

Poisons schedule number not allocated.

High Volume Industrial Chemicals (HVIC)

LIGHT MINERAL OIL (CAS 8042-47-5)

100000 - 999999 TONNES See the regulation for additional information.

PHARMACEUTICAL GRADE PETROLATUM (CAS 8009-03-8)

1000 - 9999 TONNES See the regulation for additional information.

Importation of Ozone Depleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

International regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. The product does not need to be labelled in accordance with EC directives or respective national laws.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	01-December-2014
Revision date	01-December-2014
References	GSK Hazard Determination ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits GOST 30333-2007 - Chemical production safety passport. General requirements JIS Z 7252:2009 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" JIS Z 7253:2012 Hazard communication of chemicals based on GHS – Labelling and Safety Data Sheet (SDS) Japan Chemical Industry Association (JCIA) GHS Guideline, June 2012
Disclaimer	The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.
Revision Information	Product and Company Identification: Synonyms