HALLIBURTON

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

GasCon III

Revision Date: 18-Sep-2015 **Revision Number: 6**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name GasCon III Internal ID Code HM006330

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Cement Additive

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services

Halliburton House, Howemoss Place

Kirkhill Industrial Estate

Dvce

Aberdeen, AB21 0GN United Kingdom

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4. Emergency telephone number

+44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §4	45 - (EC)1272/2008
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Skin Corrosion / irritation	Category 2 - H315
Serious Eye Damage / Eye Irritation	Category 2 - H319

2.2. Label Elements

Hazard Pictograms



Signal Word Warning

Hazard Statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

Contains

SubstancesCAS NumberSodium hydroxide1310-73-2

2.3. Other Hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.2. Mixtures Mixture

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Sodium hydroxide	215-185-5	1310-73-2	0.1 - 1%	Skin Corr. 1A (H314) STOT SE 3 (H335) Met. Corr. 1 (H290)	01-2119457892-27

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after

flushing.

Skin Wash with soap and water. Get medical attention if irritation persists.

Ingestion Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

4.2. Most Important symptoms and effects, both acute and delayed

Causes eye irritation. Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Special Exposure Hazards

Not applicable.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool well ventilated area. Keep from excessive heat. Keep from freezing. Keep container closed when not in use. Store in non-rusting containers. Product has a shelf life of 6 months.

7.3. Specific End Use(s)

Exposure Scenario No information available Other Guidelines No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Limits

Substances	CAS Number	EU	UK	Netherlands	France
Sodium hydroxide	1310-73-2	Not applicable	STEL: 2 mg/m ³	Not applicable	2 mg/m³

Substances	CAS Number	Germany	Spain	Portugal	Finland
Sodium hydroxide	1310-73-2	2 mg/m³	2 mg/m ³ STEL	Not applicable	STEL: 2 mg/m ³
			[VLA-EC]		

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Sodium hydroxide	1310-73-2	TWA: 2 mg/m ³	2 mg/m ³ STEL	TWA: 2 mg/m ³	Not applicable
		STEL" 4 mg/m ³	_	STEL: 2 mg/m ³	

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Sodium hydroxide	1310-73-2	Not applicable	TWA: 0.5 mg/m³ STEL: 1 mg/m³	TWA: 2 mg/m³ STEL: 2 mg/m³	TWA: 1 mg/m ³

·

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Sodium hydroxide	1310-73-2	Not applicable	Not applicable	STEL: 2 mg/m ³	Not applicable

Derived No Effect Level (DNEL) Worker

No information available.

Substances	Long-term	Acute / short	Long-term	Acute / short	Long-term	Acute / short	Long-term	Acute / short	Hazards for
	exposure -	term	exposure -	term	exposure -	term	exposure -	term	the eyes -
	systemic	exposure -	local effects,	exposure -	systemic	exposure -	local effects,	exposure -	local effects
	effects,	systemic	Inhalation	local effects,	effects,	systemic	Dermal	local effects,	
	Inhalation	effects,		Inhalation	Dermal	effects,		Dermal	
		Inhalation				Dermal			
Sodium hydroxide	Not available	Not available	1 mg/m ³	Not available	Not available	Not available	Not available	Not available	Not available

General Population

Substances	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Hazards
	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	for the
	systemic	exposure -	local	exposure -	systemic	exposure -	local	exposure -	systemic	exposure -	eyes -
	effects,	systemic	effects,	local	effects,	systemic	effects,	local	effects,	local	local
	Inhalation	effects,	Inhalation	effects,	Dermal	effects,	Dermal	effects,	Oral	effects,	effects
		Inhalation		Inhalation		Dermal		Dermal		Oral	
Sodium hydroxide	Not	Not	1 mg/m ³	Not	Not						
	available	available		available	available						

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering Controls Use in a well ventilated area.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection If engineering controls and work practices cannot keep exposure below occupational

exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Dust/mist respirator. (N95, P2/P3)

Hand Protection Impervious rubber gloves. Polyvinylchloride gloves.

Skin Protection Normal work coveralls.

Eye ProtectionChemical goggles; also wear a face shield if splashing hazard exists. **Other Precautions**Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid Color: Transparent

Odor: Slight Odor Threshold: No information available

Property

Vapor Density

Values

Remarks/ - Method

10

Freezing Point/Range No data available **Melting Point/Range** No data available 100 °C / 212 °F **Boiling Point/Range** Flash Point No data available Flammability (solid, gas) No data available upper flammability limit No data available lower flammability limit No data available **Evaporation rate** No data available **Vapor Pressure** No data available

Specific Gravity 1.

Water Solubility Soluble in water (10g/100mL)

No data available

Solubility in other solventsNo data availablePartition coefficient: n-octanol/waterNo data availableAutoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data availableExplosive PropertiesNo information available

Explosive PropertiesNo information availableOxidizing PropertiesNo information available

9.2. Other information

VOC Content (%) 80

Liquid Density 9.16 lbs/gallon

SECTION 10: Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Strong oxidizers. Strong acids.

10.6. Hazardous Decomposition Products

None known.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

Inhalation May cause respiratory irritation.

Eye Contact Causes eye irritation. **Skin Contact** Causes skin irritation.

Ingestion Irritation of the mouth, throat, and stomach.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1% are

chronic health hazards.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation			
Sodium hydroxide	1310-73-2	No data available	1350 mg/kg (Rabbit)	No data available			
Substances	CAS Number	Skin corrosion/irritation					
Sodium hydroxide	1310-73-2	Causes severe burns					
Substances	CAS Number	Eye damage/irritation					
Sodium hydroxide	1310-73-2	Causes severe eye burns (Rabb	Causes severe eye burns (Rabbit)				
Substances	CAS Number	Skin Sensitization					
Sodium hydroxide	1310-73-2	Did not cause sensitization on la	boratory animals (guinea pig)				
Substances	CAS Number	Respiratory Sensitization					
Sodium hydroxide	1310-73-2	No information available					
Substances	CAS Number	Mutagenic Effects					
Sodium hydroxide	1310-73-2	Did not show mutagenic effects	n animal experiments In vitro tests	did not show mutagenic effe			
Substances	CAS Number	Carcinogenic Effects					
Sodium hydroxide	1310-73-2	No data of sufficient quality are available.					

Substances	CAS Number	Reproductive toxicity
Sodium hydroxide	1310-73-2	No information available
Substances	CAS Number	STOT - single exposure
Sodium hydroxide	1310-73-2	May cause respiratory irritation.
Substances	CAS Number	STOT - repeated exposure
Sodium hydroxide	1310-73-2	No significant toxicity observed in animal studies at concentration requiring classification. Not applicable due to corrosivity of the substance.
Substances	CAS Number	Aspiration hazard
Sodium hydroxide	1310-73-2	Not applicable

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Sodium hydroxide	1310-73-2	No information available	LC50 (96h) 125 mg/L (Gambusia affinis) LC50 (48h) 189 mg/L (Leuciscus melanotus) LC50 (24h) 145 mg/L (Poecilia reticulate)	No information available	EC50 (48h) 40.4 mg/L (Ceriodaphnia sp.)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Sodium hydroxide	1310-73-2	The methods for determining biodegradability are
		not applicable to inorganic substances.

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Sodium hydroxide	1310-73-2	No information available

12.4. Mobility in soil

Substances	CAS Number	Mobility
Sodium hydroxide	1310-73-2	No information available

12.5. Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment	
Sodium hydroxide	Not applicable	

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Disposal Method Contaminated Packaging Disposal should be made in accordance with federal, state, and local regulations. Follow all applicable national or local regulations.

SECTION 14: Transport Information

IMDG/IMO

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Not applicable
Not applicable
Not applicable
Not applicable

RID

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

ADR

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Not applicable
Environmental Hazards:
Not applicable
Not applicable

IATA/ICAO

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Not applicable
Environmental Hazards:
Not applicable
Not applicable

14.1. UN Number: Not restricted

14.2. UN Proper Shipping Name: Not restricted

14.3. Transport Hazard Class(es): Not applicable

14.4. Packing Group: Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory
Canadian DSL Inventory
All components listed on inventory or are exempt.
All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering

Classes (WGK)

WGK 1: Low hazard to waters.

15.2. Chemical Safety Assessment

No information available

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3 H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

Key or legend to abbreviations and acronyms

bw - body weight

CAS - Chemical Abstracts Service

CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures

EC - European Commission

EC10 - Effective Concentration 10%

EC50 - Effective Concentration 50%

EEC – European Economic Community

ErC50 - Effective Concentration growth rate 50%

IBC Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL0 - Lethal Loading 0%

LL50 - Lethal Loading 50%

MARPOL - International Convention for the Prevention of Pollution from Ships

mg/kg – milligram/kilogram

mg/L - milligram/liter

NIOSH - National Institute for Occupational Safety and Health

NOEC - No Observed Effect Concentration

NTP - National Toxicology Program

OEL – Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

PC - Chemical Product category

PEL - Permissible Exposure Limit

ppm - parts per million

PROC - Process category

REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL – Short Term Exposure Limit

SU - Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date: 18-Sep-2015

Revision Note

SDS sections updated: 1

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet