

MATERIAL SAFETY DATA SHEET**Product Trade Name:** **GasPerm 1000M****Revision Date:** 26-Mar-2012**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Product Trade Name: GasPerm 1000M
Synonyms: None
Chemical Family: Blend
Application: Surfactant

Manufacturer/Supplier Halliburton Energy Services
 P.O. Box 1431
 Duncan, Oklahoma 73536-0431
 Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance
 Telephone: 1-580-251-4335
 e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT (w/w)	ACGIH TLV-TWA	OSHA PEL-TWA
Citrus, extract	94266-47-4	5 - 10%	Not applicable	Not applicable
Isopropanol	67-63-0	10 - 30%	TWA: 200 ppm STEL: 400 ppm	400 ppm

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory irritation. May cause headache, dizziness, and other central nervous system effects. May be harmful if swallowed. May be absorbed through the skin. Repeated overexposure may cause liver and kidney effects. Flammable.

4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin Remove contaminated clothing and launder before reuse. In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention.

Eyes Check for and remove contact lenses if present. In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

Ingestion Get medical attention! If vomiting occurs, keep head lower than hips to prevent aspiration. Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

5. FIRE FIGHTING MEASURES

Flash Point/Range (F): 70
Flash Point/Range (C): 21.1
Flash Point Method: PMCC
Autoignition Temperature (F): Not Determined
Autoignition Temperature (C): Not Determined
Flammability Limits in Air - Lower (%): 2
Flammability Limits in Air - Upper (%): 12.7

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical.

Special Exposure Hazards Use water spray to cool fire exposed surfaces. Closed containers may explode in fire. Decomposition in fire may produce toxic gases. May be ignited by heat, sparks or flames.

Special Protective Equipment for Fire-Fighters Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

NFPA Ratings: Health 2, Flammability 3, Reactivity 0
HMIS Ratings: Health 2, Flammability 3, Physical Hazard 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Wear self-contained breathing apparatus in enclosed areas.

Environmental Precautionary Measures Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning / Absorption Scoop up and remove. Contain spill with sand or other inert materials. Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools.

7. HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse. Ground and bond containers when transferring from one container to another.

Storage Information Store away from oxidizers. Keep from heat, sparks, and open flames. Keep container closed when not in use. Terpene containing products should be stored in phenolic-lined metal, stainless steel, PET, or fluorinated plastic containers. Product has a shelf life of 24 months.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Respiratory Protection	<p>If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.</p> <p>Organic vapor respirator. In high concentrations, supplied air respirator or a self-contained breathing apparatus.</p>
Hand Protection	Nitrile gloves. Impervious rubber gloves.
Skin Protection	Rubber apron.
Eye Protection	Chemical goggles; also wear a face shield if splashing hazard exists.
Other Precautions	Eyewash fountains and safety showers must be easily accessible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Light amber
Odor:	Alcohol
pH:	8.7
Specific Gravity @ 20 C (Water=1):	0.924
Density @ 20 C (lbs./gallon):	7.70
Bulk Density @ 20 C (lbs/ft³):	Not Determined
Boiling Point/Range (F):	310
Boiling Point/Range (C):	154
Freezing Point/Range (F):	< 0
Freezing Point/Range (C):	< -17.8
Vapor Pressure @ 20 C (mmHg):	Not Determined
Vapor Density (Air=1):	Not Determined
Percent Volatiles:	50-75
Evaporation Rate (Butyl Acetate=1):	Not Determined
Solubility in Water (g/100ml):	Partially soluble
Solubility in Solvents (g/100ml):	Not Determined
VOCs (lbs./gallon):	Not Determined
Viscosity, Dynamic @ 20 C (centipoise):	Not Determined
Viscosity, Kinematic @ 20 C (centistokes):	Not Determined
Partition Coefficient/n-Octanol/Water:	Not Determined
Molecular Weight (g/mole):	Not Determined

10. STABILITY AND REACTIVITY

Stability Data:	Stable
Hazardous Polymerization:	Will Not Occur
Conditions to Avoid	Keep away from heat, sparks and flame.
Incompatibility (Materials to Avoid)	Iodine pentafluorethylene Strong acids. Strong alkalis. Strong oxidizers.
Hazardous Decomposition Products	Carbon monoxide and carbon dioxide.

Additional Guidelines

Not Applicable

11. TOXICOLOGICAL INFORMATION**Principle Route of Exposure** Eye or skin contact, inhalation.**Symptoms related to exposure****Acute Toxicity****Inhalation**

May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.

Eye Contact

May cause respiratory irritation.

Skin Contact

May cause moderate to severe eye irritation.

May cause skin defatting with prolonged exposure. May be absorbed through the skin and produce effects similar to those caused by inhalation and/or ingestion. May cause mild skin irritation.

Ingestion

Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting, nausea, and diarrhea. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions.

Chronic Effects/Carcinogenicity Repeated overexposure may cause liver and kidney effects.**Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Citrus, extract	94266-47-4	> 5000 mg/kg	No data available	No data available
Isopropanol	67-63-0	4396 mg/kg (Rat) 3600 mg/kg (mouse)	12800 mg/kg (Rat) 12870 mg/kg (Rabbit)	72.6 mg/L (Rat) 4 h

12. ECOLOGICAL INFORMATION**Ecotoxicological Information****Ecotoxicity Product****Acute Fish Toxicity:** Not determined**Acute Crustaceans Toxicity:** Not determined**Acute Algae Toxicity:** Not determined**Ecotoxicity Substance**

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Citrus, extract	94266-47-4	EC50: 20.41 mg/l (Skeletonema costatum)	LC50: >1000 mg/l (Scophthalmus maximus)	No information available	LC50: 34.73 mg/l (Acartia tonsa)
Isopropanol	67-63-0	EC50: > 1000 mg/l(Desmodesmus subspicatus)	LC50: 9640 mg/l (Pimephales promelas)	No information available	EC50: 13299 mg/l (Daphnia magna)

12.2 Persistence and degradability

Product is biodegradable

12.3 Bioaccumulative potential

Product has a low potential to bioconcentrate

Substances	Log Pow
Citrus, extract	4.23

12.4 Mobility in soil

No information available

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal Method Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

UN1219, Isopropanol Solution , 3 , II , (21.1 C)
NAERG 129

Canadian TDG

Isopropanol Solution , 3 , UN1219 , II , (21.1 C)

ADR

UN1219, Isopropanol Solution , 3 , II

Air Transportation

ICAO/IATA

UN1219, Isopropanol Solution , 3 , II

Sea Transportation

IMDG

UN1219, Isopropanol Solution , 3 , II , (21.1 C)
EmS F-E, S-D

Other Transportation Information

Labels: Flammable Liquid

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances Not applicable

EPA SARA (311,312) Hazard Class	Acute Health Hazard Chronic Health Hazard Fire Hazard
EPA SARA (313) Chemicals	This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372).
EPA CERCLA/Superfund Reportable Spill Quantity	Not applicable.
EPA RCRA Hazardous Waste Classification	If product becomes a waste, it does meet the criteria of a hazardous waste as defined by the US EPA, because of: Ignitability D001
California Proposition 65	All components listed do not apply to the California Proposition 65 Regulation.
MA Right-to-Know Law	One or more components listed.
NJ Right-to-Know Law	One or more components listed.
PA Right-to-Know Law	One or more components listed.
Canadian Regulations	
Canadian DSL Inventory	All components listed on inventory or are exempt.
WHMIS Hazard Class	D2B Toxic Materials B2 Flammable Liquids

16. OTHER INFORMATION

The following sections have been revised since the last issue of this SDS

Not applicable

Additional Information	For additional information on the use of this product, contact your local Halliburton representative. For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.
Disclaimer Statement	This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS