

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® SPRAY - BLUE ODYSSEY™

Version 1.1

Print Date 04/01/2015

Revision Date 03/23/2015

SDS Number 350000027781

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : GLADE® SPRAY - BLUE ODYSSEY™

Recommended use : Air Freshener

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +18005585252
Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour International Emergency Phone: (703)527-3887
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Aerosol	Category 2	Flammable aerosol.

Labelling

Hazard symbols

Flame

Signal word

Warning

Hazard statements

Flammable aerosol.

Precautionary statements

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® SPRAY - BLUE ODYSSEY™

Version 1.1

Print Date 04/01/2015

Revision Date 03/23/2015

SDS Number 350000027781

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Isobutane	75-28-5	10.00 - 30.00
Propane	74-98-6	5.00 - 10.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact	: No special requirements
Skin contact	: No special requirements
Inhalation	: No special requirements.
Ingestion	: No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific hazards during firefighting	: Aerosol Product - Containers may rocket or explode in heat of fire.
Further information	: Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® SPRAY - BLUE ODYSSEY™

Version 1.1

Print Date 04/01/2015

Revision Date 03/23/2015

SDS Number 350000027781

6. ACCIDENTAL RELEASE MEASURES

- | | | |
|--|---|---|
| Personal precautions | : | Remove all sources of ignition.
Wash thoroughly after handling. |
| Environmental precautions | : | Outside of normal use, avoid release to the environment. |
| Methods and materials for containment and cleaning up | : | If damage occurs to aerosol can:
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Use only non-sparking equipment.
Dike large spills.
Clean residue from spill site. |

7. HANDLING AND STORAGE

Handling

- | | | |
|--------------------------------------|---|--|
| Precautions for safe handling | : | Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
Note: Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. For more information visit www.inhalant.org .
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Pressurized container.
Do not pierce or burn, even after use. |
|--------------------------------------|---|--|

- | | | |
|--|---|---|
| Advice on protection against fire and explosion | : | Keep away from sources of ignition - No smoking.
Do not spray on an open flame or other ignition source. |
|--|---|---|

Storage

- | | | |
|--|---|---|
| Requirements for storage areas and containers | : | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Keep in a dry, cool and well-ventilated place. |
|--|---|---|

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® SPRAY - BLUE ODYSSEY™

Version 1.1

Print Date 04/01/2015

Revision Date 03/23/2015

SDS Number 350000027781

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH STEL
Propane	74-98-6	-	1,000 ppm	-	ACGIH TWA
Propane	74-98-6	1,800 mg/m3	1,000 ppm	-	OSHA TWA

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : No special requirements.

Eye protection : No special requirements.

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : aerosol

Color : colourless

Odor : Fruity Floral

Odour Threshold : Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® SPRAY - BLUE ODYSSEY™

Version 1.1

Print Date 04/01/2015

Revision Date 03/23/2015

SDS Number 350000027781

pH : Test not applicable for this product type

Melting point/freezing point : Test not applicable for this product type

Initial boiling point and boiling range : Test not applicable for this product type

Flash point : -7 °C
19.4 °F
Propellant
75.5 °C
167.9 °F
liquid

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : Sustains combustion

Upper/lower flammability or explosive limits : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : No data available

Relative density : 0.86 g/cm³ at 20 °C estimated

Solubility(ies) : partly miscible

Partition coefficient: n-octanol/water : Test not applicable for this product type

Auto-ignition temperature : not auto-flammable

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® SPRAY - BLUE ODYSSEY™

Version 1.1

Print Date 04/01/2015

Revision Date 03/23/2015

SDS Number 350000027781

Decomposition temperature : Test not applicable for this product type

Viscosity, dynamic : Test not applicable for this product type

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties :

Volatile Organic Compounds : 19.6 % - additional exemptions may apply
Total VOC (wt. %)* *as defined by US Federal and State Consumer Product Regulations

Other information : None identified :

10. STABILITY AND REACTIVITY

Possibility of hazardous reactions : Stable under recommended storage conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview : Warning

Acute oral toxicity : LD50

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® SPRAY - BLUE ODYSSEY™

Version 1.1

Print Date 04/01/2015

Revision Date 03/23/2015

SDS Number 350000027781

Acute inhalation toxicity : estimated
> 5,000 mg/kg
LC50
estimated
> 5 mg/l

Acute dermal toxicity : LD50
estimated
> 2,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® SPRAY - BLUE ODYSSEY™**

Version 1.1

Print Date 04/01/2015

Revision Date 03/23/2015

SDS Number 350000027781

12. ECOLOGICAL INFORMATION**Product :** The product itself has not been tested.**Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Isobutane	LC50	Fish	27.98 mg/l	96 h
Propane	LC50	Fish	27.98 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Isobutane	LC50	Daphnid	16.33 mg/l	48 h
Propane	LC50	Daphnid	14.22 mg/l	48 h

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Isobutane	EC50	Green alga	8.57 mg/l	96 h
Propane	No data available			

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® SPRAY - BLUE ODYSSEY™

Version 1.1

Print Date 04/01/2015

Revision Date 03/23/2015

SDS Number 350000027781

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Isobutane	70 %	< 10 d	Readily biodegradable
Propane	70 %	< 10 d	Readily biodegradable

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Isobutane	1.57 - 1.97	2.8
Propane	No data available	2.36

Mobility

Component	End point	Value
Isobutane	No data available	
Propane	No data available	

PBT and vPvB assessment

Component	Results
Isobutane	Not fulfilling PBT and vPvB criteria
Propane	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® SPRAY - BLUE ODYSSEY™

Version 1.1

Print Date 04/01/2015

Revision Date 03/23/2015

SDS Number 350000027781

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

	Land transport	Sea transport	Air transport
UN number	1950	1950	1950
UN proper shipping name	AEROSOLS, Flammable, 2.1	AEROSOLS, Flammable, 2.1	AEROSOLS, Flammable, 2.1
Transport hazard class(es)	2.1	2	2.1
Packing group	-	-	-
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® SPRAY - BLUE ODYSSEY™

Version 1.1

Print Date 04/01/2015

Revision Date 03/23/2015

SDS Number 350000027781

16. OTHER INFORMATION

HMIS Ratings

Health	1
Flammability	2
Reactivity	0

NFPA Ratings

Health	1
Fire	2
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--