

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

---

**SECTION 1. IDENTIFICATION**

Product name : Guanidine Hydrochloride Formulation

**Manufacturer or supplier's details**

Company name of supplier : Merck & Co., Inc  
Limited

Address : 2000 Galloping Hill Road  
Kenilworth - New Jersey - USA 1685

PO box : HM-FX

Telephone : 908-740-4000

Telefax : 908-735-1496

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200**

Combustible dust

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Specific target organ  
systemic toxicity - repeated  
exposure : Category 1 (Nervous system, Bone marrow, Kidney)

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : If small particles are generated during further processing,  
handling or by other means, may form combustible dust  
concentrations in air.

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H372 Causes damage to organs (Nervous system, Bone marrow, Kidney) through prolonged or repeated exposure.

**Precautionary Statements**

:

**Prevention:**

P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 Get medical advice/ attention if you feel unwell.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous ingredients**

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 50 - < 70
Guanidinium chloride	50-01-1	>= 30 - < 50
Silicon dioxide	7631-86-9	>= 1 - < 5
Magnesium stearate	557-04-0	>= 1 - < 5

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

- 
- |   |   |  |
|---|---|--|
| If inhaled  | : | If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.   |
| In case of skin contact                                     | : | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse. |
| In case of eye contact                                      | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>If easy to do, remove contact lens, if worn.<br>Get medical attention.   |
| If swallowed  | : | If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.<br>Get medical attention.<br>Rinse mouth thoroughly with water.<br>Never give anything by mouth to an unconscious person.                            |
| Most important symptoms and effects, both acute and delayed | : | Harmful if swallowed.<br>Causes skin irritation.<br>Causes serious eye irritation.<br>Causes damage to organs through prolonged or repeated exposure.  |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.  |
| Notes to physician  | : | Treat symptomatically and supportively.  |
- 

**SECTION 5. FIRE-FIGHTING MEASURES**

- 
- |                                       |   |   |
|---------------------------------------|---|---|
| Suitable extinguishing media          | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media        | : | None known.   |
| Specific hazards during fire fighting | : | Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products         | : | Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Chlorine compounds<br>Metal oxides   |
| Specific extinguishing methods        | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers. |

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice and personal protective equipment recommendations.

Environmental precautions : Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Handle in accordance with good industrial hygiene and safety practice.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the

## Guanidine Hydrochloride Formulation

Version 3.2      Revision Date: 05/02/2017      SDS Number: 438992-00006      Date of last issue: 10/24/2016  
 Date of first issue: 01/06/2016

environment.

Conditions for safe storage : Keep in properly labeled containers.  
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
Guanidinium chloride	50-01-1	TWA	0,1mg/m3 (OEB2)	Merck
Silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO <sub>2</sub> (Silica)	OSHA Z-3
		TWA	6 mg/m <sup>3</sup> (Silica)	NIOSH REL
Magnesium stearate	557-04-0	TWA	10 mg/m <sup>3</sup>	ACGIH

Engineering measures : Ensure adequate ventilation, especially in confined areas.  
 Minimize workplace exposure concentrations.  
 Apply measures to prevent dust explosions.  
 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).  
 Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m<sup>3</sup> - total dust, 5 mg/m<sup>3</sup> - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

---

Specified of 3 mg/m<sup>3</sup> - respirable particles, 10 mg/m<sup>3</sup> - inhalable particles.

**Personal protective equipment**

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection  
Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: powder
Color	: No data available
Odor	: No information available.
Odor Threshold	: No data available

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

---

pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

Possibility of hazardous reactions	:	Dust can form an explosive mixture in air. Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: 1,330 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 8.91 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

**Ingredients:****Cellulose:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**Guanidinium chloride:**

Acute oral toxicity	:	LD50 (Rat): 474.6 mg/kg  LD50 (Mouse): 571 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 3.181 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403



**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

---

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Silicon dioxide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 2.08 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

**Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,500 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

**Skin corrosion/irritation**

Causes skin irritation.

**Ingredients:****Cellulose:**

Result: No skin irritation

Remarks: Based on data from similar materials

**Guanidinium chloride:**

Species: Rabbit

Result: Skin irritation

**Silicon dioxide:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Ingredients:****Cellulose:**

Result: No eye irritation

Remarks: Based on data from similar materials

**Guanidinium chloride:**

Result: Irritation to eyes, reversing within 21 days

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

---

**Silicon dioxide:**

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Ingredients:****Cellulose:**

Test Type: Local lymph node assay (LLNA)

Routes of exposure: Skin contact

Species: Mouse

Method: OECD Test Guideline 429

Result: negative

Remarks: Based on data from similar materials

**Guanidinium chloride:**

Test Type: Buehler Test

Routes of exposure: Skin contact

Species: Guinea pig

Result: negative

**Magnesium stearate:**

Routes of exposure: Skin contact

Result: negative

**Germ cell mutagenicity**

Not classified based on available information.

**Ingredients:****Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Guanidinium chloride:**

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

: Test Type: Chromosome aberration test in vitro  
Result: negative

**Silicon dioxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Ingredients:****Silicon dioxide:**

Species: Rat  
Application Route: Ingestion  
Exposure time: 103 weeks  
Result: negative

**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**Ingredients:****Guanidinium chloride:**

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

**Silicon dioxide:**

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

---

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Causes damage to organs (Nervous system, Bone marrow, Kidney) through prolonged or repeated exposure.

**Ingredients:****Guanidinium chloride:**

Routes of exposure: Ingestion  
Target Organs: Nervous system, Kidney, Bone marrow  
Assessment: Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Ingredients:****Cellulose:**

Species: Rat  
NOAEL: > 5,000 mg/kg  
Application Route: Ingestion  
Exposure time: 90 Days  
Remarks: Based on data from similar materials

**Guanidinium chloride:**

Species: Rat  
NOAEL: 100 mg/kg  
Application Route: Ingestion  
Exposure time: 90 Days  
Method: OECD Test Guideline 408

**Silicon dioxide:**

Species: Rat  
NOAEL: 1.3 mg/m<sup>3</sup>  
Application Route: inhalation (dust/mist/fume)  
Exposure time: 13 Weeks

**Magnesium stearate:**

Species: Rat  
NOAEL: 5,000 mg/kg  
Application Route: Ingestion  
Exposure time: 3 Months

**Aspiration toxicity**

Not classified based on available information.

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

**Experience with human exposure****Ingredients:****Guanidinium chloride:**

Ingestion : Symptoms: tingling, numbness, anorexia, Diarrhea

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Ingredients:****Cellulose:**

Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

**Guanidinium chloride:**

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): 1,758 mg/l Exposure time: 48 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 70.2 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 11.8 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3.  NOEC (Pseudokirchneriella subcapitata (green algae)): 6.3 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3.
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 181 mg/l Exposure time: 35 d Remarks: Based on data from similar materials
Toxicity to daphnia and other	: NOEC (Daphnia magna (Water flea)): 2.9 mg/l

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

aquatic invertebrates (Chronic toxicity)      Exposure time: 21 d  
Remarks: Based on data from similar materials

Toxicity to microorganisms      :    EC10 (*Pseudomonas putida*): 7,125 mg/l  
Exposure time: 18 h

**Silicon dioxide:**

Toxicity to fish      :    LC50 (*Danio rerio* (zebra fish)): > 10,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates      :    EC50 (*Daphnia magna* (Water flea)): > 1,000 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 202

Toxicity to algae      :    EC50 (*Desmodesmus subspicatus* (green algae)): > 10,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOEC (*Desmodesmus subspicatus* (green algae)): 10,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

**Persistence and degradability****Ingredients:****Cellulose:**

Biodegradability      :    Result: Readily biodegradable.

**Guanidinium chloride:**

Biodegradability      :    Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 56 d  
Method: OECD Test Guideline 301C

**Magnesium stearate:**

Biodegradability      :    Result: Not biodegradable.

**Bioaccumulative potential****Ingredients:****Guanidinium chloride:**

Partition coefficient: n-octanol/water      :    log Pow: < -1.7

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

---

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

Not regulated as a dangerous good

---

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard  
Chronic Health Hazard

## Guanidine Hydrochloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations****Pennsylvania Right To Know**

Cellulose	9004-34-6
Guanidinium chloride	50-01-1
D-mannitol	69-65-8
Silicon dioxide	7631-86-9

**California Prop. 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**California List of Hazardous Substances**


Silicon dioxide	7631-86-9
-----------------	-----------

**California Permissible Exposure Limits for Chemical Contaminants**

Cellulose	9004-34-6
Silicon dioxide	7631-86-9
Magnesium stearate	557-04-0

**The ingredients of this product are reported in the following inventories:**

AICS	: not determined
DSL	: not determined
IECSC	: not determined

**SECTION 16. OTHER INFORMATION****Further information****NFPA:****HMIS® IV:**

HEALTH	*	3
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.



## Guanidine Hydrochloride Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
--	---	---

Revision Date	:	05/02/2017
---------------	---	------------

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

**Guanidine Hydrochloride Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/24/2016
3.2	05/02/2017	438992-00006	Date of first issue: 01/06/2016

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8