HALLIBURTON

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

HALAD® 344 CEMENT ADDITIVE

Revision Date: 18-Sep-2015 Revision Number: 31

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name HALAD® 344 CEMENT ADDITIVE

Internal ID Code HM000816

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Fluid Loss Additive

Sector of use SU2 - Mining, (including offshore industries)

Product category PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents,

other unspecific

Process categories PROC4 - Use in batch and other process (synthesis) where opportunity for exposure

arises

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services

Halliburton House, Howemoss Place

Kirkhill Industrial Estate

Dyce

Aberdeen, AB21 0GN United Kingdom

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4. Emergency telephone number

+44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §4	45 - (EC)1272/2008
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Serious Eye Damage / Eye Irritation Category 2 - H319

HALAD® 344 CEMENT ADDITIVE Revision Date: 18-Sep-2015

2.2. Label Elements

Hazard Pictograms



Signal Word Warning

Hazard Statements

H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

Contains

SubstancesCAS NumberCalcium hydroxide1305-62-0

2.3. Other Hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.2. Mixtures Mixture

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Calcium hydroxide	215-137-3	1305-62-0	1 - 5%	Skin Irrit. 2 (H315) Eye Corr. 1 (H318)	01-2119475151-45

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

Eyes Immediately flush eyes with large amounts of water for at least 15 minutes. Get

immediate medical attention.

Skin Wash with soap and water. Get medical attention if irritation persists.

Ingestion Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

4.2. Most Important symptoms and effects, both acute and delayed

Causes eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: Firefighting Measures

Revision Date: 18-Sep-2015

5.1. Extinguishing media

Suitable Extinguishing Media

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Special Exposure Hazards

Decomposition in fire may produce harmful gases. Organic dust in the presence of an ignition source can be explosive in high concentrations. Good housekeeping practices are required to minimize this potential.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Avoid creating or inhaling dust. Avoid contact with eyes, skin, or clothing. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry location. Store away from oxidizers. Keep container closed when not in use. Product has a shelf life of 60 months.

7.3. Specific End Use(s)

Exposure Scenario No information available **Other Guidelines** No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Limits

Substances CAS Number		EU	UK	Netherlands	France
Calcium hydroxide	1305-62-0	Not applicable	TWA: 5 mg/m ³ STEL: 15 mg/m ³	Not applicable	5 mg/m³

Substances	CAS Number	Germany	Spain	Portugal	Finland	
Calcium hydroxide	1305-62-0	5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Calcium hydroxide	1305-62-0	TWA: 2 mg/m³ STEL" 4 mg/m³	5 mg/m³ TWA 15 mg/m³ STEL (calculated)	TWA: 5 mg/m³	TWA: 5 mg/m³ STEL: 10 mg/m³

Substances CAS Number Italy Poland Hungary Czech Repub	olic
--	------

Calcium hydroxide	1305-62-0	Not applicable	TWA: 2 mg/m ³	TWA: 5 mg/m ³	TWA: 2 mg/m ³

Substances	CAS Number	AS Number Denmark Romania		Croatia	Cyprus
Calcium hydroxide	1305-62-0	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³

Derived No Effect Level (DNEL)

No information available.

Revision Date: 18-Sep-2015

۷	۷	o	r	k	е	r

Substances	Long-term	Acute / short	Long-term	Acute / short	Long-term	Acute / short	Long-term	Acute / short	Hazards for
	exposure -	term	exposure -	term	exposure -	term	exposure -	term	the eyes -
	systemic	exposure -	local effects,	exposure -	systemic	exposure -	local effects,	exposure -	local effects
	effects,	systemic	Inhalation	local effects,	effects,	systemic	Dermal	local effects,	
	Inhalation	effects,		Inhalation	Dermal	effects,		Dermal	
		Inhalation				Dermal			
Calcium hydroxide	Not available	Not available	1 mg/m ³	4 mg/m³	Not available	Not available	Not available	Not available	Not available

General Population

Substances	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Hazards
	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	for the
	systemic	exposure -	local	exposure -	systemic	exposure -	local	exposure -	systemic	exposure -	eyes -
	effects,	systemic	effects,	local	effects,	systemic	effects,	local	effects,	local	local
	Inhalation	effects,	Inhalation	effects,	Dermal	effects,	Dermal	effects,	Oral	effects,	effects
		Inhalation		Inhalation		Dermal		Dermal		Oral	
Calcium	Not	Not	1 mg/m ³	4 mg/m ³	Not	Not	Not	Not	Not	Not	Not
hydroxide	available	available			available	available	available	available	available	available	available

Predicted No Effect Concentration (PNEC)

No information available.

Substances	Freshwater	Marine water	Intermittent	Sewage	Sediment	Sediment	Air	Soil	Secondary
			release	treatment	(freshwater)	(marine			poisoning
				plant		water)			
Calcium hydroxide	0.49 mg/L	0.32 mg/L	0.49 mg/L	3 mg/L	Not available	Not available	Not available	1080 mg/kg	Not available
			_					soil dw	

8.2. Exposure controls

Engineering Controls Use in a well ventilated area.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection If engineering controls and work practices cannot keep exposure below occupational

exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Dust/mist respirator. (N95, P2/P3)

Hand Protection None known.

Skin Protection Normal work coveralls.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State:PowderColor:White to off whiteOdor:OdorlessOdor Threshold:No information available

Property

Values

Remarks/ - Method

pH: No data available

Freezing Point/Range -8 °C

Melting Point/Range

Boiling Point/Range

No data available

HALAD® 344 CEMENT ADDITIVE

Revision Date: 18-Sep-2015

lower flammability limit No data available **Evaporation rate** No data available **Vapor Pressure** No data available **Vapor Density** No data available

Specific Gravity 1.37

Soluble in water **Water Solubility** Solubility in other solvents No data available No data available Partition coefficient: n-octanol/water **Autoignition Temperature** No data available **Decomposition Temperature** No data available No data available **Viscosity Explosive Properties** No information available **Oxidizing Properties** No information available

9.2. Other information

Molecular Weight > 600

VOC Content (%) No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

None known.

10.6. Hazardous Decomposition Products

Oxides of nitrogen. Carbon monoxide and carbon dioxide. Oxides of sulfur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

Inhalation May cause respiratory irritation.

Eye Contact Causes eye irritation.

Prolonged or repeated contact may cause skin irritation. Skin Contact No adverse health effects are expected from swallowing. Ingestion

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1% are

chronic health hazards.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium hydroxide	1305-62-0	7340 mg/kg (Rat) > 2000 mg/kg (Rat)	> 2500 mg/kg (Rabbit)	No data available

Substances	CAS Number	Skin corrosion/irritation
Calcium hydroxide	1305-62-0	Skin, rabbit: May cause moderate skin irritation.

Substances	CAS Number	Eye damage/irritation
Calcium hydroxide	1305-62-0	Eye, rabbit: Causes severe eye irritation.

	CAS Number	Skin Sensitization
Calcium hydroxide	1305-62-0	Did not cause sensitization on laboratory animals (guinea pig)

	CAS Number	Respiratory Sensitization
Calcium hydroxide	1305-62-0	No data of sufficient quality are available.

HALAD® 344 CEMENT ADDITIVE

Substances	CAS Number	Mutagenic Effects
Calcium hydroxide	1305-62-0	In vitro tests did not show mutagenic effects
Substances	CAS Number	Carcinogenic Effects
Calcium hydroxide	1305-62-0	Did not show carcinogenic effects in animal experiments (similar substances)
Substances	CAS Number	Reproductive toxicity
Calcium hydroxide	1305-62-0	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)
Substances	CAS Number	STOT - single exposure
Calcium hydroxide	1305-62-0	May cause mild respiratory irritation.
Substances	CAS Number	STOT - repeated exposure
Calcium hydroxide	1305-62-0	No significant toxicity observed in animal studies at concentration requiring classification.
Substances	CAS Number	Aspiration hazard
Calcium hydroxide	1305-62-0	Not applicable

Revision Date: 18-Sep-2015

SECTION 12: Ecological Information

12.1. Toxicity **Ecotoxicity Effects**

	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Calcium hydroxide	1305-62-0	EC50 (72h) 184.57 mg/L (Pseudokirchnerella subcapitata)	TLM96 100-500 ppm (Oncorhynchus mykiss) 33.884 mg/L (Clarias gariepinus) LC50 (96h) 50.6 mg/L (Oncorhynchus mykiss) LC50 (96h) 457 mg/L (Gasterosteus aculeatus)	EC50 (3h) 300.4 mg/L (respiration rate) (activated sludge of a predominantly domestic sewage)	TLM96 478,520 ppm (Mysidopsis bahia) EC50 (48h) 49.1 mg/L (Daphnia magna) LC50 (96h) 158 mg/L (Crangon septemspinosa) NOEC (14d) 32 mg/L (Crangon septemspinosa)

12.2. Persistence and degradability

Not readily biodegradable

Substances	CAS Number	Persistence and Degradability
Calcium hydroxide	1305-62-0	The methods for determining biodegradability are
		not applicable to inorganic substances.

12.3. Bioaccumulative potential

Does not bioaccumulate

2 000 Hot blockouth wickto				
Substances	CAS Number	Log Pow		
Calcium hydroxide	1305-62-0	No information available		

12.4. Mobility in soil

Substances	CAS Number	Mobility
Calcium hydroxide	1305-62-0	No information available

12.5. Results of PBT and vPvB assessment
This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment
Calcium hydroxide	Not applicable

12.6. Other adverse effects

HALAD® 344 CEMENT ADDITIVE Revision Date: 18-Sep-2015

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Disposal Method

Bury in a licensed landfill according to federal, state, and local regulations. Substance

should NOT be deposited into a sewage facility.

Contaminated Packaging

Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

SECTION 14: Transport Information

IMDG/IMO

UN Number: Not restricted **UN Proper Shipping Name:** Not restricted Transport Hazard Class(es): Not applicable **Packing Group:** Not applicable **Environmental Hazards:** Not applicable

RID

UN Number: Not restricted **UN Proper Shipping Name:** Not restricted Transport Hazard Class(es): Not applicable **Packing Group:** Not applicable **Environmental Hazards:** Not applicable

ADR

UN Number: Not restricted **UN Proper Shipping Name:** Not restricted **Transport Hazard Class(es):** Not applicable **Packing Group:** Not applicable **Environmental Hazards:** Not applicable

IATA/ICAO

UN Number: Not restricted **UN Proper Shipping Name:** Not restricted **Transport Hazard Class(es):** Not applicable Not applicable **Packing Group: Environmental Hazards:** Not applicable

14.1. UN Number: Not restricted

Not restricted 14.2. UN Proper Shipping Name:

14.3. Transport Hazard Class(es): Not applicable

Not applicable 14.4. Packing Group:

Not applicable 14.5. Environmental Hazards:

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

This product, and all its components, complies with EINECS **EINECS Inventory**

US TSCA Inventory All components listed on inventory or are exempt. **Canadian DSL Inventory** All components listed on inventory or are exempt.

Revision Date: 18-Sep-2015

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering WGK 1: Low hazard to waters.

Classes (WGK)

No information available

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H318 - Causes serious eve damage

15.2. Chemical Safety Assessment

H319 - Causes serious eye irritation

Key or legend to abbreviations and acronyms

bw - body weight

CAS - Chemical Abstracts Service

CLP - REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification,

Labelling and Packaging of substances and mixtures

EC - European Commission

EC10 - Effective Concentration 10%

EC50 - Effective Concentration 50%

EEC - European Economic Community

ErC50 - Effective Concentration growth rate 50%

IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL0 - Lethal Loading 0%

LL50 - Lethal Loading 50%

MARPOL - International Convention for the Prevention of Pollution from Ships

mg/kg - milligram/kilogram

mg/L - milligram/liter

NIOSH - National Institute for Occupational Safety and Health

NOEC - No Observed Effect Concentration

NTP - National Toxicology Program

OEL - Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

PC - Chemical Product category

PEL – Permissible Exposure Limit

ppm - parts per million

PROC - Process category

REACH - REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the

Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL - Short Term Exposure Limit

SU - Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/

NZ CCID

Revision Date: 18-Sep-2015

Revision Note

SDS sections updated: 1

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet