HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: HALAD® 413L CEMENT ADDITIVE

Revision Date: 02-May-2013

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Statement of Hazardous Nature Non-Hazardous according to the criteria of NOHSC, Non-Dangerous Goods

according to the criteria of ADG.

Manufacturer/Supplier Halliburton Australia Pty. Ltd.

15 Marriott Road

Jandakot WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: 61 (08) 9455 8300 Fax Number: 61 (08) 9455 5300

Product Emergency Telephone

Australia: 08-64244950

Papua New Guinea: 05 1 281 575 5000

NewZealand: 06-7559274

Fire, Police & Ambulance - Emergency Telephone

Australia: 000

Papua New Guinea: 000

New Zealand: 111

Identification of Substances or Preparation

Product Trade Name: HALAD® 413L CEMENT ADDITIVE

Synonyms: None
Chemical Family: Polymer
UN Number: None
Dangerous Goods Class: None
Subsidiary Risk: None

Hazchem Code:

Poisons Schedule:

Application:

None Allocated

None Allocated

Fluid Loss Additive

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	Australia NOHSC	New Zealand WES	ACGIH TLV-TWA
Acrylic polymer	Proprietary	10 - 30%	Not applicable	Not applicable	Not applicable

Non-Hazardous Substance to Total of 100%

HAZARDS IDENTIFICATION

Hazard Overview No significant hazards expected.

Risk Phrases None

HSNO Classification Non-hazardous

FIRST AID MEASURES

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Skin Wash with soap and water. Get medical attention if irritation persists.

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes **Eyes**

and get medical attention if irritation persists.

Ingestion Under normal conditions, first aid procedures are not required.

Notes to Physician Not Applicable

FIRE FIGHTING MEASURES

All standard fire fighting media Suitable Extinguishing Media

Extinguishing media which must None known.

not be used for safety reasons

Special Exposure Hazards Decomposition in fire may produce toxic gases.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment.

Environmental Precautionary

Measures

None known.

Procedure for Cleaning /

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

Absorption

HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing.

Storage Information Store away from oxidizers. Product has a shelf life of 24 months.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area.

> **HALAD® 413L CEMENT ADDITIVE** Page 2 of 6

exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should

be performed by an Industrial Hygienist or other qualified professional.

Not normally needed. But if significant exposures are possible then the following

respirator is recommended: Dust/mist respirator. (N95, P2/P3)

Hand Protection Normal work gloves.

Skin Protection Normal work coveralls.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Color:
Brown-black
Odor:
pH:
7.5
Specific Gravity @ 20 C (Water=1):
Density @ 20 C (kg/l):

Liquid
Brown-black
Sweet
7.5
1.1
1.098

Not Determined Bulk Density @ 20 C (kg/m³): **Boiling Point/Range (C):** Not Determined Freezing Point/Range (C): Not Determined Pour Point/Range (C): Not Determined Flash Point/Range (C): Not Determined Flash Point Method: Not Determined **Autoignition Temperature (C):** Not Determined Flammability Limits in Air - Lower (g/m³): Not Determined Flammability Limits in Air - Lower (%): Not Determined Not Determined Flammability Limits in Air - Upper (g/m³): Flammability Limits in Air - Upper (%): Not Determined Vapor Pressure @ 20 C (mmHg): Not Determined Vapor Density (Air=1): Not Determined **Percent Volatiles:** Not Determined **Evaporation Rate (Butyl Acetate=1):** Not Determined Solubility in Water (g/100ml): Miscible

Solubility in Solvents (g/100ml):

Not Determined VOCs (g/l):

Not Determined Viscosity, Dynamic @ 20 C (centipoise):

Not Determined Viscosity, Kinematic @ 20 C (centistokes):

Not Determined Partition Coefficient/n-Octanol/Water:

Not Determined Molecular Weight (g/mole):

Not Determined Not Determined Not Determined Not Determined Decomposition Temperature (C):

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None anticipated

Incompatibility (Materials to

Avoid)

Strong oxidizers.

HALAD® 413L CEMENT ADDITIVE Page 3 of 6

Hazardous Decomposition

Products

Oxides of nitrogen. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Sympotoms related to exposure

None known. Inhalation

Skin Contact None known.

None known. **Eye Contact**

None known Ingestion

Aggravated Medical Conditions None known.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are

chronic health hazards.

None known. Other Information

Toxicity Tests

Oral Toxicity: LD50: > 5000 mg/kg (Rat)

Dermal Toxicity: LD50: > 2000 mg/kg (Rabbit)

Not determined **Inhalation Toxicity:**

Primary Irritation Effect: Draize Rating (Skin): 0.09/8.0 (Rabbit) Practically Non-irritating

Carcinogenicity Not determined **Genotoxicity:** Not determined

Reproductive /

Developmental Toxicity:

Not determined

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Slowly biodegradable

Bio-accumulation Not determined

Ecotoxicological Information

Not determined **Acute Fish Toxicity:** Acute Crustaceans Toxicity: Not determined Not determined **Acute Algae Toxicity:**

Chemical Fate Information Not determined

Other Information Not applicable

> **HALAD® 413L CEMENT ADDITIVE** Page 4 of 6

13. DISPOSAL CONSIDERATIONS

Disposal Method Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

ADR

Not restricted

Air Transportation

ICAO/IATA

Not restricted

Sea Transportation

IMDG

Not restricted

Other Transportation Information

Labels: None

15. REGULATORY INFORMATION

Chemical Inventories

Australian AICS Inventory

New Zealand Inventory of

Chemicals

US TSCA Inventory EINECS Inventory Product contains one or more components not listed on inventory.

All components listed on inventory or are exempt.

All components listed on inventory or are exempt.

This product does not comply with EINECS

Classification Not Classified

Risk Phrases None

Safety Phrases None

16. OTHER INFORMATION

The following sections have been revised since the last issue of this SDS

Not applicable

Contact

Australian Poisons Information Centre

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

New Zealand National Poisons Centre

0800 764 766

Additional Information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS