

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

HALAD®-862L

Revision Date: 07-Sep-2015

Revision Number: 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product Identifier**

Product Name HALAD®-862L
Internal ID Code HM006698

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Fluid Loss Additive

Sector of use Refer to the Annex for a listing of uses.

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services
Halliburton House, Howemoss Place
Kirkhill Industrial Estate
Dyce
Aberdeen, AB21 0GN
United Kingdom

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4. Emergency telephone number

+44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §45 - (EC)1272/2008	
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO): + 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification**2.1. Classification of the substance or mixture**

REGULATION (EC) No 1272/2008

Specific Target Organ Toxicity - (Repeated Exposure)	Category 1 - H372
--	-------------------

2.2. Label Elements

Hazard Pictograms

**Signal Word****Danger****Hazard Statements**

H372 - Causes damage to organs through prolonged or repeated exposure if swallowed

Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P314 - Get medical attention/advice if you feel unwell

P501 - Dispose of contents/container to an approved incineration plant

Contains**Substances**

Ethylene glycol

CAS Number

107-21-1

2.3. Other Hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.2. Mixtures

Mixture

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Ethylene glycol	203-473-3	107-21-1	10 - 30%	Acute Tox. 4 (H302) STOT RE 1 (H372)	01-2119456816-28

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures**Inhalation**

If inhaled, move victim to fresh air and seek medical attention.

Eyes

Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.

Skin

Wash with soap and water. Get medical attention if irritation persists. Remove contaminated clothing and laundry before reuse.

Ingestion

Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

4.2. Most Important symptoms and effects, both acute and delayed

Prolonged or repeated exposure may cause damage to organs.

4.3. Indication of any immediate medical attention and special treatment needed**Notes to Physician**

Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Special Exposure Hazards

Decomposition in fire may produce harmful gases.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Spills of this product are very slippery.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Avoid breathing mist.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from oxidizers. Store in a cool well ventilated area. Keep container closed when not in use. Ensure all containers are labeled. Keep from excessive heat.

7.3. Specific End Use(s)

Exposure Scenario

Please refer to the attached Annex for a listing of exposure scenarios.

Other Guidelines

No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Limits

Substances	CAS Number	EU	UK	Netherlands	France
Ethylene glycol	107-21-1	Not applicable	TWA: 10 mg/m ³ TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ STEL: 30 mg/m ³	TWA: 52 mg/m ³ TWA: 10 mg/m ³ STEL: 104 mg/m ³	20 ppm

Substances	CAS Number	Germany	Spain	Portugal	Finland
Ethylene glycol	107-21-1	TWA: 10 ppm TWA: 26 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ 40 ppm STEL [VLA-EC]; 104 mg/m ³ STEL [VLA-EC]	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³	TWA: 20 ppm TWA: 50 mg/m ³ STEL: 40 ppm STEL: 100 mg/m ³

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Ethylene glycol	107-21-1	TWA: 10 ppm TWA: 26 mg/m ³ STEL" 20 ppm STEL" 52 mg/m ³	10 mg/m ³ TWA (particulate); 20 ppm TWA (vapour); 52 mg/m ³ TWA (vapour) 40 ppm STEL; 104	TWA: 10 ppm TWA: 26 mg/m ³ STEL: 20 ppm STEL: 52 mg/m ³	TWA: 10 mg/m ³ TWA: 20 ppm TWA: 52 mg/m ³ STEL: 104 mg/m ³ STEL: 40 ppm

			mg/m ³ STEL		
Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Ethylene glycol	107-21-1	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³	TWA: 15 mg/m ³ STEL: 50 mg/m ³	TWA: 52 mg/m ³ STEL: 104 mg/m ³	TWA: 50 mg/m ³
Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Ethylene glycol	107-21-1	TWA: 10 ppm TWA: 26 mg/m ³ TWA: 10 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³

Derived No Effect Level (DNEL)

No information available.

Worker

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Hazards for the eyes - local effects
Ethylene glycol	Not available	Not available	35 mg/m ³	Not available	106 mg/kg bw/day	Not available	Not available	Not available	Not available

General Population

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Long-term exposure - systemic effects, Oral	Acute / short term exposure - local effects, Oral	Hazards for the eyes - local effects
Ethylene glycol	Not available	Not available	7 mg/m ³	Not available	53 mg/kg bw/day	Not available	Not available	Not available	Not available	Not available	Not available

Predicted No Effect Concentration (PNEC)

No information available.

Substances	Freshwater	Marine water	Intermittent release	Sewage treatment plant	Sediment (freshwater)	Sediment (marine water)	Air	Soil	Secondary poisoning
Ethylene glycol	10 mg/L	1 mg/L	10 mg/L	199.5 mg/L	37 mg/kg sediment dw	3.7 mg/kg sediment dw	Not available	1.53 mg/kg soil dw	Not available

8.2. Exposure controls**Engineering Controls**

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Hand Protection

Organic vapor respirator with a dust/mist filter. (A2P2/P3)
Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Polyvinylchloride gloves. (>= 0.7 mm thickness)
This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.

Skin Protection

Rubber apron. Rubber boots

Eye Protection

Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions

None known.

Environmental Exposure Controls No information available

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid Odor: Mild sweet	Color: Dark brown Odor Threshold: No information available
--	---

<u>Property</u>	<u>Values</u>
<u>Remarks/ - Method</u>	
pH:	7.5
Freezing Point/Range	No data available
Melting Point/Range	No data available
Boiling Point/Range	100 °C / 212 °F
Flash Point	> 104 °C / > 220 °F PMCC
Flammability (solid, gas)	No data available
upper flammability limit	No data available
lower flammability limit	No data available
Evaporation rate	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity	1.1
Water Solubility	Soluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

VOC Content (%) No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Strong oxidizers.

10.6. Hazardous Decomposition Products

Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

Inhalation

Not a likely route of exposure. Vapors given off by heated product may be harmful. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.

Eye Contact

May cause mild eye irritation.

Skin Contact

Prolonged or repeated contact may cause skin irritation.

Ingestion

May be harmful if swallowed.

Chronic Effects/Carcinogenicity

Prolonged or repeated exposure may cause liver, heart, blood and brain damage.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene glycol	107-21-1	4000 mg/kg (Rat) 7712 mg/kg (Rat) > 10000 mg/kg (Rat) 1670 mg/kg (Cat) 1400 – 1600 mg/kg (Human)	9530 µL/kg (Rabbit) > 3500 mg/kg (Mouse)	> 2.5 mg/L (Rat) 6h (saturated concentration)

Substances	CAS Number	Skin corrosion/irritation
Ethylene glycol	107-21-1	Non-irritating to the skin (Rabbit)

Substances	CAS Number	Eye damage/irritation
Ethylene glycol	107-21-1	Non-irritating to the eye (Rabbit)

Substances	CAS Number	Skin Sensitization
Ethylene glycol	107-21-1	Did not cause sensitization on laboratory animals (guinea pig) Patch test on human volunteers did not demonstrate sensitization properties

Substances	CAS Number	Respiratory Sensitization
Ethylene glycol	107-21-1	No information available

Substances	CAS Number	Mutagenic Effects
Ethylene glycol	107-21-1	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects.

Substances	CAS Number	Carcinogenic Effects
Ethylene glycol	107-21-1	Did not show carcinogenic effects in animal experiments

Substances	CAS Number	Reproductive toxicity
Ethylene glycol	107-21-1	Fetotoxic and teratogenic effects observed in experimental animals at concentrations that did not produce maternal toxicity.

Substances	CAS Number	STOT - single exposure
Ethylene glycol	107-21-1	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	STOT - repeated exposure
Ethylene glycol	107-21-1	Causes damage to organs through prolonged or repeated exposure: (Kidney)

Substances	CAS Number	Aspiration hazard
Ethylene glycol	107-21-1	No information available

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Ethylene glycol	107-21-1	EC50 6500 - 13000 mg/L (Pseudokirchneriella subcapitata) TGK (8d) > 10000 mg/L (Scenedesmus quadricauda)	LC50 41000 mg/L (Oncorhynchus mykiss) LC50 (96h) 72860 mg/L (Pimephales promelas) NOEC (7d) 15380 mg/L (mortality) (Pimephales promelas)	TTC (16h) > 10000 mg/L (Pseudomonas putida) EC20 (30 m) > 1995 mg/L (activated sludge, domestic) (similar substance)	EC50 46300 mg/L (Daphnia magna) EC50 (48h) >100 mg/L (Daphnia magna) NOEC (7d) 8590 mg/L (reproduction) (Ceriodaphnia dubia)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
------------	------------	-------------------------------

Ethylene glycol	107-21-1	Readily biodegradable (100% @ 10d)
-----------------	----------	------------------------------------

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Ethylene glycol	107-21-1	-1.36

12.4. Mobility in soil

Substances	CAS Number	Mobility
Ethylene glycol	107-21-1	No information available

12.5. Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment
Ethylene glycol	Not PBT/vPvB

12.6. Other adverse effects**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations
--

13.1. Waste treatment methods**Disposal Method**

Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging

Follow all applicable national or local regulations.

SECTION 14: Transport Information
--

IMDG/IMO

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

RID

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

ADR

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

IATA/ICAO

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

14.1. UN Number: Not restricted

14.2. UN Proper Shipping Name: Not restricted

14.3. Transport Hazard Class(es): Not applicable

14.4. Packing Group: Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory

This product, and all its components, complies with EINECS

US TSCA Inventory

All components listed on inventory or are exempt.

Canadian DSL Inventory

Product contains one or more components not listed on the inventory.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering Classes (WGK)

WGK 1: Low hazard to waters.

15.2. Chemical Safety Assessment

Yes

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H372 - Causes damage to organs through prolonged or repeated exposure if swallowed

Key or legend to abbreviations and acronyms

bw – body weight

CAS – Chemical Abstracts Service

CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures

EC – European Commission

EC10 – Effective Concentration 10%

EC50 – Effective Concentration 50%

EEC – European Economic Community

ErC50 – Effective Concentration growth rate 50%

IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 – Lethal Concentration 50%

LD50 – Lethal Dose 50%

LL0 – Lethal Loading 0%

LL50 – Lethal Loading 50%

MARPOL – International Convention for the Prevention of Pollution from Ships

mg/kg – milligram/kilogram

mg/L – milligram/liter

NIOSH – National Institute for Occupational Safety and Health

NOEC – No Observed Effect Concentration

NTP – National Toxicology Program

OEL – Occupational Exposure Limit

PBT – Persistent Bioaccumulative and Toxic

PC – Chemical Product category

PEL – Permissible Exposure Limit

ppm – parts per million

PROC – Process category

REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL – Short Term Exposure Limit

SU – Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/

OSHA

ECHA C&L

Revision Date: 07-Sep-2015**Revision Note**

SDS sections updated: 1

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet