

SAFETY DATA SHEET

Revision Date 01/30/2015 REVISION NUMBER: 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name HLC-5200 GB, Liquid Alkaline Heavy Duty Cleaner

Other means of identification

Product code 119200 UN/ID No. 1824 Synonyms NONE

Recommended use of the chemical and restrictions on use

Recommended Use Cleaning agent.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Rochester Midland Corporation

155 Paragon Drive

Rochester, New York 14624 USA

Emergency telephone number

EMERGENCY TELEPHONE INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Label elements

Emergency Overview

DANGER

Hazard statements

Causes severe skin burns and eye damage May be corrosive to metals



Appearance Clear, Brown Physical state Liquid Odor Odorless

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in corrosive resistant container

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

- May be harmful in contact with skin
- · Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

Unknown Acute Toxicity

8.8% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	CAS No.	%	TRADE SECRET
SODIUM HYDROXIDE	1310-73-2	30 - 40	*
POTASSIUM HYDROXIDE	1310-58-3	1 - 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediately call a POISON CENTER or doctor/physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Revision Date 01/30/2015

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

Protective equipment and precautions for firefighters

CORROSIVE MATERIAL. Avoid exposure to mist and splashes. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal

Protection.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling DANGER: Concentrated, caustic material. Avoid contact with eyes, skin and clothing. Do

not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Empty containers

may retain product residue, follow MSDS/label precautions even after container is emptied. Contact with certain food sugars can release hazardous amounts of carbon monoxide gas

in enclosed vessels.

Incompatible materials Acids. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction

will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition

source.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

PRODUCT COMPOSITION CAS#	ACGIH TLV	OSHA PEL	NIOSH IDLH
SODIUM HYDROXIDE 1310-73-2	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m³ TWA: 2 mg/m³	10 mg/m³
POTASSIUM HYDROXIDE 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	-

Appropriate engineering controls

ENGINEERING CONTROLS Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Goggles and face shield are recommended to minimize eye contact.

Skin and body protection Nitrile, neoprene, or other appropriate gloves are recommended to minimize hand skin

contact. Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is

consistent with safe use of this product.

RESPIRATORY PROTECTION If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

None to boiling.

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearanceClear, BrownOdorOdorless

Color Brown Odor threshold No information available

Sold: Sold: The mornation available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 14

Melting point/freezing point

Boiling point / boiling range

No information available
No information available

Flash point -

Evaporation rate No information available

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific gravity 1.470 - 1.485

Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available

Kinematic viscosity
Dynamic viscosity
Explosive properties
Oxidizing properties
No information available
No information available
No information available

Other Information

Softening point No information available

VOC (EPA METH.24) (G/L): 52.54 **Density** 12.33 lbs/gal

Bulk density No information available

10. STABILITY AND REACTIVITY

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Extremes of temperature and direct sunlight.

Incompatible materials

Acids. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.

Hazardous Decomposition Products

Oxides of Carbon. Oxides of Nitrogen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Causes severe skin burns and eye damage

Inhalation Causes burns.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contact Causes burns. May be harmful in contact with skin.

Ingestion Can burn mouth, throat, and stomach. Causes burns.

PRODUCT COMPOSITION CAS#	Oral LD50	Dermal LD50	Inhalation LC50
SODIUM HYDROXIDE 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
POTASSIUM HYDROXIDE 1310-58-3	= 214 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.Reproductive ToxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.

119200 HLC-5200 GB, Liquid Alkaline Heavy Duty Cleaner

Revision Date 01/30/2015

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 8.8% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 31646 mg/kg ATEmix (dermal) 3531 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

10.38% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION CAS#	Algae/aquatic plants	Fish	Crustacea
SODIUM HYDROXIDE 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

PRODUCT COMPOSITION CAS#	Partition coefficient
POTASSIUM HYDROXIDE 1310-58-3	0.83

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

UN/ID No. 1824

Proper shipping name SODIUM HYDROXIDE SOLUTION

Hazard Class 8
Packing Group II

Description 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies

ENCS Does not Comply

IECSC Complies

KECL Does not Comply

PICCS Complies AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD
CHRONIC HEALTH HAZARD
No
FIRE HAZARD
Sudden release of pressure hazard
No
REACTIVE HAZARD
YES

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION CAS#	Hazardous Substances RQs (in LBS)	U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
SODIUM HYDROXIDE 1310-73-2	1000	
POTASSIUM HYDROXIDE 1310-58-3	1000	

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION CAS#	NJRTK:	MARTK:	PARTK:
SODIUM HYDROXIDE 1310-73-2	1706	Listed	Listed
POTASSIUM HYDROXIDE 1310-58-3	1571	Listed	Listed

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA

Health hazards 3 Flammability 0 Instability 2

Physical and Chemical Properties ALKALI

HMIS

Health hazards 3 Flammability 0 Physical hazards 2 Personal protection D

Revision Date 01/30/2015

Revision Note Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***