## HALLIBURTON

# **MATERIAL SAFETY DATA SHEET**

Product Trade Name: HR-601LM

20-Mar-2012

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: Synonyms: Chemical Family: Application:	HR-601LM None Lignosulfonate Cement Retarder
Manufacturer/Supplier	Halliburton Energy Services P.O. Box 1431 Duncan, Oklahoma 73536-0431 Emergency Telephone: (281) 575-5000
Prepared By	Chemical Compliance Telephone: 1-580-251-4335 e-mail: fdunexchem@halliburton.com

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Modifed lignosulfonate		10 - 30%	Not applicable	Not applicable
Sodium hydroxide	1310-73-2	1 - 5%	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>

### 3. HAZARDS IDENTIFICATION

**Hazard Overview** 

**Revision Date:** 

May cause eye, skin, and respiratory irritation.

## 4. FIRST AID MEASURES

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Skin	Wash with soap and water. Get medical attention if irritation persists.
Eyes	Immediately flush eyes with large amounts of water for at least 20 minutes. Seek prompt medical attention.
Ingestion	Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.
Notes to Physician	Not Applicable

### 5. FIRE FIGHTING MEASURES

Flash Point/Range (F): Flash Point/Range (C): Flash Point Method: Autoignition Temperature (F): Autoignition Temperature (C): Flammability Limits in Air - Lowe Flammability Limits in Air - Uppe	Na Na Na Na <b>r (%):</b> Na	ot Determined ot Determined ot Determined ot Determined ot Determined ot Determined ot Determined
Fire Extinguishing Media	Water fog, carbon dioxide, foam, dry chemical.	
Special Exposure Hazards	Decomposition in fire may produce toxic gases.	
Special Protective Equipment for Fire-Fighters	<b>r</b> Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.	
NFPA Ratings: HMIS Ratings:	Health 2, Flammability 0, Reactivity 0 Health 2, Flammability 0, Physical Hazard 0	

#### 6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment.

Environmental Precautionary Measures	Prevent from entering sewers, waterways, or low areas.
Procedure for Cleaning / Absorption	Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

#### 7. HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid breathing mis	id breathing mist.	ing Precautions
--	--------------------	-----------------

**Storage Information** Store away from oxidizers. Keep from freezing. Product has a shelf life of 12 months.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls** Use in a well ventilated area.

Respiratory ProtectionIf engineering controls and work practices cannot keep exposure below occupational<br/>exposure limits or if exposure is unknown, wear a NIOSH certified, European<br/>Standard EN 149, or equivalent respirator when using this product. Selection of and<br/>instruction on using all personal protective equipment, including respirators, should<br/>be performed by an Industrial Hygienist or other qualified professional.

Hand Protection	Impervious rubber gloves.
Skin Protection	Rubber apron.
Eye Protection	Wear safety glasses or goggles to protect against exposure.
Other Precautions	None known.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** 

Liquid

HR-601LM Page 2 of 6

9. PHYSICAL AND CHEMICAL PROPERTIE	S
Color:	Light brown
Odor:	Slight
pH:	10-11
Specific Gravity @ 20 C (Water=1):	1.085
Density @ 20 C (lbs./gallon):	9.06
Bulk Density @ 20 C (lbs/ft3):	Not Determined
Boiling Point/Range (F):	Not Determined
Boiling Point/Range (C):	Not Determined
Freezing Point/Range (F):	Not Determined
Freezing Point/Range (C):	Not Determined
Vapor Pressure @ 20 C (mmHg):	Not Determined
Vapor Density (Air=1):	Not Determined
Percent Volatiles:	Not Determined
Evaporation Rate (Butyl Acetate=1):	Not Determined
Solubility in Water (g/100ml):	Soluble
Solubility in Solvents (g/100ml):	Not Determined
VOCs (lbs./gallon):	Not Determined
Viscosity, Dynamic @ 20 C (centipoise):	Not Determined
Viscosity, Kinematic @ 20 C (centistokes):	Not Determined
Partition Coefficient/n-Octanol/Water:	Not Determined
Molecular Weight (g/mole):	Not Determined

## 10. STABILITY AND REACTIVITY

Stability Data:	Stable
Hazardous Polymerization:	Will Not Occur
Conditions to Avoid	None anticipated
Incompatibility (Materials to Avoid)	Strong oxidizers.
Hazardous Decomposition Products	Oxides of sulfur. Carbon monoxide and carbon dioxide.
Additional Guidelines	Not Applicable

## 11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure	Eye or skin contact, inhalation.
Inhalation	May cause respiratory irritation.
Skin Contact	May cause skin irritation.
Eye Contact	May cause severe eye irritation.
Ingestion	In normal industrial use, ingestion is not considered a probable route of exposure.
Aggravated Medical Conditions	Skin disorders.
Chronic Effects/Carcinogenicity	No data available to indicate product or components present at greater than 1% are chronic health hazards.
Other Information	None known.
Toxicity Tests	
Oral Toxicity:	Not determined

HR-601LM Page 3 of 6

Dermal Toxicity:	Not determined
Inhalation Toxicity:	Not determined
Primary Irritation Effect:	Not determined
Carcinogenicity	Not determined
Genotoxicity:	Not determined
Reproductive / Developmental Toxicity:	Not determined

## 12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air)	Not determined
Persistence/Degradability	Not determined
Bio-accumulation	Not determined

#### **Ecotoxicological Information**

Acute Fish Toxicity: Acute Crustaceans Toxicity Acute Algae Toxicity:	Not determined Not determined Not determined
Chemical Fate Information	Not determined
Other Information	Not applicable

### 13. DISPOSAL CONSIDERATIONS

**Disposal Method** Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

#### 14. TRANSPORT INFORMATION

#### Land Transportation

#### DOT Not restric

Not restricted

#### Canadian TDG

Not restricted

ADR Not restricted

#### **Air Transportation**

ICAO/IATA Not restricted

#### Sea Transportation

### IMDG

Not restricted

## **Other Transportation Information**

Labels:

## 15. REGULATORY INFORMATION

None

US Regulations	
US TSCA Inventory	All components listed on inventory or are exempt.
EPA SARA Title III Extremely Hazardous Substances	Not applicable
EPA SARA (311,312) Hazard Class	Acute Health Hazard
EPA SARA (313) Chemicals	Sodium Hydroxide//1310-73-2
EPA CERCLA/Superfund Reportable Spill Quantity	The EPA Reportable Spill Quantity is well above quantities required for any expected use of this product.
EPA RCRA Hazardous Waste Classification	If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.
California Proposition 65	All components listed do not apply to the California Proposition 65 Regulation.
MA Right-to-Know Law	One or more components listed.
NJ Right-to-Know Law	One or more components listed.
PA Right-to-Know Law	One or more components listed.
Canadian Regulations	
Canadian DSL Inventory	All components listed on inventory or are exempt.
WHMIS Hazard Class	Un-Controlled

## 16. OTHER INFORMATION

The following sections have Not applicable	been revised since the last issue of this MSDS	
Additional Information	For additional information on the use of this product, contact your local Halliburton representative.	
	For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.	
Disclaimer Statement	This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.	
HR-601LM		

HR-601LM Page 6 of 6