HALLIBURTON

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

HS-202

Revision Date: 22-Sep-2015 **Revision Number: 5**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name HS-202 Internal ID Code HM006686

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Solvent

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services

Halliburton House, Howemoss Place

Kirkhill Industrial Estate

Dvce

Aberdeen, AB21 0GN United Kingdom

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4. Emergency telephone number

+44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §	45 - (EC)1272/2008
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Aspiration Category	Category 1 - H304
Skin Corrosion / irritation	Category 2 - H315
Serious Eye Damage / Eye Irritation	Category 1 - H318
Germ Cell Mutagenicity	Category 1B - H340
Carcinogenicity	Category 1B - H350
Reproductive Toxicity	Category 1B -H360
Specific Target Organ Toxicity - (Single Exposure)	Category 3 - H336

Chronic Aquatic Toxicity Chronic 3 - H412

2.2. Label Elements

Hazard Pictograms



Signal Word Danger

Hazard Statements

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H318 - Causes serious eye damage

H336 - May cause drowsiness or dizziness

H340 - May cause genetic defects

H350 - May cause cancer

H360 - May damage fertility or the unborn child

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P280 - Wear protective gloves/eye protection/face protection

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308 + P313 - IF exposed or concerned: Get medical advice/attention

Contains

SubstancesCAS NumberCyclohexanone108-94-1n-Methylpyrrolidone872-50-4Light aromatic solvent64742-95-6

2.3. Other Hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.2. Mixtures Mixture

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Cyclohexanone	203-631-1	108-94-1	1 - 5%	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Corr. 1 (H318) Flam. Liq. 3 (H226)	No data available
n-Methylpyrrolidone	212-828-1	872-50-4	1 - 5%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Repr. 1 (H360) STOT SE 3 (H335)	No data available
Light aromatic solvent	265-199-0	64742-95-6	60 - 100%	Skin Irrit. 2 (H315) Muta. 1 (H340) Carc. 1B (H350) STOT SE 3 (H336) Asp. Tox. 1 (H304) Aquatic Chronic 3 (H412) Flam. Liq. 3 (H226)	No data available

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation If inhaled, move victim to fresh air and seek medical attention.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15

minutes and get medical attention if irritation persists.

Skin In case of contact, immediately flush skin with plenty of soap and water for at

least 15 minutes. Get medical attention. Remove contaminated clothing and

launder before reuse.

Ingestion Get medical attention! If vomiting occurs, keep head lower than hips to prevent

aspiration. Rinse mouth. Never give anything by mouth to an unconscious

person.

4.2. Most Important symptoms and effects, both acute and delayed

Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal. Causes serious eye damage. Causes skin irritation. May cause drowsiness and dizziness. Carcinogen. May cause heritable genetic damage. Potential reproductive hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media

Carbon dioxide, dry chemical, foam.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Special Exposure Hazards

Vapors are heavier than air and may accumulate in low areas. Vapors may travel along the ground to be ignited at distant locations. Use water spray to cool fire exposed surfaces. Closed containers may explode in fire. Decomposition in fire may produce harmful gases.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove sources of ignition. Use appropriate protective equipment. Wear self-contained breathing apparatus in enclosed areas. Avoid breathing vapors. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Evacuate all persons from the area.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Contain spill with sand or other inert materials. Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

·

7.1. Precautions for Safe Handling

Remove sources of ignition. Avoid breathing vapors. Avoid contact with eyes, skin, or clothing. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Ground and bond containers when transferring from one container to another. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from oxidizers. Keep from heat, sparks, and open flames.

7.3. Specific End Use(s)

Exposure Scenario No information available Other Guidelines No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Limits

Substances	CAS Number	EU	UK	Netherlands	France
Cyclohexanone	108-94-1	Not applicable	TWA: 10 ppm TWA: 41 mg/m³ STEL: 20 ppm STEL: 82 mg/m³	STEL: 50 mg/m ³	10 ppm
n-Methylpyrrolidone	872-50-4	Not applicable	TWA: 10 ppm TWA: 40 mg/m³ STEL: 75 ppm STEL: 309 mg/m³	40 mg/m ³	TWA: 40 mg/m ³ TWA: 10 ppm STEL: 80 mg/m ³ STEL: 20 ppm
Light aromatic solvent	64742-95-6	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Germany	Spain	Portugal	Finland
Cyclohexanone	108-94-1	TWA: 20 ppm TWA: 80 mg/m³	TWA: 10 ppm TWA: 41 mg/m³ 20 ppm STEL [VLA-EC]; 82 mg/m³ STEL [VLA-EC]	TWA: 10 ppm TWA: 40.8 mg/m³ STEL: 20 ppm STEL: 81.6 mg/m³	TWA: 10 ppm TWA: 41 mg/m³ STEL: 20 ppm STEL: 82 mg/m³
n-Methylpyrrolidone	872-50-4	TWA: 20 ppm TWA: 82 mg/m³	TWA: 10 ppm TWA: 40 mg/m³ 20 ppm STEL [VLA-EC]; 80 mg/m³ STEL [VLA-EC]	TWA: 10 ppm TWA: 40 mg/m³ STEL: 20 ppm STEL: 80 mg/m³	TWA: 10 ppm TWA: 40 mg/m³ STEL: 20 ppm STEL: 80 mg/m³
Light aromatic solvent	64742-95-6	50 ppm	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Cyclohexanone	108-94-1	TWA: 5 ppm	10 ppm TWA; 40.8	TWA: 25 ppm	TWA: 20 ppm
		TWA: 20 mg/m ³	mg/m³ TWA	TWA: 100 mg/m ³	TWA: 80 mg/m ³
		STEL" 20 ppm	20 ppm STEL; 81.6	STEL: 50 ppm	STEL: 30 ppm
		STEL" 80 mg/m ³	mg/m³ STEL	STEL: 200 mg/m ³	STEL: 120 mg/m ³
n-Methylpyrrolidone	872-50-4	TWA: 10 ppm	10 ppm TWA; 40	TWA: 20 ppm	TWA: 5 ppm
		TWA: 40 mg/m ³	mg/m³ TWA	TWA: 80 mg/m ³	TWA: 20 mg/m ³
		STEL" 20 ppm	20 ppm STEL; 80	STEL: 40 ppm	STEL: 20 ppm
		STEL" 80 mg/m ³	mg/m³ STEL	STEL: 160 mg/m ³	STEL: 80 mg/m ³
Light aromatic solvent	64742-95-6	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Cyclohexanone	108-94-1	TWA: 10 ppm TWA: 40.8 mg/m³ STEL: 20 ppm STEL: 81.6 mg/m³	TWA: 40 mg/m ³ STEL: 80 mg/m ³	TWA: 40.8 mg/m ³ STEL: 81.6 mg/m ³	TWA: 40 mg/m ³
n-Methylpyrrolidone	872-50-4	Not applicable	TWA: 40 mg/m ³ STEL: 80 mg/m ³	Not applicable	TWA: 40 mg/m ³
Light aromatic solvent	64742-95-6	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Cyclohexanone	108-94-1	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm
		TWA: 41 mg/m ³	TWA: 40.8 mg/m ³	TWA: 40.8 mg/m ³	TWA: 40.8 mg/m ³
			STEL: 20 ppm	STEL: 20 ppm	STEL: 20 ppm
			STEL: 81.6 mg/m ³	STEL: 81.6 mg/m ³	STEL: 81.6 mg/m ³
n-Methylpyrrolidone	872-50-4	TWA: 5 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 40 mg/m ³
		TWA: 20 mg/m ³	TWA: 40 mg/m ³	TWA: 40 mg/m ³	TWA: 10 ppm
			STEL: 20 ppm	STEL: 20 ppm	STEL: 80 mg/m ³
			STEL: 80 mg/m ³	STEL: 80 mg/m ³	STEL: 20 ppm

Light aromatic solvent 64742-95-6 Not applicable Not applicable Not applicable Not applicable

Derived No Effect Level (DNEL)

No information available.

Worker

General Population

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without

good cross ventilation.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection Organic vapor respirator.

Hand Protection Impervious rubber gloves.

Skin Protection Rubber apron.

Eye ProtectionChemical goggles; also wear a face shield if splashing hazard exists. **Other Precautions**Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid Color: Colorless Clear

Odor: Aromatic hydrocarbon Odor Threshold: No information available

<u>Property</u> <u>Values</u>

Remarks/ - Method

pH:No data availableFreezing Point/RangeNo data availableMelting Point/RangeNo data availableBoiling Point/RangeNo data availableFlash Point62 °C / 144 °FFlammability (solid, gas)No data available

upper flammability limit 12.6 lower flammability limit 1.9

Evaporation rate No data available No data available **Vapor Pressure** Vapor Density No data available **Specific Gravity** No data available **Water Solubility** Insoluble in water Solubility in other solvents No data available Partition coefficient: n-octanol/water No data available Autoignition Temperature 471 °C / 880 °F No data available **Decomposition Temperature** No data available **Viscosity**

Explosive Properties

No information available
Oxidizing Properties

No information available

9.2. Other information

VOC Content (%) No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Strong oxidizers.

10.6. Hazardous Decomposition Products

Toxic fumes. Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

Inhalation May cause respiratory irritation. May cause central nervous system depression including

headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech,

giddiness and unconsciousness.

Eye Contact Causes serious eye damage

Skin ContactCauses skin irritation. May be absorbed through the skin and produce effects similar to

those caused by inhalation and/or ingestion.

Ingestion Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting,

nausea, and diarrhea. Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia,

which can be fatal.

Chronic Effects/Carcinogenicity Prolonged or repeated exposure may cause reproductive system damage. This product

is a carcinogen. May cause heritable genetic damage.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cyclohexanone	108-94-1	800 mg/kg (Rat) 1620 mg/kg (Rat)	948 mg/kg (Rabbit) > 794 mg/kg (Rabbit)	10.7 mg/L (Rat) 4h 8000 ppm (Rat) 4h > 6.2 mg/L (Rat) 4h
n-Methylpyrrolidone	872-50-4	3598 mg/kg (Rat) 3500 mg/kg (Rabbit) 4150 mg/kg (Rat)	2500 mg/kg (Rat) 2000 mg/kg (Rabbit) > 5000 mg/kg (Rat)	3.1 mg/L (Rat) 4h > 5.1 mg/L (Rat)
Light aromatic solvent	64742-95-6	8400 mg/kg (Rat) >5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	5.2 mg/L (Rat) 4h 3400 ppm (Rat) 4h >8.53 mg/L (Rat) 4h

Substances	CAS	Skin corrosion/irritation
	Number	
Cyclohexanone	108-94-1	May cause mild skin irritation.
n-Methylpyrrolidone	872-50-4	Causes moderate skin irritation.
Light aromatic solvent	64742-95-6	Causes moderate skin irritation. (Rabbit)

Substances	CAS	Eye damage/irritation
	Number	
Cyclohexanone	108-94-1	May cause severe eye irritation.
n-Methylpyrrolidone	872-50-4	Causes moderate eye irritation.
Light aromatic solvent	64742-95-6	Non-irritating to rabbit's eye

Substances	CAS	Skin Sensitization
	Number	
Cyclohexanone	108-94-1	Did not cause sensitization on laboratory animals (guinea pig)
n-Methylpyrrolidone	872-50-4	Patch test on human volunteers did not demonstrate sensitization properties
Light aromatic solvent	64742-95-6	Did not cause sensitization on laboratory animals (guinea pig)

Substances	CAS	Respiratory Sensitization	
	Number		
Cyclohexanone	108-94-1	ot confirmed to cause skin or respiratory sensitization.	
n-Methylpyrrolidone	872-50-4	lo information available	
Light aromatic solvent	64742-95-6	No information available	

	CAS Number	Mutagenic Effects	
Cyclohexanone	108-94-1	In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects.	
n-Methylpyrrolidone	872-50-4	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects.	

Substances	CAS Number	Carcinogenic Effects	
Cyclohexanone	108-94-1	Did not show carcinogenic or teratogenic effects in animal experiments (mouse)	
n-Methylpyrrolidone	872-50-4	ot regarded as carcinogenic.	
Light aromatic solvent	64742-95-6	Contains a known or suspected carcinogen	
Substances	CAS Number	Reproductive toxicity	
O calabacca a a a	400.04.4	The manufact days and another and become a consisted assembled to be another	

64742-95-6 Some in vivo tests have shown mutagenic effects. In vitro tests have shown mutagenic effects

Substances	CAS	Reproductive toxicity	
	Number		
Cyclohexanone	108-94-1	his product does not contain any known or suspected reproductive hazards	
n-Methylpyrrolidone		Fetotoxic and teratogenic effects observed in experimental animals at concentrations that did not produce maternal toxicity.	
Light aromatic solvent	64742-95-6	No data of sufficient quality are available.	

Substances	CAS	STOT - single exposure	
	Number		
Cyclohexanone	108-94-1	No observed cross-reactivity with human tissues	
n-Methylpyrrolidone	872-50-4	May cause disorder and damage to the Respiratory system.	
Light aromatic solvent	64742-95-6	May cause headache, dizziness, and other central nervous system effects.	

	CAS Number	STOT - repeated exposure	
Cyclohexanone	108-94-1	No significant toxicity observed in animal studies at concentration requiring classification.	
n-Methylpyrrolidone	872-50-4	No significant toxicity observed in animal studies at concentration requiring classification.	
Light aromatic solvent		No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)	

	CAS Number	Aspiration hazard	
Cyclohexanone	108-94-1	ot applicable	
n-Methylpyrrolidone	872-50-4	lot applicable	
Light aromatic solvent	64742-95-6	lay be fatal if swallowed and enters airways	

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

Light aromatic solvent

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Cyclohexanone	108-94-1	EC50 20 mg/L (Chlorella vulgaris) EC03 (8d) 370 mg/L (Scendesmus quadricauda)	LC50 481-578 mg/L (Pimephales promelas) LC50 (96h) 732 mg/L (Pimephales promelas)	No information available	EC50 (24h) 800 mg/l (Daphnia magna)
n-Methylpyrrolidone	872-50-4	EC50 (72h) 600.5 mg/L (Desmodesmus subspicatus) EC50 (72h) > 500 mg/L (Desmodesmus subspicatus)	LC50 (96h) 832 mg/L (Lepomis macrochirus) LC50 (96h) 4000 mg/L (Leuciscus idus) LC50 (96h) 1072 mg/L (Pimephales promelas) LC50 (96h) 1400 mg/L (Poecilia reticulata) LC50 (96h) 500 mg/L (Oncorhynchus mykiss)	EC50 (0.5h) 600 mg/L (Activated sludge)	EC50 (48h) 4897 mg/L (Daphnia magna) EC50 (24h) 1000 mg/L (Daphnia magna)
Light aromatic solvent	64742-95-6	EL50 (72h) 3.1 mg/L (Pseudokirchnerella subcapitata)	LC50 (96h) 1.03 mg/L (Oncorhynchus mykiss)	No information available	EC50 (48h) 1.2 mg/L (Daphnia magna)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Cyclohexanone	108-94-1	Readily biodegradable (87% @ 28d)
n-Methylpyrrolidone	872-50-4	(73% @ 28d)
Light aromatic solvent	64742-95-6	(77.05% @ 28d)

12.3. Bioaccumulative potential

·

Substances	CAS Number	Log Pow
Cyclohexanone	108-94-1	0.86
n-Methylpyrrolidone	872-50-4	-0.46 BCF = 3.16
Light aromatic solvent	64742-95-6	3.20 - 3.63 BCF = 119 - 142

12.4. Mobility in soil

Substances	CAS Number	Mobility
Cyclohexanone	108-94-1	KOC = 15.15
n-Methylpyrrolidone	872-50-4	KOC = 20.94
Light aromatic solvent	64742-95-6	KOC = 372 - 617

12.5. Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no

substance considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment
Cyclohexanone	Not PBT/vPvB
n-Methylpyrrolidone	Not PBT/vPvB
Light aromatic solvent	Not PBT/vPvB

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Disposal Method

Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

SECTION 14: Transport Information

IMDG/IMO

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Not applicable
Environmental Hazards:
Not applicable
Not applicable

RID

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Not applicable
Environmental Hazards:
Not applicable
Not applicable

<u>ADR</u>

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Not applicable
Not applicable
Not applicable
Not applicable

IATA/ICAO

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Environmental Hazards:
Not restricted
Not applicable
Not applicable
Not applicable

14.1. UN Number: Not restricted

14.2. UN Proper Shipping Name: Not restricted

14.3. Transport Hazard Class(es): Not applicable

14.4. Packing Group: Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory
All components listed on inventory or are exempt.
All components listed on inventory or are exempt.
All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering

Classes (WGK)

WGK 2: Hazard to waters.

Substances	CAS Number	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization
n-Methylpyrrolidone	872-50-4	Use restricted. See item 30.	Not applicable
Light aromatic solvent	64742-95-6	Use restricted. See item 28. Use restricted. See item 29.	Not applicable

15.2. Chemical Safety Assessment

No information available

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H340 - May cause genetic defects

H350 - May cause cancer

H360 - May damage fertility or the unborn child

H412 - Harmful to aquatic life with long lasting effects

Key or legend to abbreviations and acronyms

bw – body weight

CAS - Chemical Abstracts Service

CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures

EC - European Commission

EC10 - Effective Concentration 10%

EC50 - Effective Concentration 50%

EEC – European Economic Community

ErC50 – Effective Concentration growth rate 50%

IBC Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL0 - Lethal Loading 0%

LL50 - Lethal Loading 50%

MARPOL - International Convention for the Prevention of Pollution from Ships

mg/kg - milligram/kilogram

mg/L - milligram/liter

NIOSH - National Institute for Occupational Safety and Health

NOEC - No Observed Effect Concentration

NTP - National Toxicology Program

OEL - Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

PC - Chemical Product category

PEL - Permissible Exposure Limit

ppm – parts per million

PROC - Process category

REACH - REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the

Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL - Short Term Exposure Limit

SU - Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date: 22-Sep-2015

Revision Note

SDS sections updated: 1

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet