# FLEXOVIT USA INC.

# SAFETY DATA SHEET

# **SECTION 1 - Identification of the Product and Company**

1.1 Product Name Hand Rubs and Floor Stones
1.2 Product Use Grinding and Finishing
1.3 Company Details: Flexovit Abrasives Inc.

Address: 1305 Eden-Evans Center Rd.

Angola, NY 14006

Phone: 1-716-549-5100 Fax: 1-716-549-4078

#### **SECTION 2 - Hazard Information**

#### 2.1 Precautionary statements

WEAR EYE PROTECTION.

HAVE PROPER VENTILATION

## 2.2 Description of Hazards

DUST MAY CAUSE EYE OR RESPIRATORY IRRITATION

SECTION 3 - Composition				
Ingredient	<u>Formula</u>	% Weight	OSHA Regulated	Cas #
SILICON CARBIDE		0-95%	N/A	N/A
ALUMINUM OXIDE		0-95%	N/A	N/A
ZIRCONIUM OXIDE		0-95%	N/A	N/A
PHENOLIC RESIN		1-30%	N/A	N/A
IRON PYRITE		0-20%	N/A	N/A
CALCIUM SULPHATE		0-15%	N/A	N/A
CRYOLITE		0-15%	N/A	N/A

## **SECTION 4-First Aid**

## 4.1 First Aid for exposure

INGESTION: IF GRINDING DUST IS SWALLOWED SEEK MEDICAL ATTENTION

INHALATION: IF OVEREXPOSED TO GRINDING DUST REMOVE VICTIM TO FRESH AIR

EYE CONTACT: FLUSH EYES THOROUGHLY WITH WATER, GET MEDICAL ATTENTION IF IRRITATION PERSISTS SKIN CONTACT: WASH DUST FROM SKIN WITH SOAP AND WATER, LAUNDER CONTAMINATED CLOTHING BEFORE RE-USE

## 4.2 Signs and Symptoms of Exposure

EYE, THROAT OR SKIN IRRITATION

#### **SECTION 5 - Fire Fighting Measures**

5.1 Means Of Extinction: USE ANY MEANS THAT ARE APPROPRIATE FOR SURROUNDING FIRE

5.2 Unusual Fire or Explosion Hazards: THIS PRODUCT IS NOT COMBUSTIBLE

Flammable Properties: NONE
5.3 Special Fire Fighting Procedures: NONE

#### **SECTION 6 - Accidental Release Measures**

PICK UP, SWEEP UP OR VACUUM AND PLACE IN A CONTAINER FOR DISPOSAL.

#### **SECTION 7- Storage, Handling and Use Procedures**

7.1 Handling: USE ONLY WITH ADEQUATE VENTILATION, AVOID BREATHING DUST WASH AFTER HANDLING

AND USE

7.2 Storage: STORE IN ACCORDANCE WITH ANSI B7.1 PROTECT ABRASIVE WHEELS FROM DAMAGE

#### **SECTION 8- Personal Protective Control Measures**

#### 8.1 Exposure limits

**ALUMINUM OXIDE** 

Chemical OSHA PEL ACGIH TLV

15 mg/m3 total dust

SILICON CARBIDE NONE ESTABLISHED 10 mg/m3 inhalable

3 mb/m3 respirable

1mg/m3

ZIRCONIUM OXIDE 5 mg/m3 5mg/m3

5mg/m3

CURED PHENOLIC RESIN NONE ESTABLISHED NONE ESTABLISHED IRON PYRITE NONE ESTABLISHED NONE ESTABLISHED CALCIUM SULPHATE NONE ESTABLISHED NONE ESTABLISHED

CRYOLITE 2.5 mg/m3 2.5 mg/m3

## 8.2 Personal protection requirements and referrals

Respiratory: USE NIOSH APPROVED RESPIRATOR AS EXPOSURE LIMITS ARE EXCEEDED OR ARE EXCESSIVE

Ventilation: USE LOCAL EXHAUST OR GENERAL VENTILATION TO MINIMIZE EXPOSURE TO DUST

Protective Gloves: CLOTH OR LEATHER GLOVES RECOMMENDED

Eye Protection: SAFETY GOGGLES OR FACE SHIELD OVER SAFETY GLASSES WITH SIDE SHIELDS

Hearing Protection: USE APPROVED EAR PROTECTION WHEN GRINDING

Body Protection: PROTECTIVE CLOTHING TO PREVENT CONTAMINATION OF PERSONAL CLOTHING

Hygienic Practices:

### **SECTION 9- Physical/Chemical Characteristics**

Boiling PointN/ASpecific GravityN/AVapor PressureN/AMelting PointN/AVapor DensityN/AEvaporation Rate (E N/A

Solubility in Water N/A Appearance BROWN OR GRAY IN APPEARANCE

Lower And Upper Explosion Limits Odor

Flammable Limits Degradation Temperature N/A

Flash Point

#### **SECTION 10 - Stability and Reactivity Data**

# SECTION 11 - Toxicological Data

#### 11.1 Component information

**HEALTH HAZARDS:** 

INGESTION: NONE EXPECTED UNDER NORMAL USE CONDITIONS

HAZARDOUS DECOMPOSITION PRODUCTS: DUST FROM GRINDING COULD CONTAIN INGREDIENTS LISTED IN SECTION 3 AND OTHER POTENTIALLY MORE HAZARDOUS COMPONENTS OF THE BASE MATERIAL BEING GROUND OR COATINGS APPLIED TO THE BASE MATERIAL

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

#### 11.2 Route(s) of Entry and symptoms of exposure

See section 4.2

## Section 12-Ecological Information

NONE

#### **Section 13-Disposal Considerations**

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE LOCAL AND STATE AND FEDERAL REGULATIONS

## **Section 14-Transport Information**

PROPER SHIPPING NOT REGULATED

Section 15-Regulatory Information

NONE

## Section 16-Other Information

SDS Revision Date: November 1, 2014

Reason for Update: Mandated Update

Preparation By: Laurie Siraguso

# **COMPANY USE**

The information and recommendations set forth herein are taken from sources and references believed to be accurate and complete as of the date hereof. However, FlexOvit USA, Inc makes no expressed or implied warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.