## **HALLIBURTON**

# **SAFETY DATA SHEET**

according to Regulation (EC) No. 453/2010

# Hydrochloric Acid with Inhibitor, HII-600, SGA-HT, FerChek, and LoSurf-400

Revision Date: 26-Feb-2015 Revision Number: 5

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product Identifier

Product Name Hydrochloric Acid with Inhibitor, HII-600, SGA-HT, FerChek, and LoSurf-400

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Solvent

#### 1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services

Halliburton House, Howemoss Place

Kirkhill Industrial Estate

Dyce

Aberdeen, AB21 0GN

United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

## 1.4. Emergency telephone number

+44 1224 795277 or +1 281 575 5000

Emergency telephone - §45	5 - (EC)1272/2008
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

## SECTION 2: Hazards Identification

#### 2.1. Classification of the substance or mixture

**REGULATION (EC) No 1272/2008** 

Skin Corrosion / irritation	Category 1 - H314
Serious Eye Damage / Eye Irritation	Category 1 - H318

\_\_\_\_\_

E03u11-400

Revision Date: 21-Dec-2012

#### Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R/H-phrases mentioned in this Section, see Section 16

Classification C - Corrosive.

Risk Phrases R34 Causes burns.

#### 2.2. Label Elements

## **Hazard Pictograms**



#### Signal Word Danger

#### **Hazard Statements**

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

#### Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

**Contains** 

SubstancesCAS NumberHydrochloric acid7647-01-0

#### 2.3. Other Hazards

None known

## **SECTION 3: Composition/information on Ingredients**

#### 3.2. Mixtures Mixture

Substances	EINECS	CAS Number	PERCENT (w/w)	EEC Classification	EU - CLP Substance Classification	REACH No.
Hydrochloric acid	231-595-7	7647-01-0	10 - 30%	C; R34	Skin Corr. 1B (H314)	01-2119484862-27
				Xi; R37	Eye Dam. 1 (H318)	
					STOT SE 3 (H335)	
					Met. Corr. 1 (H290)	

For the full text of the R/H-phrases mentioned in this Section, see Section 16

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

E03ti1-400

**Inhalation** If inhaled, remove to fresh air. If not breathing give artificial respiration,

preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical

Revision Date: 21-Dec-2012

attention.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after

flushing.

**Skin** In case of contact, immediately flush skin with plenty of soap and water for at

least 15 minutes. Get medical attention. Remove contaminated clothing and

launder before reuse.

**Ingestion** Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and

seek medical attention. Never give anything by mouth to an unconscious

person.

## 4.2. Most Important symptoms and effects, both acute and delayed

May cause eye and skin burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

## **SECTION 5: Firefighting Measures**

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Water fog, carbon dioxide, foam, dry chemical.

#### Extinguishing media which must not be used for safety reasons

None known.

#### 5.2. Special hazards arising from the substance or mixture

#### **Special Exposure Hazards**

May form explosive mixtures with strong alkalis. Decomposition in fire may produce toxic gases. Reaction with steel and certain other metals generates flammable hydrogen gas. Do not allow runoff to enter waterways.

#### 5.3. Advice for firefighters

#### **Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment.

See Section 8 for additional information

#### 6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

#### 6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Neutralize to pH of 6-8. Scoop up and remove.

#### 6.4. Reference to other sections

See Section 8 and 13 for additional information.

## **SECTION 7: Handling and Storage**

#### 7.1. Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store away from alkalis. Store in a cool well ventilated area. Keep container closed when not in use.

#### 7.3. Specific End Use(s)

Exposure Scenario No information available

LOSUIT-400

Other Guidelines

No information available

## **SECTION 8: Exposure Controls/Personal Protection**

Revision Date: 21-Dec-2012

#### 8.1. Control parameters

Exposure	

Substances	CAS Number	EU	UK	Netherlands	France
Hydrochloric acid	7647-01-0	Not applicable	TWA: 1 ppm TWA: 2 mg/m³ STEL: 5 ppm STEL: 8 mg/m³	TWA: 8 mg/m³ STEL: 15 mg/m³	STEL: 5 ppm STEL: 7.6 mg/m³

Substances	CAS Number	Germany	Spain	Portugal	Finland
Hydrochloric acid	7647-01-0	TWA: 2 ppm	TWA: 5 ppm	TWA: 5 ppm	STEL: 5 ppm
		TWA: 3 mg/m <sup>3</sup>	TWA: 7.6 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>	STEL: 7.6 mg/m <sup>3</sup>
			10 ppm STEL	STEL: 10 ppm	
		TWA: 3.0 mg/m <sup>3</sup>	[VLA-EC]; 15 mg/m <sup>3</sup>	STEL: 15 mg/m <sup>3</sup>	
			STEL [VLA-EC]		

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Hydrochloric acid	7647-01-0	TWA: 5 ppm	5 ppm TWA; 8 mg/m <sup>3</sup>	TWA: 2 ppm	Not applicable
		TWA: 8 mg/m <sup>3</sup>	TWA	TWA: 3.0 mg/m <sup>3</sup>	
		STEL" 10 ppm	10 ppm STEL (as F);	STEL: 4 ppm	
		STEL" 15 mg/m <sup>3</sup>	15 mg/m <sup>3</sup> STEL	STEL: 6 mg/m <sup>3</sup>	

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Hydrochloric acid	7647-01-0	TWA: 5 ppm TWA: 8 mg/m³ STEL: 10 ppm STEL: 15 mg/m³	TWA: 5 mg/m³ STEL: 10 mg/m³	TWA: 8 mg/m³ STEL: 16 mg/m³	TWA: 8 mg/m <sup>3</sup>

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Hydrochloric acid	7647-01-0	Not applicable	TWA: 5 ppm TWA: 8 mg/m <sup>3</sup>	TWA: 5 ppm TWA: 8 mg/m <sup>3</sup>	TWA: 5 ppm TWA: 8 mg/m <sup>3</sup>
			STEL: 10 ppm STEL: 15 mg/m <sup>3</sup>	STEL: 10 ppm STEL: 15 mg/m³	STEL: 10 ppm STEL: 15 mg/m <sup>3</sup>

## **Derived No Effect Level (DNEL)**

#### Worker

Substances	Long-term	Acute / short	Long-term	Acute / short	Long-term	Acute / short	Long-term	Acute / short	Hazards for
	exposure -	term	exposure -	term	exposure -	term	exposure -	term	the eyes -
	systemic	exposure -	local effects,	exposure -	systemic	exposure -	local effects,	exposure -	local effects
	effects,	systemic	Inhalation	local effects,	effects,	systemic	Dermal	local effects,	
	Inhalation	effects,		Inhalation	Dermal	effects,		Dermal	
		Inhalation				Dermal			
Hydrochloric acid	Not available	Not available	8 mg/m³	15 mg/m <sup>3</sup>	Not available	Not available	Not available	Not available	Not available

## **General Population**

#### Predicted No Effect Concentration (PNEC)

No information available.

No information available.

Substances	Freshwater	Marine water	Intermittent	Sewage	Sediment	Sediment	Air	Soil	Secondary
			release	treatment	(freshwater)	(marine			poisoning
				plant		water)			
Hydrochloric acid	36 ug/L	36 ug/L	45 ug/L	36 ug/L	Not available				

#### 8.2. Exposure controls

**Engineering Controls** 

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

#### Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

**Respiratory Protection** 

LOSUIT-400

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Revision Date: 21-Dec-2012

Acid gas respirator.

Hand Protection Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct

contact (recommended: protection index 6, corresponding to > 480 minutes permeation

time as per EN 374): Butyl rubber gloves. (>= 0.7 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be

observed because of great diversity of types.

**Skin Protection** Full protective chemical resistant clothing. Rubber boots.

**Eye Protection**Chemical goggles; also wear a face shield if splashing hazard exists. **Other Precautions**Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls No information available

## **SECTION 9: Physical and Chemical Properties**

9.1. Information on basic physical and chemical properties

Physical State: Liquid Color: Clear colorless

Odor: Pungent acrid Odor Threshold: No information available

Property Values
Remarks/ - Method

pH: 0.8
Freezing Point/Range -46 °C

**Melting Point/Range** No data available **Boiling Point/Range** No data available **Flash Point** No data available No data available Flammability (solid, gas) No data available upper flammability limit lower flammability limit No data available **Evaporation rate** No data available **Vapor Pressure** No data available **Vapor Density** No data available **Specific Gravity** No data available Water Solubility Miscible with water No data available Solubility in other solvents Partition coefficient: n-octanol/water No data available **Autoignition Temperature** No data available **Decomposition Temperature** No data available No data available Viscosity **Explosive Properties** No information available

9.2. Other information

**Oxidizing Properties** 

VOC Content (%) No data available

## SECTION 10: Stability and Reactivity

No information available

10.1. Reactivity

Not applicable

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Strong alkalis.

**10.6. Hazardous Decomposition Products**Flammable hydrogen gas. Chlorine. Hydrogen sulfide.

## **SECTION 11: Toxicological Information**

Revision Date: 21-Dec-2012

## 11.1. Information on Toxicological Effects

**Acute Toxicity** 

Inhalation Causes severe respiratory irritation.

May cause eye burns. **Eye Contact Skin Contact** May cause skin burns.

Ingestion Causes burns of the mouth, throat and stomach.

**Chronic Effects/Carcinogenicity** Prolonged, excessive exposure may cause erosion of the teeth.

## Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation			
Hydrochloric acid	7647-01-0	No data available	5010 mg/kg(Rabbit) >5010 mg/kg (Rabbit) 1449 mg/kg (Mouse)	3124 ppm (Rat) 1 h 3.2 mg/L (Mouse) 8.3 mg/L (aerosol, Rat) 1405 ppm (Rat) 554 ppm (Mouse)			
Substances	CAS Number	Skin corrosion/irritation					
Hydrochloric acid	7647-01-0	Causes severe burns					
Substances	CAS Number	Eye damage/irritation					
Hydrochloric acid	7647-01-0	Causes severe burns					
Substances	CAS Number	Skin Sensitization					
Hydrochloric acid	7647-01-0	Did not cause sensitization on la	boratory animals (guinea pig)				
Substances	CAS Number	Respiratory Sensitization					
Hydrochloric acid	7647-01-0	No information available					
Substances	CAS Number	Mutagenic Effects					
Hydrochloric acid	7647-01-0	Not regarded as mutagenic.					
Substances	CAS Number	Carcinogenic Effects					
Hydrochloric acid	7647-01-0	Did not show carcinogenic effect	s in animal experiments				
Substances	CAS Number	Reproductive toxicity					
Hydrochloric acid	7647-01-0	Embryo and fetotoxicity has been observed in female rats exposed to maternally toxic levels of hydrogen chloride (450 mg/m³, 1hr.).					
Substances	CAS Number	STOT - single exposure					
Hydrochloric acid	7647-01-0	Causes severe respiratory irritati	on.				
Substances	CAS Number	STOT - repeated exposure					
Hydrochloric acid	7647-01-0	No significant toxicity observed i	n animal studies at concentration	requiring classification.			

LOSUIT-400

	CAS Number	Aspiration hazard
Hydrochloric acid	7647-01-0	Not applicable

Revision Date: 21-Dec-2012

## **SECTION 12: Ecological Information**

# 12.1. Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Hydrochloric acid	7647-01-0	EC50 (72h): 4.7 (pH) (Chlorella vulgaris)	LC50: 282 mg/L (Gambusia affinis) LC50: 20.5 mg/L (Lepomis macrochirus) LC50 (96h): 3.25 – 3.5 (pH) (Lepomis macrochirus)	EC50(3h): >= 5 and <= 5.5 (pH) (Activated sludge, domestic)	EC50(48h): 4.9 (pH) (Daphnia magna)

#### 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Hydrochloric acid	7647-01-0	The methods for determining biodegradability are
		not applicable to inorganic substances.

#### 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Hydrochloric acid	7647-01-0	0.25

#### 12.4. Mobility in soil

No information available

#### 12.5. Results of PBT and vPvB assessment

No information available.

#### 12.6. Other adverse effects

#### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

## **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Disposal Method Contaminated Packaging Disposal should be made in accordance with federal, state, and local regulations.

Follow all applicable national or local regulations.

## **SECTION 14: Transport Information**

IMDG/IMO

UN Number: UN1789

UN Proper Shipping Name: Hydrochloric Acid Solution

Transport Hazard Class(es): 8
Packing Group: ||

**Environmental Hazards:** Not applicable **EMS**: EmS F-A, S-B

RID

UN Number: UN1789

Hydrochloric Acid with Inhibitor, HII-600, SGA-HT, FerChek, and LoSurf-400

LOSUIT-400

Revision Date: 21-Dec-2012

**UN Proper Shipping Name:** Hydrochloric Acid Solution

Transport Hazard Class(es): 8
Packing Group: ||

Environmental hazard: Not applicable

**ADR** 

UN Number: UN1789

UN Proper Shipping Name: Hydrochloric Acid Solution

Transport Hazard Class(es): 8
Packing Group: ||

**Environmental hazard:** Not applicable

IATA/ICAO

UN Number: UN1789

**UN Proper Shipping Name:** Hydrochloric Acid Solution

Transport Hazard Class(es): 8
Packing Group: ||

Environmental hazard: Not applicable

**14.1. UN Number**: UN1789

**14.2. UN Proper Shipping Name:** Hydrochloric Acid Solution

14.3. Transport Hazard Class(es): 8

14.4. Packing Group:

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

## **SECTION 15: Regulatory Information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Inventories** 

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory

All components listed on inventory or are exempt.

All components listed on inventory or are exempt.

All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering

Classes (WGK)

WGK 1: Low hazard to waters.

#### 15.2. Chemical Safety Assessment

No information available

#### **SECTION 16: Other Information**

Full text of R-phrases referred to under Sections 2 and 3

R34 Causes burns.

R37 Irritating to respiratory system.

#### Full text of H-Statements referred to under sections 2 and 3

None

#### Key or legend to abbreviations and acronyms

bw - body weight

CAS - Chemical Abstracts Service

CLP - REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures

Revision Date: 21-Dec-2012

EC - European Commission

EC10 - Effective Concentration 10%

EC50 - Effective Concentration 50%

EEC - European Economic Community

ErC50 – Effective Concentration growth rate 50%

IBC Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL0 - Lethal Loading 0%

LL50 - Lethal Loading 50%

MARPOL - International Convention for the Prevention of Pollution from Ships

mg/kg - milligram/kilogram

mg/L - milligram/liter

NIOSH - National Institute for Occupational Safety and Health

NOEC - No Observed Effect Concentration

NTP - National Toxicology Program

OEL – Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

PC – Chemical Product category

PEL – Permissible Exposure Limit

ppm - parts per million

PROC - Process category

REACH - REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the

Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL - Short Term Exposure Limit

SU - Sector of Use category

#### Key literature references and sources for data

www.ChemADVISOR.com/

21-Dec-2012 **Revision Date:** 

**Revision Note** 

Update to Format SECTION: 8

#### This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

#### **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**