

SAFETY DATA SHEET HYDROGEN PEROXIDE 6%

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY:

PRODUCT NAME: HYDROGEN PEROXIDE 6%

PART No.: M032

SUPPLIER: J M Loveridge plc

Southbrook Road, Southampton

Hampshire SO15 1BH

Tel: 023 8022 2008 Fax: 023 8022 2117

2. COMPOSITION/INFORMATION ON INGREDIENTS:

NAME

CAS No.: EINECS Nr.: CLASSIFICATION

HYDROGEN PEROXIDE 5-10 %

7722-84-1 231-765-0 C ,O R-8, 34

PHENACETIN 0-1 %

62-44-2 200-533-0 T R-20/21/22, 45, 46 Carc1 Mut1

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS: Preparation containing: Phenacetin at ~ 0.01%.

3. HAZARDS IDENTIFICATION:

Irritating to eyes and skin.

4. FIRST AID MEASURES:

GENERAL: IN ALL CASES OF DOUBT OR WHEN SYMPTOMS PERSIST, ALWAYS SEEK

MEDICAL ATTENTION

INHALATION: Move the exposed person to fresh air at once. Keep the affected person warm and at

rest. Get prompt medical attention.

INGESTION: DO NOT INDUCE VOMITING. In case of spontaneous vomiting, be sure that vomit

can freely drain because of danger of suffocation. Only when conscious, rinse mouth with plenty of water and give plenty of water to drink - (approx 500ml). Keep patient at

rest and obtain medical attention.

SKIN: Remove affected person from source of contamination. Wash the skin immediately with

soap and water. Get medical attention promptly if symptoms occur after washing.

EYES: Keeping eye open, immediately irrigate with water or eye-wash for 15 minutes. Obtain

medical attention.

5. FIRE FIGHTING MEASURES:

EXTINGUISHING MEDIA: Use extinguishing media appropriate for surrounding fire.

UNUSUAL FIRE & EXPLOSION

HAZARDS:

Thermal decomposition may liberate oxygen which will contribute to the combustion of

other materials.

PROTECTIVE MEASURES IN FIRE: Fire fighters should wear self-contained breathing apparatus.

6. A CCIDENTAL RELEASE MEASURES:

PERSONAL PRECAUTION IN SPILL: Avoid direct contact with skin, eyes and clothing.

PRECAUTIONS TO PROTECT

ENVIRONMENT:

Prevent contamination of soil, drains and surface water.

SPILL CLEAN UP METHODS: Take-up spillage with absorbent, inert material and place in a suitable and closable

labelled container for recovery or disposal. Wash the area clean with water and

detergent, observing environmental requirements.

7. HANDLING AND STORAGE:

USAGE PRECAUTIONS: HANDLING - Product should be used in accordance with good industrial principles for

handling and storing of hazardous chemicals.

Avoid contact with skin or eyes.

STO RAGE PRECAUTIONS: Store in a cool, dry, well ventilated place, in securely closed original container.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:

INGREDIENT NAME: CAS No.: STD LT EXP 8 Hrs ST EXP 15 Min

HYDROGEN PEROXIDE 7722-84-1 OES 1 ppm 2 ppm

PROTECTIVE GLOVES: Use protective gloves.

EYE PROTECTION: Use approved safety goggles or face shield.

OTHER PROTECTION: Wear appropriate clothing to prevent any possibility of skin contact.

HY GIENIC WORK PRACTICES: SKIN PROTECTION - apply barrier cream to hands and exposed skin.

Promptly remove any clothing that becomes contaminated.

9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE: Colourless liquid.

ODOUR/TASTE: Slightly pungent odour.

DENSITY/SPECIFIC GRAVITY (g/ml): $\sim 1.02 - 1.04$ Temperature (°C):

SOLUBILITY DESCRIPTION: Miscible with water in all proportions.

10. STABILITY AND REACTIVITY:

STABILITY: Slowly decomposes, evolving oxygen. Pressure can develop in sealed containers.

CONDITIONS TO A VOID: Avoid excessive heat.

MATERIALS TO AVOID: Readily decomposed by dust, metals, carbon, salts.

Reacts vigorously with permanganates.

HAZARDOUS DECOMP. PRODUCTS: Oxygen.

11. TOXICOLOGICAL INFORMATION:

Toxicological data LD50. Oral. Rat. 1518 mg/kg (12% solution)

HEALTH HAZARDS, GENERAL: Extremely irritating to eyes and respiratory system.

INHALATION: Irritating to mucous membranes. Irritating to the respiratory system.

INGESTION: If ingested, sudden evolution of oxygen may cause injury by distention of stomach and

may cause nausea, vomiting and internal bleeding.

SKIN: May cause skin irritation.

EYES: May cause eye irritation, burning sensation or lacrymation.

12. ECOLOGICAL INFORMATION:

ECOLOGICAL INFORMATION: No specific data or information available regarding environmental impact.

13. DISPOSAL CONSIDERATIONS:

DISPOSAL METHODS: This material and/or its container must be disposed of as hazardous waste according to

Special Waste Regulations 1996 or according to local regulations, in compliance with

Duty of Care Regulations and Special Waste Regulations.

WASTE CLASS: WASTE CODE: 0705** HAZARDOUS PROPERTY: H4

14. TRANSPORT INFORMATION:

GENERAL: HYDROGEN PEROXIDE SOLUTIONS CONTAINING LESS THAN 8% hydrogen

peroxide $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right)$

15. REGULATORY INFORMATION:

LABEL FOR SUPPLY:



RISK PHRASES: R-36/38 Irritating to eyes and skin.

SAFETY PHRASES: S-2 Keep out of reach of children.

S-24/25 Avoid contact with skin and eyes.

S-26 In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S-46 If swallowed seek medical advice immediately and show this container label.

UK REGULATORY REFERENCES: Chemicals (Hazard Information & Packaging) Regulations 1993. Classification,

Packaging and Labelling Regulations 1984.

16. OTHER INFORMATION:

INFORMATION SOURCES: This product has been classified in accordance with CHIP3 regulations.

REVISION COMMENTS: Edition 01; Revised item(s):

ISSUED BY: MK

SDS No.: M063

DATE: 12/07/02

DISCLAIMER: The foregoing data has been compiled for safety information only and does not form

part of any selling specification. Information contained in this Data Sheet is to the best of JMLs knowledge correct at the time of publication. Customers should always satisfy themselves, that the product which they have selected is entirely suitable for their purpose under their conditions of use and in compliance with current regulations. For

any further information, please contact the supplier.

R-PHRASES (Full Text): R-20/21/22 Harmful by inhalation, in contact with skin and if swallowed. R-45 May

cause cancer. R-46 May cause heritable genetic damage. R-8 Contact with combustible

material may cause fire. R-34 Causes burns.