

MATERIAL SAFETY DATA SHEET

REVISION DATE: 04/19/2012 REVISION NUMBER:

DATE PRINTED: 04/19/2012 PREPARED BY: FH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: INTEC 6002 SERIES

PRODUCT CODE: 118285

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health:1/1Fire:1/1Reactivity:0/0Special/Protective Equipment:None/B

NAME OF THE Rochester Midland Corporation

MANUFACTURER: 155 Paragon Drive

Rochester, New York 14624

USA

Emergency Phone:

INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: No adverse health effects are expected from swallowing.

Practically non-toxic.

SKIN CONTACT: None known.
INHALATION: None in normal use.

EYE CONTACT: May cause mild eye irritation.

CHRONIC EFFECTS: None known.

EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Naphthenic oil 64742-53-6	>80	Not applicable	Not applicable

4. FIRST AID MEASURES

INGESTION: Get immediate medical attention. DO NOT INDUCE VOMITING.

SKIN: Remove contaminated clothing and launder before reuse. Wash with soap and water. Get

medical attention if irritation persists.

INHALATION: If inhaled, move victim to fresh air and seek medical attention.

EYES: Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate

medical attention.

NOTES TO PHYSICIAN: None.

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:

INTEC 6002 SERIES

FIRE AND EXPLOSION HAZARD DATA

(F): 300 F (ASTM D-56) **(C)**:

Not determined

ASTM D-56

FLAMMABLE LIMITS IN AIR

METHOD:

LOWER (%):

UPPER (%):

No data

No data

SENSITIVITY TO MECHANICAL IMPACT(Y/N): NO

SENSITIVITY TO STATIC DISCHARGE:SUITABLE EXTINGUISHING MEDIA:
Sensitivity to static discharge is not expected.
Carbon Dioxide, Dry Chemicals, Foam.

FIRE FIGHTING PROCEDURES: Use standard firefighting techniques: Water spray, dry chemicals, or foam. Fire-fighters should wear self-contained breathing

or foam. Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Use water spray to cool nearby containers and structures exposed

to fire.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: Reclaim as much as possible. Pick up with absorbant material.

LARGE SPILLS: Dike to contain, reclaim all possible.

PERSONAL PRECAUTIONS: Not applicable ENVIRONMENTAL PRECAUTIONS: Not applicable METHODS FOR CLEANING UP: Not applicable

__

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKENDO NOT pressurize, weld, or heat containers. Keep from freezing.

IN HANDLING AND STORAGE:

OTHER PRECAUTIONS: Do not reuse container.

SPECIFIC USE(S): Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

EXPOSURE CONTROLS: Use in a well ventilated area.

RESPIRATORY PROTECTION: Not normally required. If mist or vapors in air exceed exposure limit, use NIOSH approved

organic vapor respirator.

PROTECTIVE GLOVES: Polyvinylchloride. Neoprene. Nitrile (NBR). Viton gloves. Polyvinyl alcohol gloves.

EYE PROTECTION: Safety Glasses. Goggles.

OTHER PERSONAL PROTECTION Appropriate protective clothing as needed to prevent skin contact.

EQUIPMENT:

VENTILATION: General mechanical or local exhaust as needed to maintain exposure below TLV or PEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear amber liquid. Characteristic odor.

BOILING POINT (F): >500 F (C) Not determined

VAPOR PRESSURE: NA VAPOR DENSITY (AIR=1): NA

SOLUBILITY IN WATER: Not determined

SPECIFIC GRAVITY: 0.9077
VOC Content (%): NE
EVAPORATION RATE: >1
PH: NA

INTEC 6002 SERIES

9. PHYSICAL AND CHEMICAL PROPERTIES

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE POLYMERIZATION: Will Not Occur.

HAZARDOUS DECOMPOSITION: Oxides of Carbon. Hydrogen gas may be released by contact with certain metals.

INCOMPATIBILITY (MATERIALS TO Strong acids and oxidizers.

AVOID):

CONDITIONS/HAZARDS TO AVOID: Keep away from heat, sparks and flame.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established EFFECTS OF CHRONIC EXPOSURE: Not established. OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL No data at this time

INFORMATION:

CHEMICAL FATE INFORMATION: No data at this time.

MOBILITY: Not applicable.

PERSISTENCE/DEGRADABILITY: Not applicable
BIOACCUMULATIVE POTENTIAL: Not applicable
OTHER ADVERSE EFFECTS: Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Naphthenic oil 64742-53-6	>80	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Naphthenic oil 64742-53-6	>80	Not Listed	Not Listed	Not Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Naphthenic oil 64742-53-6	>80	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels. The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

INTEC 6002 SERIES

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***