



MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008
DATE PRINTED: 11/11/2008

REVISION NUMBER: 2
PREPARED BY: Walter Friedlander

1. CHEMICAL PRODUCT

PRODUCT NAME: **INTEC MEGA-DRAW #4003**
PRODUCT CODE: 118184

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 2/2 Fire: 1/1
Reactivity: 1/1 Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
333 Hollenbeck Street
Rochester, New York 14621
Information: 585-336-2200
Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Harmful if swallowed. Irritation of the mouth, throat, and stomach. May act as a laxative or cause other internal effects. Aspiration of ingested or vomited liquid into the lungs may cause chemical pneumonia, which can be fatal.

SKIN CONTACT: Prolonged contact may lead to irritation and dermatitis.

INHALATION: Inhalation of spray mists irritating to nose and throat; possible nausea, dizziness. May affect the heart and cardiovascular system.

EYE CONTACT: May cause moderate eye irritation.

CHRONIC EFFECTS: Dermatitis.

EFFECTS/CARCINOGENICITY: Contains materials which may or may not be carcinogenic.

CARCINOGENIC INGREDIENTS: Chlorinated paraffins (CP).

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Mineral Oils 64742-53-6	5 - 50	NA	NA

4. FIRST AID MEASURES

INGESTION: Aspiration hazard. Get immediate medical attention. DO NOT INDUCE VOMITING.

SKIN: Wash with soap and water. Remove contaminated clothing and launder before reuse.

INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

EYES: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): 350 F min. (ASTM D-92) (C): NA
METHOD: ASTM D-93

INTEC MEGA-DRAW #4003

FLAMMABLE LIMITS IN AIR

- LOWER (%): NE
- UPPER (%): NE

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE:

SUITABLE EXTINGUISHING MEDIA:

FIRE FIGHTING PROCEDURES:

NO

Sensitivity to static discharge is not expected.

Carbon Dioxide, Dry Chemicals, Foam. Sand.

Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed containers with water spray. DO NOT USE streams of water, as this will scatter the liquid and spread the fire. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:

Pick up with absorbant material.

LARGE SPILLS:

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Keep out of drains, sewers, streams, or other bodies of water. Consult an expert on disposal of recovered material and ensure conformity to all Federal, State, and local disposal regulations.

PERSONAL PRECAUTIONS:

NA

ENVIRONMENTAL PRECAUTIONS:

NA

METHODS FOR CLEANING UP:

NA

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN

IN HANDLING AND STORAGE:

OTHER PRECAUTIONS:

SPECIFIC USE(S):

Do not expose to extreme temperatures. Store in a cool, dry area. Store in a well ventilated area. Do not store near oxidizing agents. Do not breathe mist or vapors.

Read and follow label instructions. Keep out of reach of children.

NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

EXPOSURE CONTROLS:

Use in a well ventilated area.

RESPIRATORY PROTECTION:

Above TLV use NIOSH approved respirator or breathing apparatus.

PROTECTIVE GLOVES:

Chemical resistant gloves.

EYE PROTECTION:

Goggles. Safety Glasses.

OTHER PERSONAL PROTECTION

EQUIPMENT:

Rubber apron. Chemical resistant materials are required to prevent prolonged or repeated skin contact. Eyewash fountains and safety showers must be easily accessible.

VENTILATION:

General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Use non-sparking equipment. No smoking or open lights.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Oil. Mild petroleum odor.

BOILING POINT (F):

NE

(C) NA

VAPOR PRESSURE:

NE

VAPOR DENSITY (AIR=1):

NE

SOLUBILITY IN WATER:

NA

SPECIFIC GRAVITY:

1.0 - 1.1 (typical)

9. PHYSICAL AND CHEMICAL PROPERTIES

VOC Content (%): NA
 VOV Content (%): NE
 EVAPORATION RATE: NA
 PH: NA

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
 POLYMERIZATION: Will Not Occur.
 HAZARDOUS DECOMPOSITION: Combustion produces: Oxides of Carbon. Oxides of Sulfur. Hydrogen sulfide. Hydrochloric Acid. When heated to high temperatures, the following may be produced: Oxides of Metal Reactive volatile hydrocarbons.
 INCOMPATIBILITY (MATERIALS TO AVOID): Avoid contact with: Strong oxidents, such as nitric acid, or hypochlorites.
 CONDITIONS/HAZARDS TO AVOID: Extreme heat, direct sunlight. Avoid any source of ignition.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
 EFFECTS OF CHRONIC EXPOSURE: NE
 OTHER TOXIC EFFECTS: NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
 CHEMICAL FATE INFORMATION: No data at this time.
 MOBILITY: NA
 PERSISTENCE/DEGRADABILITY: NA
 BIOACCUMULATIVE POTENTIAL: NA
 OTHER ADVERSE EFFECTS: NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Mineral Oils 64742-53-6	5 - 50	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Mineral Oils 64742-53-6	5 - 50	Not Listed	Not Listed	Not Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

INTEC MEGA-DRAW #4003

PRODUCT COMPOSITION CAS#	%	MARTK:
Mineral Oils 64742-53-6	5 - 50	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.
The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

***** END OF MSDS *****