



MATERIAL SAFETY DATA SHEET

REVISION DATE: 04/19/2012

REVISION NUMBER: 3

DATE PRINTED: 04/19/2012

1. CHEMICAL PRODUCT

PRODUCT NAME: **INTEC MEGA-DRAW #4800, New and Improved**

PRODUCT CODE: 118157

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1

Fire: 1/1

Reactivity: 0/0

Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
155 Paragon Drive
Rochester, New York 14624
USA

Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Harmful if swallowed. Irritation of the mouth, throat, and stomach. May act as a laxative or cause other internal effects. May cause liver and kidney damage. Aspiration of ingested or vomited liquid into the lungs may cause chemical pneumonia, which can be fatal.

SKIN CONTACT: Prolonged contact may lead to irritation and dermatitis.

INHALATION: Inhalation of vapors or mists may cause nose and respiratory irritation, sore throat, and coughing. High vapor concentrations may cause unconsciousness and other central nervous system effects, even death.

EYE CONTACT: Causes moderate eye irritation.

CHRONIC EFFECTS: Dermatitis.

EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Naphthenic oil 64742-53-6	85 - 95	Not applicable	Not applicable

4. FIRST AID MEASURES

INGESTION: DO NOT INDUCE VOMITING. May cause aspiration pneumonia. Get immediate medical attention.

SKIN: Wash with soap and water. Remove contaminated clothing and launder before reuse.

INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

EYES: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	(F): 310 F (ASTM D-56) (C): Not determined
METHOD:	ASTM D-93
FLAMMABLE LIMITS IN AIR	
LOWER (%):	NE
UPPER (%):	NE
SENSITIVITY TO MECHANICAL IMPACT(Y/N):	NO
SENSITIVITY TO STATIC DISCHARGE:	Sensitivity to static discharge is not expected.
SUITABLE EXTINGUISHING MEDIA:	Carbon Dioxide, Dry Chemicals, Foam. Sand.
FIRE FIGHTING PROCEDURES:	Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed containers with water spray. DO NOT USE streams of water, as this will scatter the liquid and spread the fire. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:

Pick up with absorbant material.

LARGE SPILLS:

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Consult an expert on disposal of recovered material and ensure conformity to all Federal, State, and local disposal regulations. Keep out of drains, sewers, streams, or other bodies of water.

PERSONAL PRECAUTIONS:

Not applicable

ENVIRONMENTAL PRECAUTIONS:

Not applicable

METHODS FOR CLEANING UP:

Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Do not expose to extreme temperatures. Store in a cool, dry area.
Store in a well ventilated area. Do not store near oxidizing agents. Do not breathe mist or vapors.

OTHER PRECAUTIONS:

Read and follow label instructions. Keep out of reach of children.

SPECIFIC USE(S):

Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

EXPOSURE CONTROLS:

Use in a well ventilated area.

RESPIRATORY PROTECTION:

Use NIOSH approved respirator with dust/mist filter as needed to meet exposure limits of mist in air.

PROTECTIVE GLOVES:

Oil-resistant gloves.

EYE PROTECTION:

Goggles.

OTHER PERSONAL PROTECTION

Chemical resistant materials are required to prevent prolonged or repeated skin contact.

EQUIPMENT:

Rubber apron. Discard contaminated shoes.

VENTILATION:

General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

9. PHYSICAL AND CHEMICAL PROPERTIES

INTEC MEGA-DRAW #4800, New and Improved

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Characteristic odor. Yellow liquid.	
BOILING POINT (F):	> 500	(C) Not determined
VAPOR PRESSURE:	NE	
VAPOR DENSITY (AIR=1):	NE	
SOLUBILITY IN WATER:	Not determined	
SPECIFIC GRAVITY:	0.9121	
VOC Content (%):	NE	
EVAPORATION RATE:	NE	
PH:	NA	

10. STABILITY AND REACTIVITY

STABILITY DATA:	STABLE
POLYMERIZATION:	Will Not Occur.
HAZARDOUS DECOMPOSITION:	Combustion produces: Oxides of Carbon. Hydrogen chloride gas. When heated to high temperatures, the following may be produced: Oxides of Metal Reactive volatile hydrocarbons.
INCOMPATIBILITY (MATERIALS TO AVOID):	Avoid contact with: Strong oxidents, such as nitric acid, or hypochlorites.
CONDITIONS/HAZARDS TO AVOID:	Extreme heat, direct sunlight. Avoid any source of ignition.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:	Not Established
EFFECTS OF CHRONIC EXPOSURE:	Not established.
OTHER TOXIC EFFECTS:	Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION:	No data at this time
CHEMICAL FATE INFORMATION:	No data at this time.
MOBILITY:	Not applicable.
PERSISTENCE/DEGRADABILITY:	Not applicable
BIOACCUMULATIVE POTENTIAL:	Not applicable
OTHER ADVERSE EFFECTS:	Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS:	Dispose in accordance with Federal, State and Local regulations.
-------------------------	------------------------------------------------------------------

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Naphthenic oil 64742-53-6	85 - 95	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Naphthenic oil 64742-53-6	85 - 95	Not Listed	Not Listed	Not Listed

INTEC MEGA-DRAW #4800, New and Improved

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Naphthenic oil 64742-53-6	85 - 95	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***